PLANNING COMMISSION AGENDA

CHAIRPERSON: Brett Taylor



VICE CHAIRPERSON: Liz Wynn

COMMISSIONERS: Brett Taylor, Liz Wynn, Chris Gomez, Marvin Hansen, Sarrah Peariso

MONDAY, AUGUST 28, 2017, 7:00 PM REGULAR MEETING,
VISALIA CONVENTION CENTER LOCATED AT 303 E. ACEQUIA AVENUE, VISALIA

- 1. THE PLEDGE OF ALLEGIANCE -
- 2. CITIZEN'S COMMENTS This is the time for citizens to comment on subject matters that are not on the agenda but are within the jurisdiction of the Visalia Planning Commission. The Commission requests that a 5-minute time limit be observed for comments. Please begin your comments by stating and spelling your name and providing your street name and city. Please note that issues raised under Citizen's Comments are informational only and the Commission will not take action at this time.
- 3. CHANGES OR COMMENTS TO THE AGENDA-
- 4. CONSENT CALENDAR All items under the consent calendar are to be considered routine and will be enacted by one motion. For any discussion of an item on the consent calendar, it will be removed at the request of the Commission and made a part of the regular agenda.
 - Time Extension for Visalia Palms Tentative Subdivision Map No. 5524 and Conditional Use Permit No. 2006-42
- 5. PUBLIC HEARING Paul Scheibel
 - Variance No. 2017-18: A request by California Water Service Company to allow a variance to the maximum height limit in the rear yard of an R-1-5 (Single-family Residential) zoned property, for the installation of two water treatment tanks. The site is located at on the east side of Mooney Blvd., approximately 110 feet north of Wren Ave. (APN 090-222-001) The project is Categorically Exempt from the California Environmental Quality Act (CEQA) pursuant to CEQA Guidelines Section 15305, Categorical Exemption No. 2017-68.
- 6. PUBLIC HEARING Andy Chamberlain Variance No. 2017-17: A request by California Water Service Company to allow a variance to the maximum height limit in the rear yard of an R-M-2 (Multi-family Residential) zoned property, for the installation of one water holding tank. The site is located at 2232 South Santa Fe Street (APN: 123-080-001). The project is Categorically Exempt from the California Environmental Quality Act (CEQA) pursuant to CEQA Guidelines Section 15305, Categorical Exemption No. 2017-59.
- 7. PUBLIC HEARING Andy Chamberlain
 Continued Public Hearing Conditional Use Permit No. 2017-08, and Mitigated Negative
 Declaration No. 2017-13: A request by Christopher Owhadi to construct a 200 Unit
 apartment complex with a Community Building in the R-M-2 (Medium Density Residential)
 zone. The site is located on the northeast corner of Shirk Street and Doe Avenue (APN:
 077-530-065, 077-530-066, 077-750-001, and 077-740-001). A Mitigated Negative
 Declaration (MND No. 2017-13) has been prepared for the project.

8. PUBLIC HEARING – Andy Chamberlain

Variance No. 2017-19: A request by California Water Service Company to allow a variance to the maximum height limit in the rear yard of an R-1-5 (Single-family Residential) zoned property, for the installation of two new treatment vessels. The site is located at 621 West Caldwell Avenue, on the south side of Caldwell Avenue between South Oak View Street and South West Street (APN: 126-570-001). The project is Categorically Exempt from the California Environmental Quality Act (CEQA) pursuant to CEQA Guidelines Section 15305, Categorical Exemption No. 2017-60.

9. PUBLIC HEARING - Paul Bernal

Conditional Use Permit No. 2017-22: A request by ARCO AM/PM to construct a new ARCO AM/PM gas station consisting of a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers. The Cameron Creek ARCO AM/PM is part of the Cameron Creek Shopping Center and zoned C-MU (Commercial Mixed Use). The parcel for the proposed ARCO AM/PM gas station is located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037). A Mitigated Negative Declaration (MND No. 2017-39) has been prepared for the project.

10. PUBLIC HEARING - Andy Chamberlain

Conditional Use Permit No. 2017-28: A request by the Roman Catholic Bishop of Fresno, Dennis Townsend, AlA-Agent, to amend the master plan in Conditional Use Permit No. 2008-40, for the St. Charles Borromeo for the Good Shepherd Church, expanding the sanctuary and reconfiguring the parking and buildings on the site, in the QP (Quasi-Public) zone. The site is located at 5049 W. Caldwell Avenue. (APN: 119-070-073). The project is Categorically Exempt from the California Environmental Quality Act (CEQA) pursuant to CEQA Guidelines Section 15305, Categorical Exemption No. 2017-61.

11. DIRECTOR'S REPORT/ PLANNING COMMISSION DISCUSSION-

The Planning Commission meeting may end no later than 11:00 P.M. Any unfinished business may be continued to a future date and time to be determined by the Commission at this meeting. The Planning Commission routinely visits the project sites listed on the agenda.

For the hearing impaired, if signing is desired, please call (559) 713-4359 twenty-four (24) hours in advance of the scheduled meeting time to request these services. For the visually impaired, if enlarged print or Braille copy is desired, please call (559) 713-4359 for this assistance in advance of the meeting and such services will be provided as soon as possible following the meeting.

Any written materials relating to an item on this agenda submitted to the Planning Commission after distribution of the agenda packet are available for public inspection in the City Office, 315 E. Acequia Visalia, CA 93291, during normal business hours.

APPEAL PROCEDURE

THE LAST DAY TO FILE AN APPEAL IS THURSDAY, SEPTEMBER 7, 2017 BEFORE 5 PM

According to the City of Visalia Zoning Ordinance Section 17.02.145 and Subdivision Ordinance Section 16.04.040, an appeal to the City Council may be submitted within ten days following the date of a decision by the Planning Commission. An appeal form with applicable fees shall be filed with the City Clerk at 220 N. Santa Fe, Visalia, CA 93292. The appeal shall specify errors or abuses of discretion by the Planning Commission, or decisions not supported by the evidence in the record. The appeal form can be found on the city's website www.visalia.city or from the City Clerk.

THE NEXT REGULAR MEETING WILL BE HELD ON MONDAY, SEPTEMBER 11, 2017



REPORT TO CITY OF VISALIA PLANNING COMMISSION

HEARING DATE:

August 28, 2017

PROJECT PLANNER:

Paul Bernal, Principal Planner Phone No.: (559) 713-4025

SUBJECT: Conditional Use Permit No. 2017-22: A request by ARCO AM/PM to construct a new ARCO AM/PM gas station consisting of a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers. The Cameron Creek ARCO AM/PM is part of the Cameron Creek Shopping Center and zoned C-MU (Commercial Mixed Use). The parcel for the proposed ARCO AM/PM gas station is located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037).

STAFF RECOMMENDATION

Staff recommends approval of Conditional Use Permit No. 2017-22, as conditioned, based upon the findings and conditions in Resolution No. 2017-37. Staff's recommendation is based on the conclusion that the request is consistent with the Visalia General Plan and Zoning Ordinance.

RECOMMENDED MOTION

I move to approve Conditional Use Permit No. 2017-22, as conditioned, based on the findings and conditions in Resolution No. 2017-37.

PROJECT DESCRIPTION

The applicant has filed Conditional Use Permit No. 2017-22 requesting to develop a 1.29-acre parcel (i.e. Parcel 1 of Parcel Map 5141) within the Cameron Creek Marketplace Shopping Center. The development consist of an ARCO AM/PM gas station with a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers (see Exhibit "A"). The Cameron Creek ARCO AM/PM project site is zoned C-MU (Commercial Mixed Use) and located on the southeast corner of West Caldwell Avenue and South West Street.

The ARCO AM/PM gas station site will be developed with 26 parking spaces, excluding the 20 fueling station spaces located under the fueling island canopy. In addition, 11 vacuum parking stations will be provided south of the carwash building. The ARCO AM/PM gas station site will be accessible by two new drive approaches installed along both the Caldwell Avenue and West Street frontages. In addition, curb, gutter, sidewalk and park strip landscaping will be installed along the West Street frontage providing pedestrian access to the residential neighborhood to the south of the ARCO AM/PM gas station site. Additional on-site improvements include construction of the primary drive aisle which will extend to the east which will allow on-site vehicular access from the ARCO gas station site to the Jack and the Box site as depicted on the overall Cameron Creek Market Place Shopping Center (see Exhibit "B"). Requirement to extend the on-site private driveway to the east is included as Condition No. 9.

The Operational Statement (see Exhibit "C") indicates that the fuel islands and convenience store will operate 24 hours a day. The applicant has indicated their request to have the carwash operate between the hours of 6:00 a.m. to 7:00 p.m. There are no prohibitions to operating 24 hours a day as long as Community Noise Standards are maintained, as specified in Chapter 8.36 of the Visalia Municipal Code. Because of noise levels associated with the carwash and vacuum cleaners, Mitigation Measures have been identified that recommend the hours of operation for the carwash and vacuum bays be limited between 7:00 a.m. to 9:00 p.m.

The Cameron Creek Marketplace Shopping Center project is a phased master-planned development (see Exhibit "B") in the C-MU zone. The Cameron Creek Marketplace Shopping Center project also had an associated Tentative Parcel Map (TPM No. 2005-1) which subdivided the entire 15.55-acre site into eight parcels with shared access, parking, drainage and maintenance agreements. The ARCO AM/PM gas station and convenience store is located on Parcel 1 of the approved parcel map.

BACKGROUND INFORMATION

General Plan Land Use Designation: Commercial Mixed Use

Zoning: C-MU (Commercial Mixed Use)

Surrounding Land Use and Zoning: North: Caldwell Avenue / Divided four lane Arterial

street

South: C-MU - Vacant Parcel 3 of the Cameron

Creek Marketplace Shopping Center

East: C-MU - Vacant Parcel 2 of the Cameron

Creek Marketplace Shopping Center

West: West Street / Two lane Collector street

Environmental Review: Mitigated Negative Declaration (MND) No. 2017-39

Special Districts: N/A

Site Plan Review No: 2016-140

RELATED PLANS & POLICIES

Please see attached summary of related plans and policies. The proposed project is consistent with applicable plans and policies.

RELATED PROJECTS

Conditional Use Permit (CUP) No. 2005-022, Variance No. 2005-08 and Parcel Map No. 2005-14, were submitted for the development of the 15.55-acre Cameron Creek Shopping Center. The development consisted of a total building area of 106,132 square feet. The shopping center will consist of two large anchor pads and various retail buildings along the southern portion of the site. The remaining balance of the site includes the development of outpads buildings with drive-thru lanes along the Caldwell Avenue street frontage. The variance established a sign program for the entire shopping center while the parcel map depicted the subdivision of the entire shopping center into eight parcels. The Planning Commission approved the CUP, Variance and Parcel Map on July 25, 2005.

Conditional Use Permit No. 2008-06 and Variance No. 2008-02 was a request by the applicant to develop the Caldwell and Court Commercial Center (i.e., Cameron Creek Shopping Center) with a total building area consisting of 118,558 square feet. The commercial center consisted of commercial and office space, a pharmacy with a drive-thru and a neighborhood grocery. The Variance allows a sign program for a retail center that varies from the standard signage provisions of Design District A, specifically with regard to quantities of freestanding signs. The Planning Commission approved the CUP and Variance on March 10, 2008. A parcel map was not submitted as part of this project and the applicants never submitted building plans to initiate their land use entitlement. CUP No. 2008-06 and Variance No. 2008-02 expired two years after the Planning Commission approval this project.

Conditional Use Permit No. 2015-18: was a request by Cameron Creek Marketplace, LLC to amend Conditional Use Permit No. 2005-22, to allow the development of a 3,037 square foot Jack in the Box fast-food restaurant with a drive-thru lane at the southwest corner of West Caldwell Avenue and South Court Street. The Planning Commission approved the CUP on July 13, 2015.

Similar Project

Conditional Use Permit No. 2014-11: was a request by the Chandi Group to develop a shopping center consisting of six commercial parcels to be developed in four phases with a total of approximately 106,400 square feet of building space, including an ARCO AM/PM gas station with a fast food with drive-thru window. The CUP was approved by the Planning Commission on May 27, 2014.

Conditional Use Permit No. 2015-06: was a request by the Chandi Group to construct a new ARCO fueling station with a 6,000 square foot convenience store with a drive-thru lane. The ARCO fueling station is proposed to be constructed within the Square at Plaza Drive master-planned development located on the southwest corner of North Plaza Drive and West Crowley Avenue. The CUP was approved by the Planning Commission on April 13, 2015.

PROJECT EVALUATION

Staff recommends approval of the conditional use permit, as conditioned, based on the project's consistency with the Land Use Element Policies of the General Plan and the Zoning Ordinance.

Entitlement History - Cameron Creek Marketplace Shopping Center

The 15.55-acre commercial zoned property was initially entitled with the approval of CUP No. 2005-22, Variance No. 2005-08 and Parcel Map No. 2005-14 for the Cameron Creek Marketplace Shopping Center. The Planning Commission approved these entitlements on July 25, 2005. The approval of these entitlements was subject to the expiration timelines for the Parcel Map. However, the California State Legislature passed numerous Assembly and Senate Bills automatically extending the expiration dates for parcel and subdivision maps. The automatic time extensions approved by the State Legislature have kept the 2005 land use entitlements for this shopping center active. A Final Parcel Map was recorded creating parcels subject to the 2005 approved tentative map and the underlying 2005 master site plan.

Land Use Compatibility

The overall approval of the Cameron Creek Marketplace Shopping Center is consistent with the Land Use Policies of the Visalia General Plan. The 2005 master site plan depicted the development of several commercial pads with associated drive-thru lanes located along the Caldwell Avenue frontage.

Staff concludes the CUP for the ARCO AM/PM gas station and carwash is consistent in nature and character with the original 2005 approval. Caldwell Avenue is a major arterial roadway and the future development of this 15.55-acre site will provide a wide range of commercial services and shopping opportunities to the surrounding residential neighborhoods that are not currently being served with these types of services.

Noise Analysis for Carwash Drive-Thru

The drive-thru carwash for the proposed ARCO AM/PM gas station site is attached to the south building wall of the proposed convenience store. The construction and operational noise for the ARCO AM/PM site has been addressed in the project's Initial Study.

A Noise Impact Analysis prepared for the proposed project (Cameron Creek Noise Impact Analysis, Kunzman Associates, Inc., April 27, 2017 attached to Mitigated Negative Declaration No. 2017-39) has concluded that an exterior noise level in excess of the daytime 65 dB DNL standard for noise-sensitive land uses, specified in the City's Noise Element, will occur during the construction of the ARCO AM/PM gas station site unless mitigated. Furthermore, in the event the measured ambient noise levels without the alleged offensive source in operations exceeds an applicable noise level standard in any category, the applicable standard or standards shall be adjusted so as to equal the ambient noise level. The noise level data presented in the Noise Impact Analysis identified that ambient noise levels generally exceed the performance standards identified in the Noise Ordinance. Conversely, interior noise levels, when adjusted for ambient noise levels, are below the applicable noise standards for interior noise.

To ensure that community noise standards are met for noise-sensitive land uses adjacent to the site, the Noise Analysis identifies Construction Practice Mitigation Measures that shall be followed. Therefore, the project site shall be developed and shall operate in substantial compliance with the Mitigation Measures 1.1 through 1.7. These Mitigation Measures are included as part of the Conditions of Project Approval for the CUP (see Conditions No. 6 and 7).

Staff finds that mitigation measures are consistent with the policies which encourage implementing measures to reduce the potential of noise-related impacts between residential and non-residential uses.

Signage for ARCO AM/PM

The applicant has provided Exhibit "D" depicting the proposed signage for the ARCO AM/PM site. Exhibit "D" identifies the location and wall placement of each sign as well as the sign areas for wall/canopy signage and the monument sign. The thematic signage is consistent with signage proposed on other ARCO AM/PM gas stations developed in Visalia over the past three years.


Wall signage for both the convenience store and the canopy signage are within the allowable sign area for a commercial development. The monument sign height is within the allowable sign height for freestanding monument signs; however, the monument sign area exceeds the maximum 35-square feet per sign face. The monument sign, as depicted on Exhibit "D" identifies a sign face area of 46-square feet. Staff has included Condition No. 4 requiring the monument sign area be approved at 35-square feet and located 5-feet from property lines, which is consistent with Section 17.48.110.C.4 and 5 of the Sign Ordinance for freestanding monument signs.

Illuminated Signage on Gas Station Canopy - Impacts to Residential


The project site is adjacent to existing residential development to the north and west. The applicant has provided a lighting photometric diagram for the gas station site. Staff has determined that the photometric diagram demonstrates that there are a few instances where lighting exceeds the 0.5 lumens beyond the property lines of the commercial site.

Staff recommends several conditions related to sight lighting and signage to reduce light impacts to residential properties to the north and west. Condition No. 11 requires that the fuel island canopy lighting be recessed into the canopy and shielded to prevent any significant light or glare from exceeding the 0.5 lumens beyond the property lines of the commercial site. Condition No. 12 also requires all yard lighting fixtures along West Street be 0.5 lumens or less at property lines and directed and/or shielded to not fall upon adjacent properties west of the project site.

In addition, Condition No. 13 requires that there shall be no internally illuminated signage on the west exterior fascia of the canopy including any type of light strips or LED/neon banding (see Figure 1). The elimination of canopy lighting along the west exterior of the canopy is due to the fact that the canopy signage is approximately 16 to 18 feet in height, and could be clearly visible from residences over the block wall west of West Street. The sign exhibit submitted and attached as Exhibit "D" currently shows use of a lighted decal/spark and band on the canopy elevations.



Condition No. 14 is also included to address illuminated building signage near the top of the west building façade for the ARCO AM/PM convenience store and carwash building that may be clearly visible from adjacent residential properties to the west. Condition No. 14 states that illuminated building signage shall be prohibited along the west building facades for the



Parking

The Zoning Ordinance Section 17.34.020.F.14 establishes a parking requirement of one space per 300 square feet of floor area for convenience stores. Based on this parking requirement, 22 parking stalls are required for the ARCO AM/PM convenience store. Exhibit "A" identifies 26 stalls provided on-site adjacent to the convenience store. In addition, there are 20 parking positions at the fuel island gasoline dispensers. The automated carwash does not require any parking, though the proposed vacuum machine bays located south of the car wash each have a dedicated parking stall associated with the carwash use. The 11 vacuum stalls provide customers with a designated parking stall if those customers elect to clear the interior of their vehicles.

Building Elevations and Landscaping

The applicant has provided elevations proposed for the ARCO AM/PM and gas canopy. The elevations depict stucco siding and stone veneer. Staff has included Condition No. 5 requiring that the building elevations be developed consistent with those provided in Exhibit "E".

Street tree landscaping within the park strips along Caldwell Avenue and West Street within the boundaries of proposed development (i.e., Parcel 1) is required with this project (see Exhibit "B"). The street tree requirement within the park strip for the ARCO AM/PM frontages is included as Condition No. 15. In addition, ARCO AM/PM will develop their onsite-landscaping planters subject to complying the City's Water Efficient Landscape Ordinance. It requires that landscaping and irrigation plans be certified by a qualified entity (i.e., Landscape Architect) as meeting the State and City's water conservation requirements.

On-Site Improvements

Caldwell Avenue along the project site is improved to the ultimate width. Curb, gutter, sidewalk and the bus turn-out are installed along the entire Caldwell Avenue frontage. Two drive approaches, on Caldwell Avenue and West Street, are proposed with this development as depicted on Exhibit "A". Additional on-site improvements include construction of the primary drive aisle, which will extend to the east promoting on-site vehicular access from the ARCO AM/PM gas station site to the Jack and the Box site as depicted on the overall Cameron Creek

Market Place Shopping Center Exhibit "B". Requirement to extend the on-site private driveway to the east is included as Condition No. 9.

The project will also be required to install frontage improvements along the entire West Street frontage (i.e., ARCO site and vacant Parcel 3 to the south). The frontage improvements consisting of curb, gutter and sidewalks will complete the sidewalk pattern south to Kimball Avenue thereby establishing the sidewalk connection to the neighborhood to the south. The construction of curb, gutter and sidewalk along the West Street frontage as depicted on Exhibit "A" is included as Condition No. 10 for CUP No. 2017-22.

Environmental Review

An Initial Study was prepared for this project, consistent with the California Environmental Quality Act (CEQA). The Initial Study disclosed that a significant, adverse environmental impact related to construction noise may occur. The Mitigated Negative Declaration (MND) circulated for this project (see attachment) contains Construction Mitigation Measures incorporated into the project based upon a noise study. The mitigation contained in the project shall effectively reduce the environmental impact of noise to a level that is less than significant while the project site is under construction and in operation. Therefore, staff recommends that Mitigated Negative Declaration No. 2017-39 and the Mitigation Monitoring Program be adopted for this project.

On August 21, 2017, the City received correspondence from a resident to the west of the project site regarding the adequacy of the MND (Please see Exhibit G). The author Cited 19 reasons why the MND and the project should not be approved. Staff has analyzed each issue raised in the letter. In staff's analysis, the MND adequately addresses the issues raised in the letter that are directly related to the CEQA statutes. The remaining issues are project-specific considerations, not directly related to CEQA. Consequently, the MND, including the recommended mitigation measures, can be adopted.

RECOMMENDED FINDINGS

- That the proposed project will not be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity.
- 2. That the proposed conditional use permit is consistent with the policies and intent of the General Plan and Zoning Ordinance. Specifically, the project is consistent with the required findings of Zoning Ordinance Section 17.38.110:
 - a. The proposed location of the conditional use permit is in accordance with the objectives of the Zoning Ordinance and the purposes of the zone in which the site is located. The project site has adequate ingress and egress and parking for the proposed fast food restaurant.
 - b. The proposed location of the conditional use and the conditions under which it would be operated or maintained will not be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity. The project site has adequate ingress and egress and parking for the proposed fast food restaurant.
- 3. An Initial Study was prepared for this project, consistent with the California Environmental Quality Act (CEQA). The Initial Study disclosed that a significant, adverse environmental impact related to construction noise may occur. The Mitigated Negative Declaration circulated for this project (see attachment) contains Construction Mitigation Measures incorporated into the project based upon a noise study. The mitigation contained in the project shall effectively reduce the environmental impact of noise to a level that is less than significant while the project site is under construction and in operation. Therefore, staff

recommends that Mitigated Negative Declaration No. 2017-39 and the Mitigation Monitoring Program be adopted for this project.

RECOMMENDED CONDITIONS OF APPROVAL

Conditional Use Permit No. 2017-22

- 1. That the Conditional Use Permit shall be developed consistent with the comments and conditions of Site Plan Review No. 2016-140 incorporated herein by reference.
- 2. That the project be developed in substantial compliance with the site plans in Exhibits "A" & "B".
- 3. That the applicant complies with their operational statement, as stated in Exhibit "C". Any changes to their operation are subject to review by the City Planner, and may subsequently be required to be reviewed by the Planning Commission.
- 4. That the ARCO AM/PM sign program comply with the sign areas as depicted on Exhibit "D" subject to the freestanding monument sign area be revised to comply with the 35-square foot sign area as required pursuant to Section 17.48.110.C.4 of the Sign Ordinance
- 5. That the ARCO AM/PM gas station, convenience store and carwash be developed in substantial compliance with the elevations shown in Exhibit "E".
- 6. That the mitigation measures found within the Mitigation Monitoring Plan for Mitigated That the mitigation measures found within the Mitigation Monitoring Plan for Mitigated Negative Declaration No. 2017-39 are hereby incorporated as conditions of Conditional Use Permit No. 2017-22 as follows:

Mitigation Measure	Responsible Party	Timeline
Construction Noise Impact Mitigation Measure 1.1: During all project site excavation and grading on-site, construction contractors shall equip all construction equipment, fixed or mobile, with properly operating and maintained mufflers, consistent with manufacturer standards.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.2: The contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the project site.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.3: Equipment shall be shut off and not left to idle when not in use.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.4: The contractor shall locate equipment staging in areas that will create the greatest distance between construction-related noise sources and sensitive receptors nearest the project site during all project construction.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.5: The project proponent shall mandate that the construction contractor prohibit the use of music or sound amplification on the project site during construction.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.

Construction Noise Impact Mitigation Measure 1.6: The construction contractor shall limit haul truck deliveries to the same hours specified for construction equipment.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Operation Noise Impact Mitigation Measure 1.7: The car wash shall be limited to the hours of 7:00 a.m. to 9:00 pm Monday thru Sunday to eliminate early morning and late night and noise impacts.	Planning Division	Noise Impact Mitigation shall be enforced as a part of the daily operation for the site as a condition of the Conditional Use Permit which provides remedies for non-compliance.

- 7. That the hours of operation for the car wash and vacuum cleaners shall be between the hours of 7:00 a.m. to 9:00 p.m. and that Community Noise Standards be maintained during these times.
- 8. That any outdoor public address system (PA system) be prohibited on the gas station. Only personal intercom systems are allowed with speakers in close proximity to the pump for communication between the customer and cashier/attendant.
- That the ARCO AM/PM gas station, convenience store and carwash construct their portion of the centrally located primary drive aisle for the Cameron Creek Marketplace Shopping Center as depicted on Exhibit "B".
- 10. That the construction of curb, gutter and sidewalk along the South West Street frontage from Caldwell Avenue south to Kimball Avenue be installed with the development of the ARCO AM/PM site. A building permit final will not be issued for the ARCO AM/PM site until the curb, gutter and sidewalk has been constructed and approved by the City's Engineering Division.
- 11. That the fuel island canopy lighting be recessed into the canopy and shielded to prevent any significant light or glare from falling upon the adjacent residential properties.
- 12. That all yard lighting fixtures along West Street be brought into compliance with 0.5 lumens or less at property lines. These light fixtures may require that shields be installed to comply with the 0.5 lumens at the property line.
- 13. That there be no internally illuminated signage on the west exterior fascia of the fuel island canopy including any type of light strips or neon / light-emitting diode (LED) banding.
- 14. That illuminated building signage on the west building façade of the AM/PM convenience store and carwash building is prohibited.
- 15. That the park strip landscaping, within the boundaries of the ARCO AM/PM project site, be installed with this development.
- 16. That landscape and irrigation plans be submitted with the building permit, designed by a professional landscape architect. Landscape and irrigation plans shall comply with the State Water Efficient Landscape Ordinance by submittal of Landscape Documentation Packages and Certificates of Compliance certified by a California licensed landscape architect with sections signed by appropriately licensed or certified persons as required by ordinance.
- 17. That all signs shall require a separate building permit.
- 18. That all other federal, state and city codes, ordinances and laws be met.
- 19. That all of the conditions and responsibilities of Conditional Use Permit No. 2017-22 and the subsequent conditions adopted with the approval of Conditional Use Permit No. 2005-22 and Parcel Map No. 2005-14 shall run with the land and subsequent owners/operators shall also be subject to all of the conditions herein, unless amended or revoked.

APPEAL INFORMATION

According to the City of Visalia Zoning Ordinance Section 17.02.145, an appeal to the City Council may be submitted within ten days following the date of a decision by the Planning Commission. An appeal with applicable fees shall be in writing and shall be filed with the City Clerk at 220 N. Santa Fe Street, Visalia, CA 93292. The appeal shall specify errors or abuses of discretion by the Planning Commission, or decisions not supported by the evidence in the record. The appeal form can be found on the city's website www.ci.visalia.ca.us or from the City Clerk.

Attachments:

- Related Plans & Policies
- Resolution No. 2017-37 (Conditional Use Permit No. 2017-22)
- Exhibit "A" Site Plan
- Exhibit "B" Master Site Plan for Cameron Creek Marketplace Shopping Center
- Exhibit "C" Operational Statement
- Exhibit "D" Proposed Signage for ARCO AM/PM
- Exhibit "E" Elevations
- Exhibit "F" AM/PM Floor Plan
- Exhibit "G" Correspondence Received, dated August 20, 2017
- Mitigated Negative Declaration No. 2017-39 w/ Noise Impact Analysis, April 27, 2017
- Site Plan Review Comments 2016-140
- General Plan Land Use Map
- Zoning Map
- Aerial Map
- Vicinity Map

Related Plans & Policies Conditional Use Permits

17.38.010 Purposes and powers

In certain zones conditional uses are permitted subject to the granting of a conditional use permit. Because of their unusual characteristics, conditional uses require special consideration so that they may be located properly with respect to the objectives of the zoning ordinance and with respect to their effects on surrounding properties. In order to achieve these purposes and thus give the zone use regulations the flexibility necessary to achieve the objectives of this title, the planning commission is empowered to grant or deny applications for conditional use permits and to impose reasonable conditions upon the granting of such permits. (Prior code § 7525)

17.38.020 Application procedures

- A. Application for a conditional use permit shall be made to the planning commission on a form prescribed by the commission which shall include the following data:
- 1. Name and address of the applicant;
- 2. Statement that the applicant is the owner of the property or is the authorized agent of the owner;
- Address and legal description of the property;
- 4. The application shall be accompanied by such sketches or drawings as may be necessary by the planning division to clearly show the applicant's proposal;
- 5. The purposes of the conditional use permit and the general description of the use proposed;
- 6. Additional information as required by the historic preservation advisory committee.
- B. The application shall be accompanied by a fee set by resolution of the city council sufficient to cover the cost of handling the application. (Prior code § 7526)

17.38.030 Lapse of conditional use permit

A conditional use permit shall lapse and shall become void twenty-four (24) months after the date on which it became effective, unless the conditions of the permit allowed a shorter or greater time limit, or unless prior to the expiration of twenty-four (24) months a building permit is issued by the city and construction is commenced and diligently pursued toward completion on the site which was the subject of the permit. A permit may be renewed for an additional period of one year; provided, that prior to the expiration of twenty-four (24) months from the date the permit originally became effective, an application for renewal is filed with the planning commission. The commission may grant or deny an application for renewal of a conditional use permit. In the case of a planned residential development, the recording of a final map and improvements thereto shall be deemed the same as a building permit in relation to this section. (Ord. 2001-13 § 4 (part), 2001: prior code § 7527)

17.38.040 Revocation

Upon violation of any applicable provision of this title, or, if granted subject to a condition or conditions, upon failure to comply with the condition or conditions, a conditional use permit shall be suspended automatically. The planning commission shall hold a public hearing within sixty (60) days, in accordance with the procedure prescribed in Section 17.38.080, and if not satisfied that the regulation, general provision or condition is being complied with, may revoke the permit or take such action as may be necessary to insure compliance with the regulation, general provision or condition. Appeals of the decision of the planning commission may be made to the city council as provided in Section 17.38.120. (Prior code § 7528)

17.38.050 New application

Following the denial of a conditional use permit application or the revocation of a conditional use permit, no application for a conditional use permit for the same or substantially the same conditional use on the same or substantially the same site shall be filed within one year from the date of denial or revocation of the permit unless such denial was a denial without prejudice by the planning commission or city council. (Prior code § 7530)

17.38.060 Conditional use permit to run with the land

A conditional use permit granted pursuant to the provisions of this chapter shall run with the land and shall continue to be valid upon a change of ownership of the site or structure which was the subject of the permit application subject to the provisions of Section 17.38.065. (Prior code § 7531)

17.38.065 Abandonment of conditional use permit

If the use for which a conditional use permit was approved is discontinued for a period of one hundred eighty (180) days, the use shall be considered abandoned and any future use of the site as a conditional use will require the approval of a new conditional use permit.

17.38.070 Temporary uses or structures

- A. Conditional use permits for temporary uses or structures may be processed as administrative matters by the city planner and/or planning division staff. However, the city planner may, at his/her discretion, refer such application to the planning commission for consideration.
- B. The city planner and/or planning division staff is authorized to review applications and to issue such temporary permits, subject to the following conditions:
- 1. Conditional use permits granted pursuant to this section shall be for a fixed period not to exceed thirty (30) days for each temporary use not occupying a structure, including promotional enterprises, or six months for all other uses or structures.
- Ingress and egress shall be limited to that designated by the planning division. Appropriate directional signing, barricades, fences or landscaping shall be provided where required. A security officer may be required for promotional events.
- 3. Off-street parking facilities shall be provided on the site of each temporary use as prescribed in Section 17.34.020.
- 4. Upon termination of the temporary permit, or abandonment of the site, the applicant shall remove all materials and equipment and restore the premises to their original condition.
- 5. Opening and closing times for promotional enterprises shall coincide with the hours of operation of the sponsoring commercial establishment. Reasonable time limits for other uses may be set by the city planner and planning division staff.
- 6. Applicants for a temporary conditional use permit shall have all applicable licenses and permits prior to issuance of a conditional use permit.
- 7. Signing for temporary uses shall be subject to the approval of the city planner.
- 8. Notwithstanding underlying zoning, temporary conditional use permits may be granted for fruit and vegetable stands on properties primarily within undeveloped agricultural areas. In reviewing applications for such stands, issues of traffic safety and land use compatibility shall be evaluated and mitigation measures and conditions may be imposed to ensure that the stands are built and are operated consistent with appropriate construction standards, vehicular access and off-street parking. All fruits and vegetables sold at such stands shall be grown by the owner/operator or purchased by said party directly from a grower/farmer.
- C. The applicant may appeal an administrative decision to the planning commission. (Ord. 9605 § 30 (part), 1996: prior code § 7532)

17.38.080 Public hearing--Notice

- A. The planning commission shall hold at least one public hearing on each application for a conditional use permit.
- B. Notice of the public hearing shall be given not less than ten days nor more than thirty (30) days prior to the date of the hearing by mailing a notice of the time and place of the hearing to property owners within three hundred (300) feet of the boundaries of the area occupied or to be occupied by the use which is the subject of the hearing, and by publication in a newspaper of general circulation within the city. (Prior code § 7533)

17.38.090 Investigation and report

The planning staff shall make an investigation of the application and shall prepare a report thereon which shall be submitted to the planning commission. (Prior code § 7534)

17.38.100 Public hearing--Procedure

At the public hearing the planning commission shall review the application and the statement and drawing submitted therewith and shall receive pertinent evidence concerning the proposed use and the proposed conditions under which it would be operated or maintained, particularly with respect to the findings prescribed in Section 17.38.110. The planning commission may continue a public hearing from time to time as it deems necessary. (Prior code § 7535)

17.38.110 Action by planning commission

- A. The planning commission may grant an application for a conditional use permit as requested or in modified form, if, on the basis of the application and the evidence submitted, the commission makes the following findings:
- 1. That the proposed location of the conditional use is in accordance with the objectives of the zoning ordinance and the purposes of the zone in which the site is located;
- 2. That the proposed location of the conditional use and the conditions under which it would be operated or maintained will not be detrimental to the public health, safety or welfare, or materially injurious to properties or improvements in the vicinity.
- B. A conditional use permit may be revocable, may be granted for a limited time period, or may be granted subject to such conditions as the commission may prescribe. The commission may grant conditional approval for a permit subject to the effective date of a change of zone or other ordinance amendment.
- C. The commission may deny an application for a conditional use permit. (Prior code § 7536)

17.38.120 Appeal to city council

The decision of the City planning commission on a conditional use permit shall be subject to the appeal provisions of Section 17.02.145. (Prior code § 7537) (Ord. 2006-18 § 6, 2007)

17.38.130 Effective date of conditional use permit

A conditional use permit shall become effective immediately when granted or affirmed by the council, or upon the sixth working day following the granting of the conditional use permit by the planning commission if no appeal has been filed. (Prior code § 7539)

RESOLUTION NO. 2017-37

A RESOLUTION OF THE PLANNING COMMISSION OF THE CITY OF VISALIA APPROVING CONDITIONAL USE PERMIT NO. 2017-22, A REQUEST BY ARCO AM/PM TO CONSTRUCT A NEW ARCO AM/PM GAS STATION CONSISTING OF A 6,500 SQUARE FOOT CONVENIENCE STORE BUILDING, A 3,850 SQUARE FOOT AUTOMATED CARWASH BUILDING, AND A 6,800 SQUARE FOOT FUEL CANOPY WITH 10 FUEL DISPENSERS. THE CAMERON CREEK ARCO AM/PM IS PART OF THE CAMERON CREEK SHOPPING CENTER AND ZONED C-MU (COMMERCIAL MIXED USE). THE PARCEL FOR THE PROPOSED ARCO AM/PM GAS STATION IS LOCATED ON THE SOUTHEAST CORNER OF WEST CALDWELL AVENUE AND SOUTH WEST STREET

(APN: 126-870-037)

WHEREAS, Conditional Use Permit No. 2017-22, is a request by ARCO AM/PM to construct a new ARCO AM/PM gas station consisting of a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers. The Cameron Creek ARCO AM/PM is part of the Cameron Creek Shopping Center and zoned C-MU (Commercial Mixed Use). The parcel for the proposed ARCO AM/PM gas station is located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037); and

WHEREAS, the Planning Commission of the City of Visalia, after duly published notice did hold a public hearing before said Commission on August 28, 2017; and

WHEREAS, the Planning Commission of the City of Visalia finds the Conditional Use Permit No. 2017-22, as conditioned by staff, to be in accordance with Chapter 17.38.110 of the Zoning Ordinance of the City of Visalia based on the evidence contained in the staff report and testimony presented at the public hearing; and

WHEREAS, an Initial Study was prepared, and adopted which disclosed that no significant environmental impacts would result from this project, and mitigation measures would be required.

NOW, THEREFORE, BE IT RESOLVED, that Mitigated Negative Declaration No. 2017-39 was prepared consistent with the California Environmental Quality Act and City of Visalia Environmental Guidelines.

NOW, THEREFORE, BE IT FURTHER RESOLVED that the Planning Commission of the City of Visalia makes the following specific findings based on the evidence presented:

- 1. That the proposed project will not be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity.
- 2. That the proposed conditional use permit is consistent with the policies and intent of the General Plan and Zoning Ordinance. Specifically, the project is consistent with the required findings of Zoning Ordinance Section 17.38.110:

- a. The proposed location of the conditional use permit is in accordance with the objectives of the Zoning Ordinance and the purposes of the zone in which the site is located. The overall approval of the Cameron Creek Marketplace Shopping Center is consistent with the Land Use Policies of the Visalia General Plan. The 2005 master site plan depicted the development of several commercial pads with associated drive-thru lanes located along the Caldwell Avenue frontage. Staff concludes the ARCO AM/PM gas station and carwash is consistent in nature and character with the original 2005 approval. Caldwell Avenue is a major arterial roadway and the future development of this 15.55-acre site will provide a wide range of commercial services and shopping opportunities to the surrounding residential neighborhoods that are not currently being served with these types of services. With the development and installation of street improvements, the catalyst for the remaining balance of the site to be developed could be initiated by this new construction.
- b. The proposed location of the conditional use and the conditions under which it would be operated or maintained will not be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity. The General Plan Land Use Diagram, adopted October 14, 2014, designates the 1.29-acre project area as Commercial Mixed Use. The Zoning Map, adopted on April 6, 2017, designates the site as Commercial Mixed Use (C-MU), which is consistent with the General Plan Land Use Designation of Commercial Mixed Use as identified in Table 9-1 "Consistency Between the Plan and Zoning" of the General Plan. Gas stations with drive-thru carwash facilities are considered compatible uses in commercial areas where potential impacts can be addressed through the CUP process. The site is located along Caldwell Avenue, which is a designated arterial roadway. Staff concludes that the proposed gas station/drive-thru carwash is consistent in nature and character with existing and future uses surrounding the project site, subject to the Conditions of Project Approval for this project.
- 3. An Initial Study was prepared for this project, consistent with the California Environmental Quality Act (CEQA). The Initial Study disclosed that a significant, adverse environmental impact related to construction noise may occur. The Mitigated Negative Declaration circulated for this project (see attachment) contains Construction and Carwash operating hour Mitigation Measures incorporated into the project based upon a noise study. The mitigation measures contained in the project shall effectively reduce the environmental impact of noise to a level that is less than significant while the project site is under construction and in operation. Therefore, staff recommends that Mitigated Negative Declaration No. 2017-39 and the Mitigation Monitoring Program be adopted for this project.

BE IT FURTHER RESOLVED that the Planning Commission hereby approves the Conditional Use Permit on the real property here described in accordance with the terms of this resolution under the provisions of Section 17.38.110 of the Ordinance Code of the City of Visalia, subject to the following conditions:

- 1. That the Conditional Use Permit shall be developed consistent with the comments and conditions of Site Plan Review No. 2017-1406 incorporated herein by reference.
- 2. That the project be developed in substantial compliance with the site plans in Exhibits "A" & "B".

- 3. That the applicant complies with their operational statement, as stated in Exhibit "C". Any changes to their operation are subject to review by the City Planner, and may subsequently be required to be reviewed by the Planning Commission.
- 4. That the ARCO AM/PM sign program comply with the sign areas as depicted on Exhibit "D" subject to the freestanding monument sign area be revised to comply with the 35-square foot sign area as required pursuant to Section 17.48.110.C.4 of the Sign Ordinance
- 5. That the ARCO AM/PM gas station, convenience store and carwash be developed in substantial compliance with the elevations shown in Exhibit "E".
- 6. That the mitigation measures found within the Mitigation Monitoring Plan for Mitigated That the mitigation measures found within the Mitigation Monitoring Plan for Mitigated Negative Declaration No. 2017-39 are hereby incorporated as conditions of Conditional Use Permit No. 2017-22 as follows:


Mitigation Measure	Responsible Party	Timeline
Construction Noise Impact Mitigation Measure 1.1: During all project site excavation and grading on-site, construction contractors shall equip all construction equipment, fixed or mobile, with properly operating and maintained mufflers, consistent with manufacturer standards.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.2: The contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the project site.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.3: Equipment shall be shut off and not left to idle when not in use.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.4: The contractor shall locate equipment staging in areas that will create the greatest distance between construction-related noise sources and sensitive receptors nearest the project site during all project construction.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.5: The project proponent shall mandate that the construction contractor prohibit the use of music or sound amplification on the project site during construction.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.6: The construction contractor shall limit haul truck deliveries to the same hours specified for construction equipment. Resolution No	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.

Resolution No. 2017-37


Operation Noise Impact Mitigation Measure	Planning	Noise Impact
1.7: The car wash shall be limited to the hours of 7:00 a.m. to 9:00 pm Monday thru Sunday to eliminate early morning and late night and noise impacts.	_	Mitigation shall be enforced as a part of the daily operation for the site as a condition of the Conditional Use Permit which provides remedies for non-
		compliance.

- 7. That the hours of operation for the car wash and vacuum cleaners shall be between the hours of 7:00 a.m. to 9:00 p.m. and that Community Noise Standards be maintained during these times.
- 8. That any outdoor public address system (PA system) be prohibited on the gas station. Only personal intercom systems are allowed with speakers in close proximity to the pump for communication between the customer and cashier/attendant.
- 9. That the ARCO AM/PM gas station, convenience store and carwash construct their portion of the centrally located primary drive aisle for the Cameron Creek Marketplace Shopping Center as depicted on Exhibit "B".
- 10. That the construction of curb, gutter and sidewalk along the South West Street frontage from Caldwell Avenue south to Kimball Avenue be installed with the development of the ARCO AM/PM site. A building permit final will not be issued for the ARCO AM/PM site until the curb, gutter and sidewalk has been constructed and approved by the City's Engineering Division.
- 11. That the fuel island canopy lighting be recessed into the canopy and shielded to prevent any significant light or glare from falling upon the adjacent residential properties.
- 12. That all yard lighting fixtures along West Street be brought into compliance with 0.5 lumens or less at property lines. These light fixtures may require that shields be installed to comply with the 0.5 lumens at the property line.
- 13. That there be no internally illuminated signage on the west exterior fascia of the fuel island canopy including any type of light strips or neon / light-emitting diode (LED) banding.
- 14. That illuminated building signage on the west building façade of the AM/PM convenience store and carwash building is prohibited.
- 15. That the park strip landscaping, within the boundaries of the ARCO AM/PM project site, be installed with this development.
- 16. That landscape and irrigation plans be submitted with the building permit, designed by a professional landscape architect. Landscape and irrigation plans shall comply with the State Water Efficient Landscape Ordinance by submittal of Landscape Documentation Packages and Certificates of Compliance certified by a California licensed landscape architect with sections signed by appropriately licensed or certified persons as required by ordinance.
- 17. That all signs shall require a separate building permit.
- 18. That all other federal, state and city codes, ordinances and laws be met.

19. That all of the conditions and responsibilities of Conditional Use Permit No. 2017-22 and the subsequent conditions adopted with the approval of Conditional Use Permit No. 2005-22 and Parcel Map No. 2005-14 shall run with the land and subsequent owners/operators shall also be subject to all of the conditions herein, unless amended or revoked.



CUP-1








PROPOSED PROJECT: CAMERON CREEK ARCO AMPM @ Caldwell & West, Visalia DEVELOPER / OWNER: NACHHATTAR SINGH CHANDI / CHANDI GROUP USA


OPERATIONAL STATEMENT FOR CUP SUBMITTAL


- Owner will construct an ARCO am/pm gas station with c-store and express tunnel car wash at the site.
- The business will sell vehicle fuel (auto and diesel) along with typical convenience store goods, including quick-serve food, snacks, and beverages, including coffee, sodas, beer and wine. The car wash is a state-of-the-art self-service express tunnel car wash, with vacuum canopy for self-service vacuum.
- The site is currently vacant, raw land.
- Business is not seasonal and will be open year-round. Gas station and c-store will be open 24/7. Car wash will be open 7 days a week, from 6 am 7 pm.
- Based on other similarly owned businesses, we anticipate that the store would have an average of 10 20 customers at most during peak times. (at any one given time)
- We anticipate that we will have 18-24 employees, between the gas station, c-store and car wash operations.
- Other than the fuel supplier truck, which would be a standard 18-wheeler type, the
 typical merchandise delivery vehicles are box truck type and we generally have about
 five key suppliers making deliveries of this merchandise.
- The business operates with typical fuel station and convenience store equipment and does not produce any hazardous waste material.
- The owner/developer is an experienced owner-operator and currently owns over twenty similar gas station sites, the last several which have been ground-up construction projects comparable to this proposed site.











City of Visalia Planning Division 315 East Acequia Ave

Visalia CA 93291

Subject: Mitigated Negative Declaration

(Conditional Use Permit No. 2017-22)



Reasons this Mitigated Negative Declaration should not be approved:

- 1. Excessive lighting to existing home owners in affect area.
 - 2. Hours of operation will diminish property values in addition to the increased noise level and street traffic from autos, customers, and trucks used to fill the tanks. Further, deliveries made to the Arco in various times and days will disrupt normal sleeping habits and create congestion to the existing owners affected by this location.
- 3. Significantly reduce resale and existing home owner values.
 - 4. Existing bus stop for small children is across the street on West Street this could increase the risk of injury to parents and children.
 - 5. Liquor sales and consumption in the immediate area will increase risks of accidents and injury to the affected area.
 - 6. Added traffic will increase exhaust emission to affect area.
 - 7. Sound barriers must be established to reduce noise and enhance "quite enjoyment of existing homes". Sound travels through wooden fences in far greater decibels than from a brick fence or other sound resistant material.
- 8. Combined future projects contribution is cumulatively considerable
- 9. Project is not within zoning, plans, and land use controls.
- 10. Greenhouse gas hazards and hazardous material will exist at the proposed location.

EXHIBIT G

- 11. West Street from Coldwell and Kimball Ave has a high degree of excessive speed from motorist traveling this route.
- 12. Has an EIR been conducted and has CEQA been contacted to verify the site.
- 13.CEQA policies prefer EIRs, the law effectively protects those who prepare them by applying the "substantial evidence" standard of judicial review.
- 14. The California Environment Quality Act (CEQA) is the primary state law that requires public agencies and their decision-makers to understand and evaluate the environmental consequences of their discretionary decisions before making them.
- 15. Quantitative thresholds, such as traffic intersection level of standards as well as noise thresholds must be maintained.
- 16. The local agency handling this has not provided "substantial evidence" to support their claim for Mitigated Negative Declaration.
- 17. Existing issues have not been adequately addressed. CEQA defines adequately addressed as "they cannot be mitigated to avoid or substantially lessen the significant impacts despite the project proponent's willingness to accept all feasible mitigation measures, and the only purpose of including analysis of such effects in another environmental impact report would be to put the agency in a position to adopt a statement of overriding considerations with respect to the effects"
- 18.In an MND, reduction of impacts must be "clearly" to a less than significant level.
- 19. Adequate Mitigation, must include (a) physically modifying the project, such as design changes to avoid or substantially reduce an effect. (b) Limiting project activities, such as operational limits like seasonal or daily time restrictions. (c) Constructing improvements intended for mitigation such as BMPs. (d) Compensatory actions, such as replacement of lost habitat through restoration or enhancement.

On these grounds and further arguments presented to the Visalia Planning Commission in the future I strongly urge the Agency to reconsider their proposed adoption of the "Mitigated Negative Declaration"

Regards

William Reeser

William Reeser

508 W Kimball Ave

Visalia CA 93277

Breeser55@aol.com

(559) 308-8716

CITY OF VISALIA 315 E. ACEQUIA STREET VISALIA, CA 93291

NOTICE OF A PROPOSED MITIGATED NEGATIVE DECLARATION

Project Title: Conditional Use Permit No. 2017-22

<u>Project Description</u>: The project applicant is requesting to develop a 1.29-acre parcel (i.e. Parcel 1 of Parcel Map 5141) within the Cameron Creek Market Place Shopping Center with an ARCO AM/PM gas station consisting of a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers (see Exhibit "A"). The Cameron Creek ARCO project sited is zoned C-MU (Commercial Mixed Use) and located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037).

The ARCO gas station site will be developed with 26 parking spaces, excluding the 20 fueling station spaces located under the fueling island canopy. In addition, 11 vacuum parking stations will be provided south of the carwash building. The ARCO gas station site will be accessible by two new drive approaches which will be installed along both the Caldwell Avenue and West Street frontages. In addition, curb, gutter, sidewalk and park strip landscaping will be installed along the West Street frontage providing pedestrian access to the residential neighborhood to the south of the ARCO gas station project site. Additional on-site improvements include construction of the primary drive aisle which will extend to the east which will allow on-site vehicular access from the ARCO gas station site to the Jack and the Box site as depicted on the overall Cameron Creek Market Place Shopping Center Exhibit "B".

No other development entitlements beyond the conditional use permit have been filed for the Cameron Creek Marketplace Shopping Center.

<u>Project Location</u>: The 1.29-acre project site is located within the planned Cameron Creek Marketplace Shopping Center and is located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037).

Contact Person: Paul Bernal, Principal Planner Phone: (559) 713-4025

Pursuant to City Ordinance No. 2388, the Environmental Coordinator of the City of Visalia has reviewed the proposed project described herein and has found that the project will not result in any significant effect upon the environment because of the reasons listed below:

Reasons for Mitigated Negative Declaration: Initial Study No. 2017-39 has identified environmental impact(s) that may occur because of the project; however, with the implementation of mitigation measures identified, impact(s) will be reduced to a level that is less than significant. Copies of the initial study and other documents relating to the subject project may be examined by interested parties at the Planning Division in City Hall East, at 315 East Acequia Avenue, Visalia, CA.

Comments on this proposed Mitigated Negative Declaration will be accepted from August 3, 2017 to August 23, 2017.

Date: 8-2-17

Signed:

Paul Scheibel, AICP

Environmental Coordinator

City of Visalia

MITIGATED NEGATIVE DECLARATION

Project Title: Conditional Use Permit No. 2017-22

Project Description: The project applicant is requesting to develop a 1.29-acre parcel (i.e. Parcel 1 of Parcel Map 5141) within the Cameron Creek Market Place Shopping Center with an ARCO AM/PM gas station consisting of a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers (see Exhibit "A"). The Cameron Creek ARCO project sited is zoned C-MU (Commercial Mixed Use) and located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037).

The ARCO gas station site will be developed with 26 parking spaces, excluding the 20 fueling station spaces located under the fueling island canopy. In addition, 11 vacuum parking stations will be provided south of the carwash building. The ARCO gas station site will be accessible by two new drive approaches which will be installed along both the Caldwell Avenue and West Street frontages. In addition, curb, gutter, sidewalk and park strip landscaping will be installed along the West Street frontage providing pedestrian access to the residential neighborhood to the south of the ARCO gas station project site. Additional on-site improvements include construction of the primary drive aisle which will extend to the east which will allow on-site vehicular access from the ARCO gas station site to the Jack and the Box site as depicted on the overall Cameron Creek Market Place Shopping Center Exhibit "B".

No other development entitlements beyond the conditional use permit have been filed for the Cameron Creek Marketplace Shopping Center.

Project Location: The 1.29-acre project site is located within the planned Cameron Creek Marketplace Shopping Center and is located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037).

Project Facts: Refer to Initial Study for project facts, plans and policies, and discussion of environmental effects.

Attachments:

Initial Study	(X)
Environmental Checklist	(X)
Maps	(X)
Mitigation Measures	(X)
Noise Study	(X)
Traffic Impact Study	Ċί

DECLARATION OF NO SIGNIFICANT EFFECT:

This project will not have a significant effect on the environment for the following reasons:

- (a) The project does not have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below selfsustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory.
- (b) The project does not have the potential to achieve short-term environmental goals to the disadvantage of long-term environmental goals.
- (c) The project does not have environmental effects which are individually limited but cumulatively considerable. Cumulatively considerable means that the incremental effects of an individual project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.

(d) The environmental effects of the project will not cause substantial adverse effects on human beings, either directly or indirectly.

This Mitigated Negative Declaration has been prepared by the City of Visalia Planning Division in accordance with the California Environmental Quality Act of 1970, as amended. A copy may be obtained from the City of Visalia Planning Division Staff during normal business hours.

APPROVED
Paul Scheibel, AICP
Environmental Coordinator

By:

Date Approved: _________

Review Period: 20 days

INITIAL STUDY

I. GENERAL

A. <u>Conditional Use Permit No. 2017-22</u>: The project applicant is requesting to develop a 1.29-acre parcel (i.e. Parcel 1 of Parcel Map 5141) within the Cameron Creek Market Place Shopping Center with an ARCO AM/PM gas station consisting of a 6,500 square foot convenience store building, a 3,850 square foot automated carwash building, and a 6,800 square foot fuel canopy with 10 fuel dispensers (see Exhibit "A"). The Cameron Creek ARCO project sited is zoned C-MU (Commercial Mixed Use) and located on the southeast corner of West Caldwell Avenue and South West Street (APN: 126-870-037).

The ARCO gas station site will be developed with 26 parking spaces, excluding the 20 fueling station spaces located under the fueling island canopy. In addition, 11 vacuum parking stations will be provided south of the carwash building. The ARCO gas station site will be accessible by two new drive approaches which will be installed along both the Caldwell Avenue and West Street frontages. In addition, curb, gutter, sidewalk and park strip landscaping will be installed along the West Street frontage providing pedestrian access to the residential neighborhood to the south of the ARCO gas station project site. Additional on-site improvements include construction of the primary drive aisle which will extend to the east which will allow on-site vehicular access from the ARCO gas station site to the Jack and the Box site as depicted on the overall Cameron Creek Market Place Shopping Center Exhibit "B".

No other development entitlements beyond the conditional use permit have been filed for the Cameron Creek Marketplace Shopping Center.

B. Identification of the Environmental Setting:

The overall Cameron Creek Marketplace Shopping Center is located on the south side of West Caldwell Avenue and is bounded by West Kimball Avenue to the south, South Court Street to the east and South West Street to the west. The ARCO gas station project site (1.29 ac.) is proposed to be constructed on the southeast corner of West Caldwell Avenue and South West Street on Parcel 1 of Parcel Map No. 5141.

The surrounding uses, Zoning, and General Plan for the 1.29-acre project site are as follows:

	General Plan (2014 Land Use)	Zoning (1993)	Existing uses
North:	West Caldwell Avenue (Arterial Street)	N/A	West Caldwell Avenue (Arterial Street)
South:	Commercial Mixed Use	C-MU – Commercial Mixed Use	Vacant property (Parcel 2 and 3 of PM 5141) / part of the Cameron Creek Market Place Shopping Center
East:	Commercial Mixed Use	C-MU – Commercial Mixed Use	Vacant property (Parcel 3 of PM 5141) / part of the Cameron Creek Market Place Shopping Center
West:	South West Street (Collector Street)	N/A	South West Street (Collector Street)

Fire and police protection services, street maintenance of public streets, refuse collection, and wastewater treatment will be provided by the City of Visalia upon annexation and the development of the project area.

C. Plans and Policies: The General Plan Land Use Diagram, adopted October 14, 2014, designates the project site as Commercial Mixed Use. The Zoning Map, adopted on April 6, 2017, designates 1.29-acre site as Commercial Mixed Use. The land use designation and zoning is consistent with the General Plan Land Use Designation of Commercial Mixed Use and C-MU zoning as noted in Table 9-1 "Consistency Between the Plan and Zoning of the General Plan".

II. ENVIRONMENTAL IMPACTS

No significant adverse environmental impacts have been identified for this project. The City of Visalia Land Use Element, Circulation Element, Zoning and Subdivision Ordinances contain policies and regulations that are designed to mitigate impacts to a level of non-significance.

III. MITIGATION MEASURES

The following mitigation measures will reduce potential environmental impacts related to Noise Impacts to a less than significant level as shown below:

Noise Impact Analysis, Kunzman Associates, Inc., April 27, 2017) has concluded that an exterior noise level in excess of the daytime 65 dB DNL standard for noise-sensitive land uses, specified in the City's Noise Element, will occur during the construction of the ARCO gas station site unless mitigated. In addition, interior noise levels, when adjusted for ambient noise levels, will be below the applicable noise standards for interior noise. To ensure that community noise standards are met for noise-sensitive land uses adjacent to the site, the Noise Analysis identifies construction practice Mitigation Measures that shall be followed. To attenuate the noise, the Construction Mitigation Measures listed on age 26 of the Noise Impact Analysis shall be implemented.

Therefore, to ensure that community noise standards are met for the proposed project, the project site shall be developed and shall operate in substantial compliance with the Mitigation Measures 1.1 through 1.7.

Therefore, to ensure that these requirements are met for the proposed project, the project shall be developed and shall operate in substantial compliance with the Construction Noise Impact Mitigation Measure 1.1 through 1.6. These mitigation measures are included as an attachment to the Mitigated Negative Declaration.

The City of Visalia Zoning Ordinance contains guidelines, criteria, and requirements for the mitigation of potential impacts related to light/glare, visibility screening, noise, and traffic/parking to eliminate and/or reduce potential impacts to a level of non-significance.

IV. MITIGATION MONITORING PROGRAM

Mitigation Measure	Responsible Party	<u>Timeline</u>
Construction Noise Impact Mitigation Measure 1.1: During all project site excavation and grading on-site, construction contractors shall equip all construction equipment, fixed or mobile, with properly operating and maintained mufflers, consistent with manufacturer standards.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.2: The contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the project site.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.3: Equipment shall be shut off and not left to idle when not in use.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.

Construction Noise Impact Mitigation Measure 1.4: The contractor shall locate equipment staging in areas that will create the greatest distance between construction-related noise sources and sensitive receptors nearest the project site during all project construction.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.5: The project proponent shall mandate that the construction contractor prohibit the use of music or sound amplification on the project site during construction.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Construction Noise Impact Mitigation Measure 1.6: The construction contractor shall limit haul truck deliveries to the same hours specified for construction equipment.	Project Applicant	Noise Impact Mitigation for specified equipment shall be enforced through the building permit and construction inspection.
Operation Noise Impact Mitigation Measure 1.7: The car wash shall be limited to the hours of 7:00 a.m. to 9:00 pm Monday thru Sunday to eliminate early morning and late night and noise impacts.	Planning Division	Noise Impact Mitigation shall be enforced as a part of the daily operation for the site as a condition of the Conditional Use Permit which provides remedies for non-compliance.

V. PROJECT COMPATIBILITY WITH EXISTING ZONES AND PLANS

The project is compatible with the General Plan, Zoning and Subdivision Ordinances as the project relates to surrounding properties.

VI. SUPPORTING DOCUMENTATION

The following documents are hereby incorporated into this Negative Declaration and Initial Study by reference:

- Visalia General Plan Update. Dyett & Bhatia, October 2014.
- Visalia City Council Resolution No. 2014-38 (Certifying the Visalia General Plan Update), passed and adopted October 14, 2014.
- Visalia General Plan Update Final Environmental Impact Report (SCH No. 2010041078). Dyett & Bhatia, June 2014.
- Visalia General Plan Update Draft Environmental Impact Report (SCH No. 2010041078). Dyett & Bhatia, March 2014.
- Visalia City Council Resolution No. 2014-37 (Certifying the EIR for the Visalia General Plan Update), passed and adopted October 14, 2014.
- Visalia Municipal Code, including Title 17 (Zoning Ordinance).
- California Environmental Quality Act Guidelines.
- City of Visalia, California, Climate Action Plan, Draft Final. Strategic Energy Innovations, December 2013.
- Visalia City Council Resolution No. 2014-36 (Certifying the Visalia Climate Action Plan), passed and adopted October 14, 2014.
- City of Visalia Storm Water Master Plan. Boyle Engineering Corporation, September 1994.
- City of Visalia Sanitary Sewer Master Plan. City of Visalia, 1994.
- Cameron Creek Noise Impact Analysis, Kunzman Associates, Inc., April 27, 2017

VII. NAME OF PERSON WHO PREPARED INITIAL STUDY

Paul Bernal

Principal Planner

Paul Scheibel, AICP

Environmental Coordinator

INITIAL STUDY ENVIRONMENTAL CHECKLIST

Name of Proposal Conditional Use Permit No. 2017-22 NAME OF PROPONENT: Chandi Group USA, Inc. NAME OF AGENT: Steven Macias - 4Creeks, Inc. Address of Proponent: 42270 Spectrum St. Address of Agent: 324 S. Santa Fe St. Ste. A Indio CA 92203 Visalia CA 93292 Telephone Number: (760) 396-9260 Telephone Number: (559) 802-3052 July 27, 2017 Date of Review Lead Agency: City of Visalia

The following checklist is used to determine if the proposed project could potentially have a significant effect on the environment. Explanations and information regarding each question follow the checklist.

1 = No impact

2 = Less Than Significant Impact

3 = Less Than Significant Impact with Mitigation Incorporated

4 = Potentially Significant Impact

AESTHETICS

Would the project:

- 2 a) Have a substantial adverse effect on a scenic vista?
- b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?
- _2 c) Substantially degrade the existing visual character or quality of the site and its surroundings?
- _2 d) Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?

II AGRICULTURAL RESOURCES

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:

- a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency to non-agricultural use?
- _2 b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?
- d) Result in the loss of forest land or conversion of forest land to non-forest use?
- e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to nonagricultural use?

iii AIR QUALITY

Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:

- 2 a) Conflict with or obstruct implementation of the applicable air quality plan?
- 2 b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?
- 2 c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?
- d) Expose sensitive receptors to substantial pollutant concentrations?
- e) Create objectionable odors affecting a substantial number of people?

IV BIOLOGICAL RESOURCES

Would the project:

- a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?
- b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?
- 2 c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?
- d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

2 e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? **CULTURAL RESOURCES** Would the project: 1 a) Cause a substantial adverse change in the significance of a historical resource as defined in Public Resources Code Section 15064.5? b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Public Resources Code Section 15064.5? c) Directly or indirectly destroy a unique paleontological resource or site, or unique geologic feature? Disturb any human remains, including those interred outside of formal cemeteries? **GEOLOGY AND SOILS** VI Would the project: a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving: 1 Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? ii) Strong seismic ground shaking? 1 iii) Seismic-related ground failure, including liquefaction? iv) Landslides? b) Result in substantial soil erosion or loss of topsoil? Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse? 1 d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property? e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water? GREENHOUSE GAS EMISSIONS Would the project: 2 a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment? 2 b) Conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of greenhouse VIII. HAZARDS AND HAZARDOUS MATERIALS Would the project: a) Create a significant hazard to the public or the environment

through the routine transport, use, or disposal of hazardous

materials?

- b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?
- ____ c) Emit hazardous emissions or handle hazardous ór acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?
- ____ d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?
- g e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?
- f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?
- g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?
- h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?

IX HYDROLOGY AND WATER QUALITY

Would the project:

- _2 a) Violate any water quality standards of waste discharge requirements?
- b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?
- _2 c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?
- _2 d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?
- e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?
- _1_ f) Otherwise substantially degrade water quality?
- g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?
- h) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?
- i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?
- _______j) Inundation by seiche, tsunami, or mudflow?

X LAND USE AND PLANNING

Would the project:

- 1 a) Physically divide an established community?
- b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?
- ____ c) Conflict with any applicable habitat conservation plan or natural community conservation plan?

XI MINERAL RESOURCES

Would the project:

- a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?
- _1 b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

XII. NOISE

Would the project:

- a) Cause exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- _3_ b) Cause exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?
- 2 c) Cause a substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?
- d) Cause a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?
- e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?
- ______f) For a project within the vicinity of a private airstrip, would the project expose people residing or working the in the project area to excessive noise levels?

XIII POPULATION AND HOUSING

Would the project:

- a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?
- _1 b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?
- _1 c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?

XIV PUBLIC SERVICES

Would the project:

 a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

- 1 i) Fire protection?
- 1 ii) Police protection?
- 2 iii) Schools?
- _1_ iv) Parks?
- _1 v) Other public facilities?

XV RECREATION

Would the project:

- a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?
- b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?

XVI. TRANSPORTATION / TRAFFIC

Would the project:

- a) Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?
- _2 b) Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?
- _1 c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?
- d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?
- 1 e) Result in inadequate emergency access?
- _1 f) Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?

XVII UTILITIES AND SERVICE SYSTEMS

Would the project:

- a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?
- 2 b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?
- _2 c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?
- d) Have sufficient water supplies available to service the project from existing entitlements and resources, or are new or expanded entitlements needed?

- e) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?
- _____f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?
- g) Comply with federal, state, and local statutes and regulations related to solid waste?

XVIII TRIBAL CULTURAL RESOURCES

Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

- a) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or
- b) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.

XVIII. MANDATORY FINDINGS OF SIGNIFICANCE

Would the project:

- a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?
- b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?
- 3 c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?
- Note: Authority cited: Sections 21083 and 21083.05, Public Resources Code. Reference: Section 65088.4, Gov. Code; Sections 21080(c), 21080.1, 21080.3, 21083, 21083.05, 21083.3, 21093, 21094, 21095, and 21151, Public Resources Code; Sundstrom v. County of Mendocino, (1988) 202 Cal.App.3d 296; Leonoff v. Monterey Board of Supervisors, (1990) 222 Cal.App.3d 1337; Eureka Citizens for Responsible Govt. v. City of Eureka (2007) 147 Cal.App.4th 357; Protect the Historic Amador Waterways v. Amador Water Agency (2004) 116 Cal.App.4th at 1109; San Franciscans Upholding the Downtown Plan v. City and County of San Francisco (2002) 102 Cal.App.4th 656.

Revised 2009

DISCUSSION OF ENVIRONMENTAL EVALUATION

I. AESTHETICS

- a. This project will not adversely affect the view of any scenic vistas. The Sierra Nevada mountain range may be considered a scenic vista, but views of the range will not be adversely impacted or significantly by the project. Gas stations and drive-thru carwash facilities are considered compatible uses in commercial areas where potential impacts can be addressed through the CUP process. The site is located along Caldwell Avenue, which is a designated arterial roadway. The City's General Plan Land Use Map designates the site as Commercial Mixed Use. Staff believes that the proposed gas station and drive-thru carwash is consistent in nature and character with existing and future uses surrounding the project site, subject to the Conditions of Project Approval for this project.
- b. There are no scenic resources on the site.
- The City has development standards related to landscaping and other amenities that will ensure that the visual character of the area is not degraded upon any future development. The proposed project in itself will not change the visual character or quality of the site.
- d. The project will facilitate for the future development of the entire Cameron Creek Marketplace Shopping center. New sources of light would be created upon the site's future development that is typical of urban development. The City's existing development standards require that light be directed and/or shielded so it does not fall upon adjacent properties upon the site's future development.

II. AGRICULTURAL RESOURCES

a. The project is located on property that is not identified as farmland based on maps prepared by the California Department of Conservation and contained within the Visalia General Plan, Figure 6-4.

The Visalia General Plan Update Environmental Impact Report (EIR) has already considered the environmental impacts of the conversion of properties within the Planning Area, which includes the subject property, into nonagriculture uses. Overall, the General Plan results in the conversion of over 14,000 acres of Important Farmland to urban uses, which is considered significant and unavoidable. Aside from preventing development altogether the conversion of Important Farmland to urban uses cannot be directly mitigated. However, the General Plan contains multiple polices that together work to limit conversion only to the extent needed to accommodate long-term growth. The General Plan policies identified under Impact 3.5-1 of the EIR serve as the mitigation, which assists in reducing the severity of the impact to the extent possible while still achieving the General Plan's goals of accommodating a certain amount of growth to occur within the Planning Area. These policies include the implementation of a three-tier growth boundary system that assists in protecting open space around the City fringe and maintaining compact development within the City limits.

The project is within the Urban Development Tier 1 Boundary. Development of residential, commercial, and industrial lands in Tier 1 may occur at any time.

- b. The project site is zoned C-MU (Commercial Mixed Use) and is part of the Cameron Creek Marketplace Shopping Center. The project is bordered by Caldwell Avenue to the north, West Street to the west and vacant property to the east and south that is zoned and planned for commercial development.
- There is no forest or timber land currently located on the site.
- There is no forest or timber land currently located on the site.
- e. The project will not involve any changes that would promote or result in the conversion of farmland to non-agriculture use. The subject property is currently designated for an urban development rather than agricultural land use. Properties that are vacant may develop in a way that is consistent with their zoning and land use designated at any time. The adopted Visalia General Plan's implementation of a three-tier growth boundary system further assists in protecting open space around the City fringe to ensure that premature conversion of farmland to non-agricultural uses does not occur.

III. AIR QUALITY

- a. The project site is located in an area that is under the jurisdiction of the San Joaquin Valley Air Pollution Control District (SJVAPCD). The project in itself does not disrupt implementation of the San Joaquin Regional Air Quality Management Plan, and will therefore be a less than significant impact.
- Development under the Visalia General Plan will result in emissions that will exceed thresholds established by the SJVAPCD for PM10 and PM2.5. The project will contribute to a net increase of criteria pollutants and will therefore contribute to exceeding the thresholds. Also the project could result in short-term air quality impacts related to dust generation and exhaust due to construction and grading activities. This site was evaluated in the Visalia General Plan Update EIR for conversion into urban development. Development under the General Plan will result in increases of construction and operation-related criteria pollutant impacts, which are considered significant and unavoidable. General Plan policies identified under impacts 3.3-1 and 3.3-2 serve as the mitigation which assists in reducing the severity of the impact to the extent possible while still achieving the General Plan's goals of accommodating a certain amount of growth to occur within the Planning Area.

The project is required to adhere to requirements administered by the SJVAPCD to reduce emissions to a level of compliance consistent with the District's grading regulations. Compliance with the SJVAPCD's rules and regulations will reduce potential impacts associated with air quality standard violations to a less than significant level.

In addition, development of the project will be subject to the SJVAPCD Indirect Source Review (Rule 9510) procedures that became effective on March 1, 2006. The Applicant will be required to obtain permits demonstrating compliance with Rule 9510, or payment of mitigation fees to the SJVAPCD.

c. Tulare County is designated non-attainment for certain federal ozone and state ozone levels. The project will result in a net increase of criteria pollutants. This site was evaluated in the Visalia General Plan Update EIR for conversion into urban development. Development under the General Plan will result in increases of construction and operation-related criteria pollutant impacts, which are considered significant and unavoidable. General Plan policies identified under Impacts 3.3-1, 3.3-2, and 3.3-3 serve as the mitigation, which assists in reducing the severity of the impact to the extent possible while still achieving the General Plan's goals of accommodating a certain amount of growth to occur within the Planning Area.

The project is required to adhere to requirements administered by the SJVAPCD to reduce emissions to a level of compliance consistent with the District's grading regulations. Compliance with the SJVAPCD's rules and regulations will reduce potential impacts associated with air quality standard violations to a less than significant level.

In addition, development of the project will be subject to the SJVAPCD Indirect Source Review (Rule 9510) procedures that became effective on March 1, 2006. The Applicant will be required to obtain permits demonstrating compliance with Rule 9510, or payment of mitigation fees to the SJVAPCD.

- d. Residences located near the proposed project may be intermittently exposed to pollutant concentrations due to construction activities. The use of construction equipment will be temporary and is subject to SJVAPCD rules and regulations. The impact is considered as less than significant.
- The proposed project will not involve the generation of objectionable odors that would affect a substantial number of people.

IV. BIOLOGICAL RESOURCES

a. City-wide biological resources were evaluated in the Visalia General Plan Update Environmental Impact Report (EIR) for conversion to urban use. In addition, staff had conducted an on-site visit to the site on July 21, 2017 to observe biological conditions and did not observe any evidence or symptoms that would suggest the presence of a sensitive, candidate, or special species.

Based on the above, the site has no known species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service. The project would therefore not have a substantial adverse effect on a sensitive, candidate, or special species.

 The project is not located within or adjacent to an identified sensitive riparian habitat or other natural community.

City-wide biological resources were evaluated in the Visalia General Plan Update Environmental Impact Report (EIR). The EIR concluded that certain sensitive natural communities may be directly or indirectly affected by future development within the General Plan Planning Area, particularly valley oak woodlands and valley oak riparian woodlands. Such effects would be considered significant. However, the General Plan contains multiple polices, identified under Impact 3.8-2 of the EIR, that together work to reduce the potential for impacts on woodlands located within in the Planning Area. With implementation of these policies, impacts on woodlands will be less than significant.

 The project is not located within or adjacent to federally protected wetlands as defined by Section 404 of the Clean Water Act.

City-wide biological resources were evaluated in the Visalia General Plan Update Environmental Impact Report (EIR). The EIR concluded that certain protected wetlands and other waters may be directly or indirectly affected by future development within the General Plan Planning Area. Such effects would be considered significant. However, the General Plan contains multiple polices, identified under Impact 3.8-3 of the EIR, that together work to reduce the potential for impacts on wetlands and other waters located within in the Planning Area. With implementation of these policies, impacts on wetlands will be less than significant.

- d. City-wide biological resources were evaluated in the Visalia General Plan Update Environmental Impact Report (EIR). The EIR concluded that the movement of wildlife species may be directly or indirectly affected by future development within the General Plan Planning. Such effects would be considered significant. However, the General Plan contains multiple polices, identified under Impact 3.8-4 of the EIR, that together work to reduce the potential for impacts on wildlife movement corridors located within in the Planning Area. With implementation of these polies, impacts on wildlife movement corridors will be less than significant.
- e. The City has a municipal ordinance in place to protect valley oak trees. There are no valley oak trees on-site.
- There are no local or regional habitat conservation plans for the area.

V. CULTURAL RESOURCES

- a. There are no known historical resources located within the project area. If some potentially historical or cultural resource is unearthed during development all work should cease until a qualified professional archaeologist can evaluate the finding and make necessary mitigation recommendations.
- b. There are no known archaeological resources located within the project area. If some archaeological resource is unearthed during development all work should cease until a qualified professional archaeologist can evaluate the finding and make necessary mitigation recommendations.

- c. There are no known unique paleontological resources or geologic features located within the project area.
- d. There are no known human remains buried in the project vicinity. If human remains are unearthed during development all work should cease until the proper authorities are notified and a qualified professional archaeologist can evaluate the finding and make any necessary mitigation recommendations.

VI. GEOLOGY AND SOILS

- a. The State Geologist has not issued an Alquist-Priolo Earthquake Fault Map for Tulare County. The project area is not located on or near any known earthquake fault lines. Therefore, the project will not expose people or structures to potential substantial adverse impacts involving earthquakes.
- b. The development of this site will require movement of topsoil. Existing City Engineering Division standards require that a grading and drainage plan be submitted for review to the City to ensure that off- and on-site improvements will be designed to meet City standards.
- c. The project area is relatively flat and the underlying soil is not known to be unstable. Soils in the Visalia area have few limitations with regard to development. Due to low clay content and limited topographic relief, soils in the Visalia area have low expansion characteristics.
- d. Due to low clay content, soils in the Visalia area have an expansion index of 0-20, which is defined as very low potential expansion.
- The project does not involve the use of septic tanks or alternative wastewater disposal systems since sanitary sewer lines are used for the disposal of wastewater at this location.

VII. GREENHOUSE GAS EMISSIONS

a. The project is expected to generate Greenhouse Gas (GHG) emissions in the short-term as a result of the construction of residences and long-term as a result of day-to-day operation of the proposed residences.

The City has prepared and adopted a Climate Action Plan (CAP), which includes a baseline GHG emissions inventories, reduction measures, and reduction targets consistent with local and State goals. The CAP was prepared concurrently with the proposed General Plan and its impacts are also evaluated in the Visalia General Plan Update EIR.

The Visalia General Plan and the CAP both include policies intended to reduce the level of GHG emissions emitted in association with buildout conditions under the General Plan. Although emissions will be generated as a result of the project, implementation of the General Plan and CAP policies will result in fewer emissions than would be associated with a continuation of baseline conditions. Thus, the impact to GHG emissions will be less than significant.

b. The State of California has enacted the Global Warming Solutions Act of 2006 (AB 32), which included provisions for reducing the GHG emission levels to 1990 "baseline" levels by 2020. The proposed project will not impede the State's ability to meet the GHG emission reduction targets under AB 32. Current and probable future state and local GHG reduction measures will continue to reduce the project's contribution to climate change. As a result, the project will not contribute significantly, either individually or cumulatively, to GHG emissions.

VIII. HAZARDS AND HAZARDOUS MATERIALS

- a. No hazardous materials are anticipated with the project.
- b. Construction activities associated with development of the project may include maintenance of on-site construction equipment, which could lead to minor fuel and oil spills. The use and handling of any hazardous materials during construction activities would occur in accordance with applicable federal, state, regional, and local laws. Therefore, impacts are considered to be less than significant.
- c. There are no schools located within one-quarter mile from the project site. There is no reasonably foreseeable condition or incident involving the project that could affect existing or proposed school sites or areas within onequarter mile of school sites.
- d. The project area does not include any sites listed as hazardous materials sites pursuant to Government Code Section 65692.5.
- The project area is not located within any airport land use plan or within 2 miles of a public airport.
- f. The project area is not within the vicinity of any private airstrip.
- g. The project will not interfere with the implementation of any adopted emergency response plan or evacuation plan.
- h. There are no wild lands within or near the project area.

IX. HYDROLOGY AND WATER QUALITY

- a. The project will not violate any water quality standards of waste discharge requirements. The site, when developed, will meet the City's improvement standards for directing storm water runoff to existing City storm water drainage systems; consistent with the City's adopted City Storm Drain Master Plan.
- The project will not substantially deplete groundwater supplies in the project vicinity. The project will be served by a water lateral for domestic, irrigation, and fire protection use. The project area overlies the southern portion of the San Joaquin unit of the Central Valley groundwater aguifer. The project will result in an increase of impervious surfaces on the project site, which might affect the amount of precipitation that is recharged to the aguifer. However, as the City of Visalia is already largely developed and covered by impervious surfaces, the increase of impervious surfaces through this project will be small by comparison. The project therefore might affect the amount of precipitation that is recharged to the aquifer. The City of Visalia's water conversation measures and explorations for surface water use over groundwater extraction will assist in offsetting the loss in groundwater recharge.

c. Development of the site has the potential to affect drainage patterns in the short term due to erosion and sedimentation during construction activities and in the long term through the expansion of impervious surfaces. Impaired storm water runoff may then be intercepted and directed to a storm drain or water body, unless allowed to stand in a detention area. The City's existing standards may require the preparation and implementation of a Storm Water Pollution Prevention Plan (SWPPP) in accordance with the SWRCB's General Construction Permit process, which would address erosion control measures.

The Visalia General Plan contains multiple polices, identified under Impact 3.6-1 of the EIR, that together work to reduce the potential for erosion. With implementation of these policies and the existing City standards, impacts to erosion will be less than significant.

d. Development of the site will create additional impervious surfaces. However, existing and planned improvements to storm water drainage facilities as required through the Visalia General Plan policies will reduce any potential impacts to a less than significant level.

Polices identified under Impact 3.6-2 of the EIR will reduce any potential impacts to a less than significant level. With implementation of these policies and the existing City standards, impacts to groundwater supplies will be less than significant.

e. Development of the site will create additional impervious surfaces. However, existing and planned improvements to storm water drainage facilities as required through the Visalia General Plan policies will reduce any potential impacts to a less than significant level.

Polices identified under Impact 3.6-2 of the EIR will reduce any potential impacts to a less than significant level. With implementation of these policies and the existing City standards, impacts to groundwater supplies will be less than significant.

Furthermore, the project will be required to meet the City's improvement standards for directing storm water runoff to the existing City storm water drainage system, consistent with the City's adopted City Storm Drain Master Plan.

- f. There are no reasonably foreseeable reasons why the project would result in the degradation of water quality. As previously discussed, the Visalia General Plan contains multiple polices, identified under Impact 3.6-2 and 3.9-3 of the EIR, that together work to reduce the potential for impacts to water quality. With implementation of these policies and the existing City standards, impacts to water quality will be less than significant.
- g. The project area is located within Zone X02, which indicates an area that is outside of the 100-year flood hazard area.
- h. The project area is located within Zone X02, which indicates an area that is outside of the 100-year flood hazard area.
- The project would not expose people or structures to risks from failure of levee or dam. The project is located downstream from the Terminus Dam; in the case of dam failure, there will be 4 hours of warning to evacuate the site.

j. Seiche and tsunami impacts do not occur in the Visalia area. The site is relatively flat, which will contribute to the lack of impacts by mudflow occurrence.

X. LAND USE AND PLANNING

The project will not physically divide an established community. The General Plan Land Use Diagram. adopted October 14, 2014, designates the 1.29-acre project area as Commercial Mixed Use. The Zoning Map, adopted on April 6, 2017, designates the site as Commercial Mixed Use (C-MU), which is consistent with the General Plan Land Use Designation of Commercial Mixed Use as identified in Table 9-1 "Consistency Between the Plan and Zoning" of the General Plan. The project will not physically divide an established community. Gas stations with drive-thru carwash facilities are considered compatible uses in commercial areas where potential impacts can be addressed through the CUP process. The site is located along Caldwell Avenue, which is a designated arterial roadway. Staff concludes that the proposed gas station/drive-thru carwash is consistent in nature and character with existing and future uses surrounding the project site, subject to the Conditions of Project Approval for this project.

The Visalia General Plan contains multiple polices, identified under Impact 3.1-2 of the EIR, that together work to reduce the potential for impacts to the development of land as designated by the General Plan. With implementation of these policies and the existing City standards, impacts to land use development consistent with the General Plan will be less than significant.

b. The project does not conflict with any land use plan, policy or regulation of the City of Visalia. The recently adopted General Plan did not rezone or otherwise disrupt residential communities or commercial areas, and provides additional space to accommodate any potentially displaced residents or businesses.

The City's General Plan Land Use Map designates the site as Commercial Mixed Use. Staff concludes that the proposed ARCO AM/PM gas station and drive-thru carwash is consistent in nature and character with existing and future uses surrounding the project site, subject to the Conditions of Project Approval for this project. The 1.29acre parcel is part of the Cameron Creek Marketplace Shopping Center. The Cameron Creek Marketplace Shopping Center development consisted of a total building area of 106,132 square feet. The commercial center, as proposed, consisted of two large anchor pads and various retail buildings along the southern portion of the site. The remaining balance of the site includes the development of out-pads buildings with drive-thru lanes along the Caldwell Avenue street frontage. Thus, Staff finds that the development of the site with the proposed use at **this** time is consistent with the overall master plan.

c. The project does not conflict with any applicable habitat conservation plan or natural community conservation plan as it is located on a vacant dirt lot with no significant natural habitat present.

XI. MINERAL RESOURCES

 No mineral areas of regional or statewide importance exist within the Visalia area. There are no mineral resource recovery sites delineated in the Visalia area.

XII. NOISE

- a. The project will result in noise generation typical of urban development. The Visalia Noise Element and City Ordinance contain criterion for acceptable noise levels inside and outside residential living spaces. This standard is 65 dB DNL for outdoor activity areas associated with residences and 45 dB DNL for indoor areas.
- Noise Impact Analysis prepared for the proposed project (ref.: Cameron Creek Noise Impact Analysis, Kunzman Associates, Inc., April 27, 2017) has concluded that an exterior noise level in excess of the daytime 65 dB DNL standard for noise-sensitive land uses, specified in the City's Noise Element, will occur during the construction of the ARCO gas station site unless mitigated. Furthermore, in the event the measured ambient noise level without the alleged offensive source in operations exceeds an applicable noise level standard in any category, the applicable standard or standards shall be adjusted so as to equal the ambient noise level. The noise level data presented in the Noise Impact Analysis identified that ambient noise levels generally exceed the performance standards identified in the Noise Ordinance. In addition, interior noise levels, when adjusted for ambient noise levels, will be below the applicable noise standards for interior noise. To ensure that community noise standards are met for noise-sensitive land uses adjacent to the site, the Noise Analysis identifies construction practice Mitigation Measures that shall be followed. To attenuate the noise, the Construction Mitigation Measures listed on age 26 of the Noise Impact Analysis shall be implemented.

Therefore, to ensure that community noise standards are met for the proposed project, the project site shall be developed and shall operate in substantial compliance with the Mitigation Measures 1.1 through 1.7.

- c. Ground-borne vibration or ground-borne noise levels may occur as part of construction activities associated with the project. Construction activities will be temporary and will not expose persons to such vibration or noise levels for an extended period of time. Therefore, to ensure that community noise standards are met for the proposed project, the project site shall be developed and shall operate in substantial compliance with the Mitigation Measures 1.1 through 1.7.
- d. Ambient noise levels will increase beyond current levels as a result of the project, however these levels will be typical of noise levels associated with urban development and not in excess of standards established in the City of Visalia's General Plan or Noise Ordinance. Noise associated with the establishment of new urban uses was previously evaluated with the General Plan for the conversion of land to urban uses.

Furthermore, the Visalia General Plan contains multiple policies, identified under Impact N-P-3 through N-P-5, that work to reduce the potential for noise impacts to sensitive land uses. With implementation of Noise Impact Policies and existing City Standards, noise impacts to new noise sensitive lands uses would be less than significant.

- e. Noise levels will increase during the construction of the project but shall remain within the limits defined by the City of Visalia Noise Ordinance. Temporary increase in ambient noise levels is considered to be less than significant. Therefore, to ensure that community noise standards are met for the proposed project, the project site shall be developed and shall operate in substantial compliance with the Mitigation Measures 1.1 through 1.7.
- f. The project area is not within an airport land use plan, nor is it within 2 miles of a public airport.
- g. There is no private airstrip near the project area.

XIII. POPULATION AND HOUSING

- The project will not directly induce substantial population growth that is in excess of that planned in the General Plan.
- Development of the site will not displace any housing on the site.
- Development of the site will not displace any people on the site.

XIV. PUBLIC SERVICES

a.

- Fire protection facilities are located at the Visalia Station 52 can adequately serve the site without a need for alteration. Impact fees will be paid to mitigate the project's proportionate impact on these facilities.
- Current police protection facilities can adequately serve the site without a need for alteration. Impact fees will be paid to mitigate the project's proportionate impact on these facilities.
- iii. The project will not generate new students for which existing schools in the area may accommodate. In addition, to address direct impacts, the future development of the site will be required to pay residential impact fees. These fees are considered to be conclusive mitigation for direct impacts. The project includes residential units that will create a need for park facilities.
- Other public facilities can adequately serve the site without a need for alteration.

XV. RECREATION

- The proposed project does not include recreational facilities or require the construction or expansion of recreational facilities within the area that might have an adverse physical effect on the environment.
- b. The proposed project does not include recreational facilities or require the construction or expansion of recreational facilities within the area that might have an adverse physical effect on the environment.

XVI. TRANSPORTATION AND TRAFFIC

a. Development and operation of the project is not anticipated to conflict with applicable plans, ordinances, or policies establishing measures of effectiveness of the City's circulation system. The project will result in an increase in traffic levels on arterial and collector roadways, although the City of Visalia's Circulation Element has been prepared to address this increase in traffic.

- b. Development of the site will result in increased traffic in the area, but will not cause a substantial increase in traffic on the city's existing circulation pattern. This site was evaluated in the Visalia General Plan Update Environmental Impact Report (EIR) for urban use.
- The project will not result in nor require a need to change air traffic patterns.
- d. There are no planned designs that are considered hazardous.
- e. The project will not result in inadequate emergency access.
- f. The project will not conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities.

XVII. UTILITIES AND SERVICE SYSTEMS

- a. The project will be connecting to existing City sanitary sewer lines, consistent with the City Sewer Master Plan. The Visalia wastewater treatment plant has a current rated capacity of 22 million gallons per day, but currently treats an average daily maximum month flow of 12.5 million gallons per day. With the completed project, the plant has more than sufficient capacity to accommodate impacts associated with the proposed project. The proposed project will therefore not cause significant environmental impacts.
- The project will not result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects.
- c. There are currently stubbed storm drain lines in South West Street and West Kimball Avenue. The project, when developed, will be required to connect to the master planned on-site storm drain lines that are part of the shopping center development. The on-site master storm drain lines on-site are/shall be connected to the existing City storm water drainage lines that handle on-site and street runoff. Usage of these lines shall be consistent with the City Storm Drain Master Plan. These improvements will not cause significant environmental impacts.
- d. California Water Service Company has determined that there are sufficient water supplies to support the site, and that service can be extended to the site..
- e. The City has determined that there is adequate capacity existing to serve the site's projected wastewater treatment demands at the City wastewater treatment plant.
- Current solid waste disposal facilities can adequately serve the site without a need for alteration.

g. The project will be able to meet the applicable regulations for solid waste. Removal of debris from construction will be subject to the City's waste disposal requirements.

XVIII. TRIBAL CULTURAL RESOURCES

The proposed project would not cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

- a. The site is not listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or
- b. The site has been determined to not be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.

Further, the EIR (SCH 2010041078) for the 2014 General Plan update included a thorough review of sacred lands files through the California Native American Heritage Commission. The sacred lands file did not contain any known cultural resources information for the Visalia Planning Area.

XIX. MANDATORY FINDINGS OF SIGNIFICANCE

- a. The project will not affect the habitat of a fish or wildlife species or a plant or animal community. This site was evaluated in the Program EIR (SCH No. 2010041078) for the City of Visalia's General Plan Update for conversion to urban use. The City adopted mitigation measures for conversion to urban development. Where effects were still determined to be significant a statement of overriding considerations was made.
- b. This site was evaluated in the Program EIR (SCH No. 2010041078) for the City of Visalia General Plan Update for the area's conversion to urban use. The City adopted mitigation measures for conversion to urban development. Where effects were still determined to be significant a statement of overriding considerations was made.
- c. This site was evaluated in the Program EIR (SCH No. 2010041078) for the City of Visalia General Plan Update for conversion to urban use. The City adopted mitigation measures for conversion to urban development. Where effects were still determined to be significant a statement of overriding considerations was made.

DETERMINATION OF REQUIRED ENVIRONMENTAL DOCUMENT

On the basis of	this initial evaluation:
	I find that the proposed project COULD NOT have a significant effect on the environment. A NEGATIVE DECLARATION WILL BE PREPARED.
<u>X</u>	I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because the mitigation measures described on the attached sheet have been added to the project. A MITIGATED NEGATIVE DECLARATION WILL BE PREPARED.
	I find the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
	I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
	I find that as a result of the proposed project no new effects could occur, or new mitigation measures would be required that have not been addressed within the scope of the Program Environmental Impact Report (SCH No. 2010041078). The Environmental Impact Report prepared for the City of Visalia General Plan was certified by Resolution No. 2014-37 adopted on October 14, 2014. THE PROGRAM ENVIRONMENTAL IMPACT REPORT WILL BE UTILIZED.
Paul Scheibel Environmenta	·



KUNZMAN ASSOCIATES, INC.

CAMERON CREEK

NOISE IMPACT ANALYSIS

April 27, 2017



CAMERON CREEK

NOISE IMPACT ANALYSIS

April 27, 2017

Prepared by:

Roma Stromberg, INCE/M.S. ■ Catherine Howe, M.S. Carl Ballard, LEED GA ■ William Kunzman, P.E.

TABLE OF CONTENTS

I.	INTRODUCTION AND SETTING	
	A. Purpose and Objectives	
	B. Project Location	
	C. Project Description	
II.	NOISE FUNDAMENTALS	
	A. Noise Fundamentals	Δ
	B. Vibration Fundamentals	5
III.	EXISTING NOISE ENVIRONMENT	
	A. Existing Land Uses and Sensitive Receptors	
	B. Ambient Noise Measurements	9
IV.	REGULATORY SETTING	12
	A. Federal Regulations	
	B. State Regulations	
	C. Local Regulations	
V.	ANALYTICAL METHODOLOGY AND MODEL PARAMETERS	
	A. Noise Modeling and Input	
VI.		
VI.	IMPACT ANALYSIS	
	A. Noise Impacts B. Vibration Impacts	
VII.	MEASURES TO REDUCE IMPACTS	
	A. Construction Mitigation Measures	26
VIII.	REFERENCES	27

APPENDICES

Appendix A – List of Acronyms

Appendix B – Definitions of Acoustical Terms

Appendix C – Noise Monitoring Field Worksheets

Appendix D – RCNM Noise Modeling Output

Appendix E – SoundPLAN Input and Output

LIST OF TABLES

Table 1.	Vibration Source Levels for Construction Equipment	6
Table 2.	Typical Human Reaction and Effect on Buildings Due to Groundborne Vibration	
Table 3.	Short-Term Noise Measurement Summary (dBA)	10
	Exterior Noise Level Standards, dBA	
	Interior Noise Level Standards, dBA	
	Adjusted Daytime Exterior Noise Level Standards and Project Impact Evaluation (dBA	

LIST OF FIGURES

Figure 1.	Project Location Map	
Figure 2.	Site Plan	3
	Common Noise Sources and Noise Levels	
Figure 4.	Noise Measurement Location Map	11
Figure 5.	Operational Noise Levels (Leq)	23
Figure 6.	Operational Noise Level Contours (Leq)	24
Figure 7.	Operational Noise Levels (Lmax)	25

I. INTRODUCTION AND SETTING

A. Purpose and Objectives

The purpose of this noise impact analysis is to provide an assessment of the impacts resulting from development of the proposed Cameron Creek project car wash and to identify mitigation measures that may be necessary to reduce those impacts. The noise issues related to the proposed land use and development have been evaluated in the context of the California Environmental Quality Act.

Although this is a technical report, every effort has been made to write the report clearly and concisely. To assist the reader with those terms unique to noise analysis, a glossary of terms is provided in Appendix A of this report.

B. **Project Location**


The project site is proposed to be located at the southeast corner of the Caldwell Avenue and West Street intersection in the City of Visalia. A vicinity map showing the project location is provided on Figure 1.

C. <u>Project Description</u>

The proposed project consists of developing the approximately 1.91 acre project site with a 6,000 square foot convenience store with fast-food restaurant, a 4,933 square foot carwash, and a 6,775 square foot canopy covering a 20 fueling position service station. The project site would also include 13,300 square feet of landscaping and 38 parking spaces. Figure 2 illustrates the site plan.



KUNZMAN ASSOCIATES, INC.



II. NOISE FUNDAMENTALS

A. <u>Noise Fundamentals</u>

Sound is a pressure wave created by a moving or vibrating source that travels through an elastic medium such as air. Noise is defined as unwanted or objectionable sound. The effects of noise on people can include general annoyance, interference with speech communication, sleep disturbance, and in extreme circumstances, hearing impairment.

Commonly used noise terms are presented in Appendix B. The unit of measurement used to describe a noise level is the decibel (dB). The human ear is not equally sensitive to all frequencies within the sound spectrum. Therefore, the "A-weighted" noise scale, which weights the frequencies to which humans are sensitive, is used for measurements. Noise levels using A-weighted measurements are written dB(A) or dBA.

From the noise source to the receiver, noise changes both in level and frequency spectrum. The most obvious is the decrease in noise as the distance from the source increases. The manner in which noise reduces with distance depends on whether the source is a point or line source as well as ground absorption, atmospheric effects and refraction, and shielding by natural and manmade features. Sound from point sources, such as air conditioning condensers, radiates uniformly outward as it travels away from the source in a spherical pattern. The noise drop-off rate associated with this geometric spreading is 6 dBA per each doubling of the distance (dBA/DD). Transportation noise sources such as roadways are typically analyzed as line sources, since at any given moment the receiver may be impacted by noise from multiple vehicles at various locations along the roadway. Because of the geometry of a line source, the noise drop-off rate associated with the geometric spreading of a line source is 3 dBA/DD.

Decibels are measured on a logarithmic scale, which quantifies sound intensity in a manner similar to the Richter scale used for earthquake magnitudes. Thus, a doubling of the energy of a noise source, such as a doubled traffic volume, would increase the noise levels by 3 dBA; halving of the energy would result in a 3 dBA decrease.

Figure 3 shows the relationship of various noise levels to commonly experienced noise events.

Average noise levels over a period of minutes or hours are usually expressed as dBA_{Leq} , or the equivalent noise level for that period of time. For example, $L_{eq(3)}$ would represent a 3-hour average. When no period is specified, a one-hour average is assumed.

Noise standards for land use compatibility are stated in terms of the Community Noise Equivalent Level (CNEL) and the Day-Night Average Noise Level (L_{dn}). CNEL is a 24-hour weighted average measure of community noise. CNEL is obtained by adding five decibels to sound levels in the evening (7:00 PM to 10:00 PM), and by adding ten decibels to sound levels at night (10:00 PM to 7:00 AM). This weighting accounts for the increased human sensitivity to noise during the evening and nighttime hours. L_{dn} is a very similar 24-hour average measure that weights only the nighttime hours.

It is widely accepted that the average healthy ear can barely perceive changes of 3 dBA; that a change of 5 dBA is readily perceptible, and that an increase (decrease) of 10 dBA sounds twice (half) as loud. This definition is recommended by the California Department of Transportation's Technical Noise Supplement to the Traffic Noise Analysis Protocol (2013).

B. <u>Vibration Fundamentals</u>

The way in which vibration is transmitted through the earth is called propagation. Propagation of earthborn vibrations is complicated and difficult to predict because of the endless variations in the soil through which waves travel. There are three main types of vibration propagation: surface, compression and shear waves. Surface waves, or Raleigh waves, travel along the ground's surface. These waves carry most of their energy along an expanding circular wave front, similar to ripples produced by throwing a rock into a pool of water. Compression waves, or P-waves, are body waves that carry their energy along an expanding spherical wave front. The particle motion in these waves is longitudinal (i.e., in a "push-pull" fashion). P-waves are analogous to airborne sound waves. Shear waves, or S-waves, are also body waves that carry energy along an expanding spherical wave front. However, unlike P-waves, the particle motion is transverse or "side-to-side and perpendicular to the direction of propagation".

As vibration waves propagate from a source, the energy is spread over an ever-increasing area such that the energy level striking a given point is reduced with the distance from the energy source. This geometric spreading loss is inversely proportional to the square of the distance. Wave energy is also reduced with distance as a result of material damping in the form of internal friction, soil layering, and void spaces. The amount of attenuation provided by material damping varies with soil type and condition as well as the frequency of the wave.

Construction operations generally include a wide range of activities that can generate groundborne vibration. Vibratory compactors or rollers, pile drivers, and pavement breakers can generate perceptible amounts of vibration at up to 200 feet. Heavy trucks can also generate groundborne vibrations, which can vary depending on vehicle type, weight, and pavement conditions. Potholes, pavement joints, discontinuities, or the differential settlement of pavement all increase the vibration levels from vehicles passing over a road surface. Construction vibration is normally of greater concern than vibration from normal traffic flows on streets and freeways with smooth pavement conditions.

Typically, particle velocity or acceleration (measured in gravities) is used to describe vibration. Table 1 shows the peak particle velocities (PPV) of some common construction equipment and Table 2 shows typical human reactions to various levels of PPV as well as the effect of PPV on buildings.

Table 1

Vibration Source Levels for Construction Equipment¹

Equipment	Peak Particle Velocity (inches/second) at 25 feet	Approximate Vibration Level LV (dVB) at 25 feet
Pile driver (impact)	1.518 (upper range)	112
	0.644 (typical)	104
Pile driver (sonic)	0.734 upper range	105
	0.170 typical	93
Clam shovel drop (slurry wall)	0.202	94
Hydromill	0.008 in soil	66
(slurry wall)	0.017 in rock	75
Vibratory Roller	0.21	94
Hoe Ram	0.089	87
Large bulldozer	0.089	87
Caisson drill	0.089	87
oaded trucks	0.076	86
ackhammer	0.035	79
Small bulldozer	0.003	58


Source: Transit Noise and Vibration Impact Assessment, Federal Transit Administration, May 2006.

Table 2

Typical Human Reaction and Effect on Buildings Due to Groundborne Vibration¹

Vibration Level Peak Particle Velocity (PPV)	Human Reaction	Effect on Buildings
0.006-0.019 in/sec	Threshold of perception, possibility of intrusion	Vibrations unlikely to cause damage of any type
0.08 in/sec	Vibrations readily perceptible	Recommended upper level of vibration to which ruins and ancient monuments should be subjected
0.10 in/sec	Level at which continuous vibration begins to annoy people	Virtually no risk of "architectural" (i.e., not structural) damage to normal buildings
0.20 in/sec	Vibrations annoying to people in buildings	Threshold at which there is a risk to "architectural" damage to normal dwelling – houses with plastered walls and ceilings
0.4-0.6 in/sec	Vibrations considered unpleasant by people subjected to continuous vibrations and unacceptable to some people walking on bridges	Vibrations at a greater level than normally expected from traffic, but would cause "architectural" damage and possibly minor structural damage

 $^{^{\}mbox{\scriptsize 1}}$ Source: California Department of Transportation, 2002.



III. EXISTING NOISE ENVIRONMENT

A. <u>Existing Land Uses and Sensitive Receptors</u>

The project site is bordered by Caldwell Avenue to the north, West Street to the west, and vacant land to the south and east. Land uses surrounding the site consist of vacant land, single-family detached residential dwelling units, and multi-family attached residential dwelling units to the south (across Kimball Avenue), single-family detached residential dwelling units to the west (across West Street), commercial uses to the north (across Caldwell Avenue), and vacant land to the east. Noise sensitive land uses include the single-family detached residential dwelling units to the west and south and the multi-family attached residential dwelling units to the south and northeast.

The State of California defines sensitive receptors as those land uses that require serenity or are otherwise adversely affected by noise events or conditions. Schools, libraries, churches, hospitals, single and multiple-family residential, including transient lodging, motels and hotel uses make up the majority of these areas. Sensitive receptors that may be affected by project generated noise include the single-family detached residential dwelling units to the west and south and the multi-family attached residential dwelling units to the south and northeast.

B. <u>Ambient Noise Measurements</u>

An American National Standards Institute (ANSI Section SI4 1979, Type 1) Larson Davis model LxT sound level meter was used to document existing ambient noise levels. In order to document existing ambient noise levels in the project area, five (5) 10-minute daytime noise measurements were taken between 11:22 AM and 12:37 PM on April 17, 2017. Field worksheets and measurement output data are included in Appendix C.


As shown on Figure 4, the noise measurements were taken near existing sensitive receptors along Kimball Avenue and West Street. Table 3 provides a summary of the short-term ambient noise data. Ambient noise levels measured between 51.8 and 64.1 dBA L_{eq} during the daytime (7:00 AM to 10:00 PM). Estimated ambient nighttime noise levels are anticipated to decrease by 5 dBA to between 46.8 and 59.1 dBA L_{eq} during nighttime hours. The dominant noise sources were from vehicles traveling on Kimball Avenue and West Street.

Table 3
Short-Term Noise Measurement Summary (dBA)^{1, 2}

Site Location	Time Started	Leq	Lmax
NM1	11:22 AM	51.8	71.8
NM2	11:38 AM	59.5	72.8
NM3	11:54 AM	64.1	79.3
NM4	12:09 PM	62.8	77.3
NM5	12:37 PM	62.8	77.8

¹ See Figure 4 for noise measurement locations. Each noise measurement was performed over a 10-minute duration.

² Noise measurements performed on February 28, 2017.



둬

IV. REGULATORY SETTING

A. <u>Federal Regulations</u>

1. Federal Noise Control Act of 1972

The U.S. Environmental Protection Agency (EPA) Office of Noise Abatement and Control was originally established to coordinate federal noise control activities. After its inception, EPA's Office of Noise Abatement and Control issued the Federal Noise Control Act of 1972, establishing programs and guidelines to identify and address the effects of noise on public health, welfare, and the environment. In response, the EPA published Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety (Levels of Environmental Noise). The Levels of Environmental Noise recommended that the Ldn should not exceed 55 dBA outdoors or 45 dBA indoors to prevent significant activity interference and annoyance in noise-sensitive areas.

In addition, the Levels of Environmental Noise identified five (5) dBA as an "adequate margin of safety" for a noise level increase relative to a baseline noise exposure level of 55 dBA Ldn (i.e., there would not be a noticeable increase in adverse community reaction with an increase of five dBA or less from this baseline level). The EPA did not promote these findings as universal standards or regulatory goals with mandatory applicability to all communities, but rather as advisory exposure levels below which there would be no risk to a community from any health or welfare effect of noise.

In 1981, EPA administrators determined that subjective issues such as noise would be better addressed at lower levels of government. Consequently, in 1982 responsibilities for regulating noise control policies were transferred to State and local governments. However, noise control guidelines and regulations contained in EPA rulings in prior years remain in place by designated Federal agencies, allowing more individualized control for specific issues by designated Federal, State, and local government agencies.

B. State Regulations

1. State of California General Plan Guidelines 2003

Though not adopted by law, the State of California General Plan Guidelines 2003, published by the California Governor's Office of Planning and Research (OPR) (OPR Guidelines), provide guidance for the compatibility of projects within areas of specific noise exposure. The OPR Guidelines identify the suitability of various types of construction relative to a range of outdoor noise levels and provide each local community some flexibility in setting local noise standards that allow for the variability in community preferences. Findings presented in the Levels of Environmental Noise Document (EPA 1974) influenced the recommendations of the OPR Guidelines, most importantly in the choice of noise exposure metrics (i.e., Ldn or CNEL) and in the upper limits for the Normally Acceptable outdoor exposure of noise-

sensitive uses. The City of Visalia has adopted General Plan objectives and policies to ensure land use compatibility.

C. <u>Local Regulations</u>

1. City of Visalia General Plan

Applicable policies and standards governing environmental noise in the City are set forth in the General Plan Safety and Noise Element. The applicable objective and policy are presented below:

Objective

N-O-1 Strive to achieve an acceptable noise environment for present and future residents of Visalia.

Policy

N-P-4 Where new development of industrial, commercial or other noise generating land uses (including roadways, railroads, and airports) may result in noise levels that exceed applicable noise level exposure criteria established in Section 8.36 of the Municipal Code, require a noise study to determine impacts, and require developers to mitigate these impacts in conformance with Municipal Code as a condition of permit approval through appropriate means.

2. City of Visalia Municipal Ordinance

Section 8.36.040. Exterior noise standards - fixed noise sources. It is unlawful for any person at any location within the city to create any noise, or to allow the creation of any noise, on property owned, leased, occupied or otherwise controlled by such person which causes the exterior noise level, when measured at the property line of any affected noise sensitive land use, to exceed any of the categorical noise level standards as set forth in Table 4.

Section 8.36.060. Residential interior noise standards. It is unlawful for any person, at any location within the city, to operate or cause to be operated, any source of sound or to allow the creation of any noise which causes the noise level when measured inside a dwelling unit to exceed any of the categorized noise level standards as set forth in Table 5. These standards are presented as Lns or the noise level exceeded for a certain period of time. For example, the standard prohibiting the noise level from exceeding 50 dB for more than 30 minutes during any one-hour time period can be written as a standard of 50 dBA Leq($_{50}$), because thirty minutes is equal to fifty percent of one-hour. If project operations do not exceed the $_{L_{50}}$ or the Lmax, then it is highly unlikely that they will exceed the noise level standards in between.

Section 8.36.070. Noise source exemptions. Noise sources associated with the collection of waste or garbage from commercially zoned or industrially zoned property by the city or its authorized franchisee shall be exempted from the provisions of this chapter.

Table 4

Exterior Noise Level Standards, dBA

Category	Cumulative Number of Minutes in any One-Hour Time Period	Evening and Daytime 6:00 AM to 7:00 PM	Nighttime 7:00 PM to 6:00 AM
1	30	50	45
2	15	55	50
3	5	60	55
4	1	65	60
_ 5	0	70	65

Notes:

- A. It is unlawful for any person, at any location within the city, to operate or cause to be operated, any source of sound or to allow the creation of any noise which causes the noise level, when measured at the property line of any affected noise sensitive land use, to exceed any of the categorical noise level standards as set forth in the following table:
- B. In the event the measured ambient noise level without the alleged offensive source in operation exceeds an applicable noise level standard in any category above, the applicable standard or standards shall be adjusted so as to equal the ambient noise level. The noise standards above have been adjusted per measured ambient noise levels. The adjusted noise standards are shown in Table 6.
- C. Each of the noise level standards specified above shall be reduced by five dB for pure tone noises, noises consisting primarily of speech or music, or for recurring impulsive noises.
- D. If the intruding noise source is continuous and cannot reasonably be discontinued or stopped for a time period whereby the ambient noise level without the source can be measured, the noise level standards.

Table 5

Interior Noise Level Standards, dBA

Category	Cumulative Number of Minutes in any One-Hour Time Period	Evening and Daytime 6:00 AM to 7:00 PM	Nighttime 7:00 PM to 6:00 AM
1	5	45	35
2	1_	50	40
3	0	55	45

Notes:

- A. It is unlawful for any person, at any location within the city, to operate or cause to be operated, any source of sound or to allow the creation of any noise which causes the noise level when measured inside a dwelling unit to exceed any of the categorized noise level standards as set forth in the following table:
- B. In the event the measured ambient noise level without the alleged offensive source in operation exceeds an applicable noise level standard in any category above, the applicable standard or standards shall be adjusted so as to equal the ambient noise level.
- C. Each of the noise level standards specified above shall be reduced by five dB for pure tone noises, noises consisting primarily of speech or music, or four recurring impulsive noises.
- D. If the intruding noise source is continuous and cannot reasonably be discontinued or stopped for a time period whereby the ambient noise level without the source can be measured, the noise level measured while the source is in operation shall be compared directly to the noise level standards.
- E. If the source of noise is of an impulse or voluntary nature such as shouting, loud conversation, playing or operation of audio and video equipment and is audible in a dwelling unit, the noise level in the above table shall conclusively be determined to be exceeded

V. ANALYTICAL METHODOLOGY AND MODEL PARAMETERS

A. Noise Modeling and Input

1. Road Construction Model

A worst-case construction noise scenario was modeled using a version of the Federal Highway Administration's Roadway Construction Noise Model (RCNM). RCNM utilizes standard noise emission levels for many different types of equipment and includes utilization percentage, impact, and shielding parameters. Noise modeling input parameters and output are provided in Appendix D.

2. SoundPLAN

SoundPLAN acoustical modeling software was utilized to model project operational worst-case stationary noise impacts from the proposed project to adjacent sensitive uses (e.g., residences). SoundPLAN is capable of evaluating stationary noise sources (e.g., parking lots, drive-thru menus, car wash equipment, vacuums, etc.) and much more. The SoundPLAN software utilizes algorithms (based on the inverse square law) to calculate noise level projections. The software allows the user to input specific noise sources, spectral content, sound barriers, building placement, topography, and sensitive receptor locations. Noise modeling input and outputs assumptions are indicated in Appendix E.

VI. IMPACT ANALYSIS

A. Noise Impacts

This impact discussion analyzes the potential for project construction noise and operational noise to cause an exposure of person to or generation of noise levels in excess of established City of Visalia noise standards related to construction noise, transportation, and stationary related noise impacts caused by the proposed project.

1. Construction Noise

Construction noise is considered a short-term impact and would be considered significant if construction activities are undertaken outside the allowable times as described by the City's Municipal Code Section 8.36.050. Existing single-family detached residential dwelling units to the west and south and multi-family attached residential dwelling units to the south and northeast may be temporarily affected by short-term noise impacts associated with the transport of workers, the movement of construction materials to and from the project site, ground clearing, excavation, grading, and building activities. The noise analysis reviews the construction noise levels during the various phases of the project.

Typical noise sources and noise levels associated with the site grading phase of construction are shown in Table 2. Site grading is expected to produce the highest sustained construction noise levels. Typical operating cycles for these types of construction equipment may involve one or two minutes of full power operation followed by three to four minutes at lower power settings. A likely worst-case construction noise scenario during grading assumes the use of a grader, a dozer, a water truck (modeled as a dump truck), a backhoe, and an excavator operating between 125 and 300 feet from the nearest sensitive receptors (single-family detached residential dwelling units to the west). Assuming a usage factor of 40 percent for each piece of equipment, unmitigated noise levels have the potential to reach 74.5 dBA Leq and 77.0 dBA Lmax at the nearest sensitive receptor during grading. RCNM worksheets are provided as Appendix D.

Section 8.36.050 of the City of Visalia Municipal Ordinance limits construction to between the hours of 6:00 AM and 7:00 PM during the weekday and between the hours of 9:00 AM and 7:00 PM during the weekend. Construction is anticipated to occur during the permissible hours according to the City's Municipal Code. Construction noise will have a temporary or periodic increase in the ambient noise levels above the existing within the project vicinity. As stated earlier, any construction activities that occur outside the allowable time would be considered significant. Adherence to these hours for construction activities, and implementation of the measures presented in Section VII of this report, will reduce construction noise impacts.

2. Noise Impacts to Off-site Receptors Due to On-Site Operational Noise

Sensitive receptors that may be affected by project operational noise include the single-family detached residential dwelling units to the north and west and the multi-family attached residential dwelling units to the south and northeast. The worst-case stationary noise was modeled utilizing the SoundPLAN model. Modeled noise sources include parking lot noise, car wash noise, and vacuum noise.

Parking Lot Noise

Parking lot noise typically includes periods of conversation, doors slamming, engines starting and stopping and vehicle passage. Parking lot noise varies depending upon size and type of the proposed land use. These activities can generate noise levels between 49 dBA (tire squeals) and 74 dBA (car alarms) at a distance of 50 feet. The number of parking movements associated with peak hour trip generation was input to SoundPLAN. The software utilizes this information to calculate the projected Leq from each parking area. Per the San Diego Association of Governments Brief Guide on Vehicular Traffic Generation Rates (SANDAG 2002), a car wash is expected to generate an average of approximately 900 vehicle trips per day. Furthermore, peak hour trips are expected to reach approximately 81 vehicle trips. The proposed project's parking lot was modeled with 38 total parking spaces during the peak hour.

Gas Pump Noise

Newer gas pumps include video screens and **s**peakers to entertain customers while they pump gas. The gas pump area was modeled as an area source with a sound level of 65 dBA. The area source calculation assumes that there is a point source in every square meter.

Car Wash Noise

Car wash related noise sources, including equipment near the entrance and exit of the car wash and vacuum hose ends and parking movements, were modeled in SoundPLAN. Acoustically significant noise sources were modeled within the equipment room and within the car wash tunnel. The following is a list of equipment and noise source levels provided by Belanger Inc. (the car wash retailer), as they were modeled in SoundPLAN:

Equipment	dBA at 3 feet
Enclosed within the Building	
Prep Jet Pump	83
DF10 Pump	88
DF15 Pump	88
Air Compressor	87
Pneumatic Panels	88
Car Wash Tunnel	
Prep Jet Pump	70
DF10 Pump	75

DF15 Pump	75
Air Compressor	67
Pneumatic Panels	73
AirCannon Dryers	99
Durascrubber	67
Buff'N Dry	69
Topwheel	69
Gyro's	71
Lowsides	69
FullSides	69
Vacuum hose ends	65
Eurovac	94

Combined Noise at Sensitive Receptors

A total of eleven (11) sensitive receptors were modeled to accurately evaluate the proposed project's operational noise impact. A receptor is denoted by a yellow dot.

Figure 5 shows the future unmitigated operational noise levels at backyards and nearby sensitive receptors. They are expected range between 48.1 to 67.1 dBA Leq at the nearest sensitive receptors. Figure 6 shows how unmitigated operational noise will propagate. Table 6 shows how the project is not expected to exceed City Municipal Code standards after they are adjusted to ambient noise level measurement per 8.36.040(B). No mitigation is required for operations that occur between 6:00 AM and 7:00 PM.

Operation of the car wash between the hours of 7:00 PM and 6:00 AM will result in a violation of the noise ordinance. Due to the loudness of car wash equipment, a wall of a reasonable height (less than 13 feet) would not suffice to bring operational noise levels down to 45 dB. However, it may be in the best interest of nearby residents to allow an adjustment to the hours of operation from 6:00 AM to 7:00 PM to 8:00 AM to 9:00 PM as these hours may better represent waking hours at this location. This, however, would be up to the discretion of the City.

Normal residential building construction provides 20 dB with windows closed. Interior noise levels at nearby sensitive receptors are not expected to exceed 45 dBA Leq(50).

As stated previously, parking lot noise can generate noise levels between 49 dBA (tire squeals) and 74 dBA (car alarms) at a distance of 50 feet. Figure 7 shows that noise levels associated a car alarm operating in the parking area closest to the nearest sensitive receptors would not exceed the City's maximum allowed noise level (70 dBA).

B. <u>Vibration Impacts</u>

This impact discussion analyzes the potential for the proposed project to cause an exposure of persons to or generation of excessive groundborne vibration or groundborne noise

levels. Vibration levels in the project area may be influenced by construction. A vibration impact would generally be considered significant if it involves any construction-related or operations-related impacts in excess of 0.2 +inches per second (in/sec) PPV.

1. <u>Construction Vibration</u>

Construction activity can result in varying degrees of ground vibration, depending on the equipment used on the site. Operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. Buildings respond to these vibrations with varying results ranging from no perceptible effects at the low levels to slight damage at the highest levels. Table 2 gives approximate vibration levels for particular construction activities. This data provides a reasonable estimate for a wide range of soil conditions.

The nearest existing structure to the project site is located approximately 105 feet to the west of the project site.

As shown in


Table 2, the threshold at which there may be a risk of architectural damage to normal houses with plastered walls and ceilings is 0.20 PPV in/second. Primary sources of vibration during construction would be bulldozers and vibratory rollers. As shown in Table 2, a large bulldozer could produce up to 0.089 PPV at 25 feet and a vibratory roller could produce up to 0.210 at 25 feet.


At a distance of 105 feet a bulldozer would yield a worst-case 0.0103 PPV (in/sec) which is well below the threshold of perception and below any risk or architectural damage. Temporary vibration levels associated with project construction would be less than significant.


Table 6

Adjusted Daytime Exterior Noise Level Standards and Project Impact Evaluation (dBA)

Category	Receptors	NM Location	Cumulative Number of minutes in any one-hour time period	Evening and Daytime (6:00 AM to 7:00 PM) Noise Standard	Adjusted Evening and Daytime (6:00 AM to 7:00 PM) Noise Standard	Operational Noise Level at Sensitive Receptor	Exceeds Standard?
	n/a	n/a			n/a	n/a	n/a
1	1	4			62.8	53.4	No
	2	5			62.8	61.2	No
	3	5			62.8	59.9	No
	4	5			62.8	57.0	No
1	5	4	30	50	63.8	53.4	No
1	6	3	30	50	64.1	50.7	No
	7	2			59.5	50.8	No
	8	1			51.8	50.0	No
	9	1		[51.8	48.4	No
	10	5		[62.8	56.9	No
	11	5			62.8	54.6	No







VII. MEASURES TO REDUCE IMPACTS

A. Construction Mitigation Measures

In addition to adherence to the City of Visalia's policies found in the Safety and Noise Element and Municipal Code limiting the construction hours of operation, the following measures are recommended to reduce construction noise emanating from the proposed project:

- 1. During all project site excavation and grading on-site, construction contractors shall equip all construction equipment, fixed or mobile, with properly operating and maintained mufflers, consistent with manufacturer standards.
- 2. The contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the project site.
- 3. Equipment shall be shut off and not left to idle when not in use.
- 4. The contractor shall locate equipment staging in areas that will create the greatest distance between construction-related noise sources and sensitive receptors nearest the project site during all project construction.
- 5. The project proponent shall mandate that the construction contractor prohibit the use of music or sound amplification on the project site during construction.
- 6. The construction contractor shall limit haul truck deliveries to the same hours specified for construction equipment.

VIII. REFERENCES

Bolt, Beranek & Newman

1987 Noise Control for Buildings and Manufacturing Plants.

California Department of Transportation

Transportation Related Earthborne Vibrations (California Department of Transportation Experiences), Technical Advisory, Vibration TAV-02-01-R9601.

February 20.

2013 Technical Noise Supplement to the Traffic Noise Analysis Protocol

Environmental Protection Agency

"Information on Levels of Environmental Noise Requisite to Protect Public Health And Welfare with an Adequate Margin of Safety," EPA/ONAC 550/9-74-004, March, 1974.

Harris, Cyril M.

1991 Handbook of Acoustical Measurement and Noise Control. Acoustical Society of America. Woodbury, N.Y.

Office of Planning and Research

2003 State of California General Plan Guidelines

San Diego Association of Governments (SANDAG)

2002 Brief Guide of Vehicular Traffic Generation Rates for the San Diego Region. April.

Visalia, City of

2014 General Plan Safety and Noise Element

2016 Municipal Code

APPENDICES

Appendix A – List of Acronyms

Appendix B – Definitions of Acoustical Terms

Appendix C – Noise Monitoring Field Worksheets

Appendix D – RCNM Noise Modeling Output

Appendix E – SoundPLAN Input and Output

APPENDIX A

List of Acronyms

Term	Definition
ADT	Average Daily Traffic
ANSI	American National Standard Institute
CEQA	California Environmental Quality Act
CNEL	Community Noise Equivalent Level
D/E/N	Day / Evening / Night
dB	Decibel
dBA or dB(A)	Decibel "A-Weighted"
dBA/DD	Decibel per Double Distance
dBA L _{eq}	Average Noise Level over a Period of Time
EPA	Environmental Protection Agency
FHWA	Federal Highway Administration
$L_{02}, L_{08}, L_{50}, L_{90}$	A-weighted Noise Levels at 2 percent, 8 percent, 50 percent, and 90
	percent, respectively, of the time period
L _{dn}	Day-Night Average Noise Level
L _{eq(x)}	Equivalent Noise Level for "x" period of time
L _{eq}	Equivalent Noise Level
L _{max}	Maximum Level of Noise (measured using a sound level meter)
L _{min}	Minimum Level of Noise (measured using a sound level meter)
LOS C	Level of Service C
OPR	California Governor's Office of Planning and Research
PPV	Peak Particle Velocities
RCNM	Road Construction Noise Model
REMEL	Reference Energy Mean Emission Level
RMS	Root Mean Square

APPENDIX B

Definitions of Acoustical Terms

Term	Definition
Decibel, dB	A logarithmic unit of noise level measurement that relates the energy of a noise source to that of a constant reference level; the number of decibels is 10 times the logarithm (to the base 10) of this ratio.
Frequency, Hertz	In a function periodic in time, the number of times that the quantity repeats itself in one second (i.e., the number of cycles per second).
A-Weighted Sound Level, dBA	The sound level obtained by use of A-weighting. The A-weighting filter de-emphasizes the very low and very high frequency components of the sound in a manner similar to the frequency response of the human ear.
Root Mean Square (RMS)	A measure of the magnitude of a varying noise source quantity. The name derives from the calculation of the square root of the mean of the squares of the values. It can be calculated from either a series of lone values or a continuous varying function.
Fast/Slow Meter Response	The fast and slow meter responses are different settings on a sound level meter. The fast response setting takes a measurement every 100 milliseconds, while a slow setting takes one every second.
L ₀₂ , L ₀₈ , L ₅₀ , L ₉₀	The A-weighted noise levels that are equaled or exceeded by a fluctuating sound level, 2 percent, 8 percent, 50 percent, and 90 percent of a stated time period, respectively.
Equivalent Continuous Noise Level, Leq	A level of steady state sound that in a stated time period, and a stated location, has the same A-weighted sound energy as the time-varying sound.
L _{max} , L _{min}	L _{max} is the RMS (root mean squared) maximum level of a noise source or environment measured on a sound level meter, during a designated time interval, using fast meter response. L _{min} is the minimum level.
Ambient Noise Level	The all-encompassing noise environment associated with a given environment, at a specified time, usually a composite of sound from many sources, at many directions, near and far, in which usually no particular sound is dominant.
Offensive/ Offending/ Intrusive Noise	The noise that intrudes over and above the existing ambient noise at a given location. The relative intrusiveness of sound depends on its amplitude, duration, frequency, and time of occurrence, and tonal information content as well as the prevailing ambient noise level.

APPENDIX C

Noise Monitoring Field Worksheets

Project Name:	Visalia CA Site 1			Date:		17 April 2017	
Project #:	6633						
Noise Measurement #:	NM1	3099 LxT_Data173	ta173 .xlsx	Tech	Technicían:	lan Edward Gallagher	Je.
Nearest Address or Cross Street:	ţ.	S Watson Street & W Kimball Ave	Ave		l		
Site Description (Type of Existing Land Use and any other notable features)	ng Land Use and any	Empty lot . Surrounding : Residential / commercial	dential / commercial				:
Weather: Cloudy, overcast wi	Cloudy, overcast with thin cloud, veiled sunshine	unshine		Settings:	SLOW	FAST (Circle one)	le)
Temperature: 73 deg F		Wind: Calm - 3mph	Humidity: 50%	Terrain:	FLAT		
Start Time: 11:22 AM	IM	End Time: 11:32 AM		Run Time:	10mins		
Leq: 51	51.8 dB	Primary Noise Source:	Traffic, occasional vehicle along W Kimball Ave	W Kimball Ave			
Lmax 71	71.8 dB						
L2 61	61.3 dB	Secondary Noise Sources:	Traffic ambiance along S West Street, West Caldewll Ave & S Court Street	reet, West Caldewll	Ave & S Co	urt Street] [
L8 51	51.7 dB		Overhead aircraft, bird song, residential ambiance	sidential ambiance			
125 47	47.1 dB				:		
150 45	45.1 dB						
NOISE METER:	SoundTrack LxT Class 1	ass 1	CALIBRATOR:	Larson Davis CAL250 Acoustic Calibrator	Acoustic (Calibrator	
MAKE:	Larson Davis		MAKE:	Larson Davis			١
MODEL:	LXT1		MODEL:	Cal250			
SERIAL NUMBER:	3099		SERIAL NUMBER:	2723			
FACTORY CALIBRATION DATE:	11/4/2014		FACTORY CALIBRATION DATE:	11/3/2014			
FIELD CALIBRATION DATE:	4/17/2017						[









NM1 Looking East down W Kimball Ave. Height of wall ~ 6 feet






Summary			
File Name	LxT_Data.173		
Serial Number	0003099		
Model	SoundTrack LxT®		
Firmware Version	2.301		
User	lan Edward Gallagher		
Start	2017-04-17 11:22:52		
Stop	2017-04-17 11:32:52		
Duration	0:10:00.0		
Run Time	0:10:00.0		
Pause	0:00:00.0		
Pre Calibration	2017-04-17 11:16:51		
Post Calibration	None		
Calibration Deviation	Thinks.		
Overall Settings			
RMS Weight	A Weighting		
Peak Weight	Z Weighting		
Detector	Slow		
Preamp	PRMLxT1L		
Microphone Correction	Off		
Integration Method	Linear		
OBA Range	Low		
OBA Bandwidth	1/1 and 1/3		
OBA May San strum	Z Weighting		
OBA Max Spectrum Overload	Bin Max		
Overload	121.8 dB		
Results			
LAeq	51.8 dB		
LAE	79.6 dB		
EA	10.158 μPa²h		
EA8	487.560 μPa²h		
EA40	2.438 mPa²h		
LZpeak (max)	2017-04-17 11:27:13	89.6 dB	
LASmax	2017-04-17 11:27:14	71.8 dB	
LASmin	2017-04-17 11:29:25	39.5 dB	
SEA	dB		
LCeq	60.9 dB	Statistics	
LAeq	51.8 dB	LAS2.00	61.3 dB
LCeq - LAeq	9.1 dB	LAS8.00	51.7 dB
LAleq	54.0 dB	LAS25.00	47.1 dB
LAeq	51.8 dB	LAS50.00	45.1 dB
LAleq - LAeq	2.1 dB	LAS66.60	44.2 dB
# Overloads	0	LAS90.00	42.3 dB
Overload Duration	0.0 s		

Project Name:	Visalia CA Site 1			ă	Date:	17 April 2017	7
Project #:	66939						
Noise Measurement #:	NM2	3099 LxT_Data174	ta174 .xlsx	Te	Technician:	lan Edward Gallagher	Sallagher
Nearest Address or Cross Street:		S Watson Street & W Kimball Ave	Ave				
Site Description (Type of Existing Land Use and any other notable features)	ng Land Use and any	Empty lot . Surrounding : Residential / commercial	dential / commercial				
Weather: Cloudy, overcast w	Cloudy, overcast with thin cloud, veiled sunshine	unshine		Settings:	SLOW	FAST (0	(Circle one)
Temperature: 73 deg F		Wind: Calm - 3mph	Humidity: 50%	Terrain:	FLAT		
Start Time: 11:38 AM	AM	End Time: 11:48 AM		Run Time:	10mins		
Leq:	59.5 dB	Primary Noise Source:	Traffic, occasional vehicle along W Kimball Ave	W Kimball Ave			,
Lmax	72.8 dB						
12 6	68.9 dB	Secondary Noise Sources:	Traffic ambiance along S West Street, West Caldewil Ave & S Court Street	reet, West Caldew	II Ave & S Co	ourt Street	
87	65.5 dB		Overhead aircraft, bird song, residential ambiance	idential ambiance			
125 57	57.9 dB						
150 5(50.9 dB						
NOISE METER:	SoundTrack LxT Class 1	188 1	CALIBRATOR:	Larson Davis CAL250 Acoustic Calibrator	250 Acoustic	Calibrator	
MAKE:	Larson Davis		MAKE:	Larson Davis			
MODEL:	LxT1		MODEL:	Cal2.50			
SERIAL NUMBER:	3099		SERIAL NUMBER:	2723			
FACTORY CALIBRATION DATE:	11/4/2014		FACTORY CALIBRATION DATE:	11/3/2014			
FIELD CALIBRATION DATE:	4/17/2017						







Summary			
File Name	LxT_Data.174		
Serial Number	0003099		
Model	SoundTrack LxT®		
Firmware Version	2.301		
User	lan Edward Gallagher		
Location	NM2 JN6939		
Start	2017-04-17 11:38:06		
Stop	2017-04-17 11:48:06		
Duration	0:10:00.0		
Run Time	0:10:00.0		
Pause	0:00:00.0		
Pre Calibration	2017-04-17 11:37:40		
Post Calibration	None		
Calibration Deviation			
Overall Settings			
RMS Weight	A Weighting		
Peak Weight	Z Weighting		
Detector	Slow		
Preamp	PRMLxT1L		
Microphone Correction	Off		
Integration Method	Linear		
OBA Range	Low		
OBA Bandwidth	1/1 and 1/3		
OBA Freq. Weighting	Z Weighting		
OBA Max Spectrum	Bin Max		
Overload	122.0 dB		
Results			
LAeq	59.5 dB		
LAE	87.3 dB		
EA	59.615 μPa²h		
EA8	2.862 mPa ² h		
EA40	14.308 mPa ² h		
LZpeak (max)	2017-04-17 11:47:14	94.5 dB	
LASmax	2017-04-17 11:40:45	72.8 dB	
LASmin	2017-04-17 11:45:06	41.6 dB	
SEA	dB		
LCeq	69.4 dB	Statistics	
LAeq	59.5 dB	LAS2.00	68.9 dB
LCeq - LAeq	9.9 dB	LAS8.00	65.5 dB
LAleq	61.7 dB	LAS25.00	57.9 dB
LAeq	59.5 dB	LAS50.00	50.9 dB
LAleq - LAeq	2.2 dB	LAS66.60	48.8 dB
# Overloads	0	LAS90.00	45.4 dB

Project Name:	Visalia CA Site 1				Date:	17 April 2017	
Project #:	6693						
Noise Measurement #:	NM3	3099 LxT_Data175	a175 .xlsx		Technician:	lan Edward Gallagher	
Nearest Address or Cross Street:	:	S West Street & W Kimball Ave					
Site Description (Type of Existing Land Use and any other notable features)	g Land Use and any	Empty lot . Surrounding: Resi	Surrounding: Residential / commercial				
Weather: Cloudy, overcast with	Cloudy, overcast with thin cloud, veiled sunshine	ınshine		Settings:	SLOW	FAST (Circle one)	
Temperature: 73 deg F		Wind: Calm - 3mph	Humidity: 50%	_Terrain:	FLAT	ŗ	ı
Start Time: 11:54 AM	S	End Time: 12:04 PM		Run Time:	10mins		ı
Leq: 64.	64.1 dB	Primary Noise Source:	Traffic along S West Street.				ı
Lmax 79.	79.3 dB			:			ı
12 73	73.2 dB	Secondary Noise Sources:	Traffic along W Kimball Ave				1
87	68.8 dB		Traffic ambiance along West Caldwell AVE & S Court Street	dwell AVE & S C	ourt Street		1
125 63.	63.4 dB		Overhead aircraft, bird song, residential ambiance	idential ambian	ace		ı
L50 56.	56.4 dB						ı
NOISE METER:	SoundTrack LxT Class 1	lss 1	CALIBRATOR:	Larson Davis CAL250 Acoustic Calibrator	AL250 Acousti	c Calibrator	ı
MAKE:	Larson Davis		MAKE:	Larson Davis			1
MODEL:	LxT1		MODEL:	Cal250			ı
SERIAL NUMBER:	3099	:	SERIAL NUMBER:	2723			ı
FACTORY CALIBRATION DATE:	11/4/2014		FACTORY CALIBRATION DATE:	11/3/2014			1
FIELD CALIBRATION DATE:	4/17/2017						









NM3 looking West across S West Street down W Kimball Ave

Summary			
File Name	LxT_Data.175		
Serial Number	0003099		
Model	SoundTrack LxT®		
Firmware Version	2.301		
User	lan Edward Gallagher		
Location	NM3 JN6939		
Start	2017-04-17 11:54:21		
Stop	2017-04-17 12:04:21		
Duration	0:10:00.0		
Run Time	0:10:00.0		
Pause	0:00:00.0		
Pre Calibration	2017-04-17 11:53:50		
Post Calibration	None		
Calibration Deviation			
Overall Settings			
RMS Weight	A Weighting		
Peak Weight	Z Weighting		
Detector	Slow		
Preamp	PRMLxT1L		
Microphone Correction	Off		
Integration Method	Linear		
OBA Range	Low		
OBA Bandwidth	1/1 and 1/3		
OBA Freq. Weighting	Z Weighting		
OBA Max Spectrum	Bin Max		
Overload	122.0 dB		
Results			
LAeq	64.1 dB		
LAE	91.9 dB		
EA	172.001 μPa²h		
EA8	8.256 mPa ² h		
EA40	41.280 mPa ² h		
LZpeak (max)	2017-04-17 11:55:01	104.6 dB	
LASmax	2017-04-17 11:55:02	79.3 dB	
LASmin	2017-04-17 11:56:00	42.9 dB	
SEA	dB		
LCeq	76.9 dB	Statistics	
LAeq	64.1 dB	LAS2.00	73.2 dB
LCeq - LAeq	12.8 dB	LAS8.00	68.8 dB
LAleq	65.6 dB	LAS25.00	63.4 dB
LAeq	64.1 dB	LAS50.00	56.4 dB
LAleq - LAeq	1.5 dB	LAS66.60	51 .7 dB
# Overloads	0	LAS90.00	46.0 dB

Project Name:	Visalia CA Site 1			ı	Date:	17 April 2017
Project #:	6839					
Noise Measurement #:	NM4	3099 LxT_Data176	ta176 .xlsx		Technician:	lan Edward Gallagher
Nearest Address or Cross Street:	: : ن	S West Street & W Kimball Ave	je.			
Site Description (Type of Existing Land Use and any other notable features)	ng Land Use and any	Empty lot . Surrounding : Res	. Surrounding : Residential / commercial			
Weather: Cloudy, overcast wir	Cloudy, overcast with thin cloud, veiled sunshine	unshine		Settings:	SLOW	FAST (Circle one)
Temperature: 74 deg F		Wind: Calm - 3mph	Humidity: 50%	Terrain:	FLAT	
Start Time: 12:09 PM	N.	End Time: 12:19 PM	V	Run Time:	10mins	
Leq: 62	62.8 dB	Primary Noise Source:	Traffic along S West Street.	·		
Lmax 77	77.3 dB					
12 72	72.3 dB	Secondary Noise Sources:	Traffic along W Kimball Ave			
89 81	68.6 dB		Traffic ambiance along West Caldwell AVE & S Court Street	dwell AVE & S Co	urt Street	
125 61	61.8 dB		Overhead aircraft, bird song, residential ambiance	sidential ambiano	9	
150 52	52.3 dB		Child playing in back yard of mearest residence, not too loud	arest residence, r	ot too loud	
NOISE METER:	SoundTrack LxT Class 1	lss 1	CALIBRATOR:	Larson Davis CAL250 Acoustic Calibrator	L250 Acoustic	Calibrator
MAKE:	Larson Davis		MAKE:	Larson Davis		ļ
MODEL:	LxT1		MODEL:	Cal250		
SERIAL NUMBER:	3099		SERIAL NUMBER:	2723		
FACTORY CALIBRATION DATE:	11/4/2014		FACTORY CALIBRATION DATE:	11/3/2014		
FIELD CALIBRATION DATE:	4/17/2017					






NM4 looking East down W Kimball Ave across S West Street



Summary			
File Name	LxT_Data.176		
Serial Number	0003099		
Model	SoundTrack LxT®		
Firmware Version	2.301		
User	Ian Edward Gallagher		
Location	NM4 JN6939		
Start	2017-04-17 12:09:43		
Stop	2017-04-17 12:19:43		
Duration	0:10:00.0		
Run Time	0:10:00.0		
Pause	0:00:00.0		
Pre Calibration	2017-04-17 12:08:40		
Post Calibration	None		
Calibration Deviation			
Overall Settings			
RMS Weight	A Weighting		
Peak Weight	Z Weighting		
Detector	Slow		
Preamp	PRMLxT1L		
Microphone Correction	Off		
Integration Method	Linear		
OBA Range	Low		
OBA Bandwidth	1/1 and 1/3		
OBA Freq. Weighting	Z Weighting		
OBA Max Spectrum	Bin Max		
Overload	122.1 dB		
- v			
Results	C3 0 4B		
LAeq	62.8 dB		
LAE	90.6 dB 127.197 μPa²h		
EA	127.197 μPa ⁻ h 6.105 mPa ² h		
EA8	6.105 mra-n 30.527 mPa ² h		
EA40			
LZpeak (max)	2017-04-17 12:17:31	101.3 dB	
LASmax	2017-04-17 12:17:32	77.3 dB	
LASmin	2017-04-17 12:17:06 dB	42.6 dB	
SEA	ab		
LCeq	69.1 dB	Statistics	
LAeq	62.8 dB	LAS2.00	72.3 dB
LCeq - LAeq	6.3 dB	LAS8.00	68.6 dB
LAleq	64.8 dB	LAS25.00	61.8 dB
LAeq	62.8 dB	LAS50.00	52.3 dB
LAleq - LAeq	2.0 dB	LAS66.60	49.2 dB
# Overloads	0	LAS90.00	46.2 dB
π CVCIICaus	U	LA390.00	-V.2 UD

Project Name:	Visalia CA Site 1			-	Date:	17 April 2017
Project #:	6839	1				
Noise Measurement #:	NMS	3099 LxT_Data177	ta177 .xlsx		Technician:	lan Edward Gallagher
Nearest Address or Cross Street:		S West Street & W Kimball Ave	e			
Site Description (Type of Existing Land Use and any other notable features)	ng Land Use and any	Empty lot . Surrounding : Res	rrounding: Residential / commercial			
Weather: Cloudy, overcast w	Cloudy, overcast with thin cloud, veiled sunshine	unshine		Settings:	SLOW	FAST (Circle one)
Temperature: 74 deg F		Wind: Calm - 3mph	Humidity: 50%		FLAT	
Start Time: 12:37 PM	Wa	End Time: 12:47 PM	V	Run Time:	10mins	
red:	62.8 dB	Primary Noise Source:	Traffic along S West Street.	į		
Lmax77	77.8 dB					
L2 71	71.4 dB	Secondary Noise Sources:	Traffic ambiance along W Kimball Ave, West Caldwell Ave & S Court Street	ill Ave, West Cald	well Ave & S	Court Street
29 87	67.8 dB		Overhead aircraft, bird song, residential ambiance	sidential ambian	9	
	62.1 dB					
25 051	57.1 dB					
NOISE METER:	SoundTrack LxT Class 1	ass 1	CALIBRATOR:	Larson Davis CAL250 Acoustic Calibrator	L250 Acoustic	Calibrator
MAKE:	Larson Davis		MAKE:	Larson Davis		
MODEL:	LxT1		MODEL:	Cal250		
SERIAL NUMBER:	3099		SERIAL NUMBER:	2723	:	
FACTORY CALIBRATION DATE:	11/4/2014		FACTORY CALIBRATION DATE:	11/3/2014		
FIELD CALIBRATION DATE:	4/17/2017					







C La Lega Jean Co Jean A			
Summary File Name	LvT Doto 177		
Serial Number	LxT_Data.177 0003099		
Model	SoundTrack LxT®		
Firmware Version	2.301		
User			
Location	lan Edward Gallagher NM5 JN6939		
Start	2017-04-17 12:37:41		
Stop			
Duration	2017-04-17 12:47:41 0:10:00.0		
Run Time	0:10:00.0		
Pause	0:00:00.0		
rause	0.00.00.0		
Pre Calibration	2017-04-17 12:25:55		
Post Calibration	None		
Calibration Deviation			
Overall Settings			
RMS Weight	A Weighting		
Peak Weight	Z Weighting		
Detector	Slow		
Preamp	PRMLxT1L		
Microphone Correction	Off		
Integration Method	Linear		
OBA Range	Low		
OBA Bandwidth	1/1 and 1/3		
OBA Freq. Weighting	Z Weighting		
OBA Max Spectrum	Bin Max		
Overload	122.1 dB		
Results			
LAeq	62.8 dB		
LAE	90.6 dB		
EA	127.576 μPa²h		
EA8	6.124 mPa²h		
EA40	30.618 mPa²h		
LZpeak (max)	2017-04-17 12:47:35	99.7 dB	
LASmax	2017-04-17 12:47:36	77.8 dB	
LASmin	2017-04-17 12:43:51	41.4 dB	
SEA	dB		
10			
LCeq	70.6 dB	Statistics	
LAeq	62.8 dB		71.4 dB
LCeq - LAeq	7.7 dB		67.8 dB
LAleq	64.5 dB		52.1 dB
LAeq	62.8 dB		57.1 dB
LAleq - LAeq	1.7 dB		54.1 dB
# Overloads	0	LAS90.00	49.6 dB

APPENDIX D

RCNM Noise Modeling Output

Roadway Construction Noise Model (RCNM), Version 1.1

Report date:

3/27/2017

Case Description: 6939 Cameron Creek

---- Receptor #1 ----

Baselines (dBA)

Description	Land Use	Daytime	Evening	Night
Residential	Residential	65	65	45

Equipment

			Spec	Actual	Receptor	
	Impact		Lmax	Lmax	Distance	Shielding
Description	Device	Usage(%)	(dBA)	(dBA)	(feet)	(dBA)
Grader	No	40	85		12 5	0
Dozer	No	40		81.7	175	0
Dump Truck	No	40		76.5	200	0
Backhoe	No	40		77.6	250	0
Excavator	No	40		80.7	300	0

	Calculate	Calculated (dBA)				
Equipment	*Lmax	Leq	Day Lmax			
Grader	77	73.1	N/A			
Dozer	70.8	66.8	N/A			
Dump Truck	64.4	60.4	N/A			
Backhoe	63.6	59.6	N/A			
Excavator	65.1	61.2	N/A			
Total	77	74.5	N/A			

^{*}Calculated Lmax is the Loudest value.

APPENDIX E

SoundPLAN Input and Output

	1	Level w/o NP				Level w NP		
Source name	Leq1	Leq2	Leq3 (A)	Lmax	Leq1	Leg2	Epg3 (A)	Lmax
1 Pl	55.4	-38.6	-38.5	0.0	50.8	-41 5	-41.5	0.0
1	38.8	0.0	0.0	0.0	37.6	0.0	0.0	0.0
2 3	35.4	0.0	0.0	0.0	30.3	0.0	0.0	0.0
Air Compressor 1	38.1 17.1	0.0 -54.9	0.0 -54.9	0.0 0.0	35.2 12.4	0.0 -59.6	0.0 -59.6	0.0 0.0
Air Compressor 2	17.2	-54.8	-54.8	0.0	12.5	-59.5	-59.5	0.0
Aircannon 1	35.6	-68.4	-68.4	0.0	35.5	-68.5	-68.5	0.0
Aircannon 2	36.6	-67.4	-67.4	0.0	36.5	-67.5	-67.5	0.0
Aircannon 3	36.4	-67.6	-67.6	0.0	36.4	-67.6	-67.6	0.0
Aircannon 4 Aircannon 5	35.6 36.9	-68.4 -67.1	-68.4 -67.1	0.0 0.0	35.6 36.8	-68.4	-68.4	0.0
Aircannon 6	36.5	-67.5	-67.1 -67.5	0.0	36.5	-67.2 -67.5	-67.2 -67.5	0.0 0.0
Aircannon 7	52.1	-51.9	-51.9	0.0	48.9	-57.5 -55.1	-55.1	0.0
Buff and Dry 1	22.3	-51.7	-51.7	0.0	18.3	-55.7	-55.7	0.0
Buff and Dry 2	4.9	-69.1	-69.1	0.0	4.8	-69.2	-69.2	0.0
Buff and Dry 3	3.4	-70.6	-70.6	0.0	3.3	-70.7	-70.7	0.0
Component Pneumatic Panel 1	27.3	-65.7	-65.7	0.0	27.3	-65.7	-65.7	0.0
Component Pnuematic Panel 2 Dura Scrubber 1	27.3 5.2	-65.7 -66.8	-65.7 -66.8	0.0	27.3	-65.7	-65.7	0.0
Dura Scrubber 2	0.0	-72.0	-72.0	0.0 0.0	5.2 0.0	-66.8 -72.0	-66.8 -72.0	0.0 0.0
Duroflo Pump Station 1	25.2	-54.8	-54.8	0.0	20.5	-59.5	-59.5	0.0
Duroflo Pump Station 2	25.3	-54.7	-54.7	0.0	20.6	-59.4	-59.4	0.0
Eurovac	22.1	-52.9	-52.9	0.0	15.8	-59.2	-59.2	0.0
Eurovac	20.2	-54.8	-54.8	0.0	14.6	-60.4	-60.4	0.0
Gyro Wrap 1	20.4	-55.6	-55.6	0.0	15.8	-60.2	-60.2	0.0
Gyro Wrap 2	20.5	-55.5	-55.5	0.0	15.9	-60.1	-60.1	0.0
Gyro Wrap 3 Gyro Wrap 4	5.5 6.0	-70.5 -70.0	-70.5 -70.0	0.0 0.0	5.4 6.0	-70.6 -70.0	-70.6	0.0
Hydraulic Unit	27.5	-52.5	-70.0 -52.5	0.0	21.8	-70.0 -58.2	-70.0 -58.2	0.0 0.0
Hydraulic Unit1	23.3	-56.7	-56.7	0.0	19.7	-60.3	-60.3	0.0
Hydraulic Unit2	20.7	-59.3	-59.3	0.0	18.4	-61.6	-61.6	0.0
Low Side Washer 1	18.5	-55.5	-55.5	0.0	13.9	-60.1	-60.1	0.0
Low Side Washer 2	18.5	- 55.5	-55.5	0.0	13.8	-60.2	-60.2	0.0
Prep Jet Pump Station	23.5	-64.5	-64.5	0.0	23.5	-64.5	-64.5	0.0
Prep Jet Wand 1 Prep Jet Wand 2	18.1 15.6	-69.9 -72.4	-69.9 -72.4	0.0	18.1	-69.9	-69.9	0.0
Vacuum Hose End 1	28.4	-72.4 -51.6	-72.4 -51.6	0.0 0.0	15.6 21.9	-72.4 -58.1	-72.4 -58.1	0.0
Vacuum Hose End 2	30.3	-49.7	-49.7	0.0	24.1	-55.9	-55.9	0.0
Vacuum Hose End 3	29.9	-50.1	-50.1	0.0	23.9	-56.1	-56.1	0.0
Vacuum Hose End 4	29.5	-50.5	-50.5	0.0	27.8	-52.2	-52.2	0.0
Vacuum Hose End 5	29.1	-50.9	-50.9	0.0	27.5	-52.5	- 52.5	0.0
Vacuum Hose End 6	28.7	-51.3	-51.3	0.0	27.1	-52.9	-52.9	0.0
Vacuum Hose End 7 Vacuum Hose End 8	28.4 28.0	-51.6 -52.0	-51.6 -52.0	0.0 0.0	26.8	-53.2	-53.2	0.0
Vacuum Hose End 9	27.7	-52.0 -52.3	-52.0 -52.3	0.0	28.0 27.7	-52.0 -52.3	-52.0 -52.3	0.0 0.0
Vacuum Hose End 10	27.4	-52.6	-52.6	0.0	27.4	-52.6	-52.6	0.0
Vacuum Hose End 11	24.6	-55.4	-55.4	0.0	24.6	-55.4	-55.4	0.0
Whisper Topwheel	4.7	-69.3	-69.3	0.0	4.6	-69.4	-69.4	0.0
2 Fl	61.2	-37 1	-37.1	0.0	57 5	-418	-11.8	0.0
1	37.6	0.0	0.0	0.0	34.2	0.0	0.0	0.0
2	37.3	0.0	0.0	0.0	32.1	0.0	0.0	0.0
Air Compressor 1	40.9 15.5	0.0 -56.5	0.0 -56.5	0.0	37.8 11.4	0.0 -60.6	0.0 -60.6	0.0
Air Compressor 2	15.4	-56.6	-56.6	0.0	11.3	-60.7	-60.7	0.0
Aircannon 1	52.5	-51.5	-51.5	0.0	48.8	-55.2	-55.2	0.0
Aircannon 2	52.5	-51.5	-51.5	0.0	48.8	-55.2	-55.2	0.0
Aircannon 3	52.7	-51.3	-51.3	0.0	49.0	-55.0	-55.0	0.0
Aircannon 4	52.8	-51.2	-51.2	0.0	49.1	-54.9	-54.9	0.0
Aircannon 5	52.5 52.7	-51.5 -51.3	-51.5	0.0	48.8	-55.2	-55.2	0.0
Aircannon 6 Aircannon 7	52.7 52.7	-51.3 -51.3	-51.3 -51.3	0.0	49.0 49.0	-55.0 -55.0	-55.0 -55.0	0.0 0.0
Buff and Dry 1	22.9	-51.3 -51.1	-51.3 -51.1	0.0	49.0 18.6	-55.4	-55.4	0.0
*							55.4	
Buff and Dry 2	22.9	-51.1	-51.1	0.0	18.6	-55.4	-55.4	0.0

Component Presumatic Panel 36,7			Level	w/o NP			Level w NP			
Buff and Dry 3	Source name	Leq1			Lmax	Legi	Leq2	Leq3	Lmax	
Component Presumatic Panel 36,7	Duff and Day 2	00.0								
Component Pnuematic Panel 2 36.6 -56.4 -56.4 -56.5 -60.5									0.0	
Dura Scrubber 17,3										
Dura Scrubber 2	·									
Durolle Pump Station 1										
Durofic Pump Station 2										
Eurovac										
Eurovac	Eurovac									
Syro Wrap 1	Eurovac	17.9	-57.1							
Syro Wrap 2		21.9	-54.1	-54.1						
Syrow Wrap 4	,				0.0	16.8				
Hydraulic Unit					0.0		-58.7	-58.7	0.0	
Hydraulic Unit2									0.0	
Hydraulic Unitz										
Low Side Washer 1 19.9	-									
Low Side Washer 2 20.1 - 53.9 - 53.9 - 60.0 14.8 - 59.2 - 59.2 0.0 17.9 - 59.9 - 59.9 0.0 18.9 0.0 18.9	-									
Prep Jet Pump Station 35.8 -52.2 - 52.2 - 50.0 - 30.7 - 57.3 - 57.3 - 0.0 Prep Jet Wand 1 - 33.1 - 54.9 - 54.9 - 0.0 - 26.1 - 59.9 - 59.9 - 0.0 Prep Jet Wand 2 - 20.9 - 67.1 - 67.1 - 67.1 - 0.0 - 20.8 - 67.2 - 67.2 - 0.0 Vacuum Hose End 1 - 22.9 - 67.1 - 67.1 - 67.1 - 0.0 - 20.8 - 67.2 - 67.2 - 0.0 Vacuum Hose End 2 - 28.1 - 51.9 - 51.9 - 51.9 - 0.0 - 21.7 - 58.3 - 58.3 - 0.0 Vacuum Hose End 3 - 27.6 - 52.4 - 52.4 - 0.0 - 21.4 - 58.6 - 58.6 - 0.0 Vacuum Hose End 3 - 27.6 - 52.4 - 52.4 - 0.0 - 21.4 - 58.6 - 58.6 - 0.0 Vacuum Hose End 4 - 27.2 - 52.8 - 52.8 - 50.8 - 0.0 - 21.1 - 58.9 - 58.9 - 0.0 Vacuum Hose End 5 - 26.7 - 53.3 - 53.3 - 0.0 - 20.9 - 59.1 - 59.1 - 0.0 Vacuum Hose End 6 - 26.2 - 53.8 - 53.8 - 0.0 - 21.1 - 58.9 - 59.4 - 0.0 Vacuum Hose End 6 - 26.2 - 53.8 - 53.8 - 0.0 - 21.1 - 58.9 - 59.4 - 0.0 Vacuum Hose End 6 - 26.2 - 53.8 - 53.8 - 0.0 - 20.9 - 59.1 - 59.1 - 0.0 Vacuum Hose End 7 - 25.9 - 54.1 - 54.1 - 0.0 - 20.3 - 59.7 - 59.7 - 0.0 Vacuum Hose End 8 - 25.5 - 54.5 - 54.5 - 54.5 - 0.0 - 20.0 - 80.0 - 6	· · · · · · · · · · · · · · · · · · ·									
Prep Jet Wand 1 33.1 -54.9 -54.9 -54.9 -6.0 28.1 -59.9 -59.9 0.0 Vacuum Hose End 1 28.7 -51.3 -51.3 0.0 22.6 -67.2 -67.2 0.0 Vacuum Hose End 2 28.1 -51.9 -51.9 0.0 21.7 -58.3 -58.3 0.0 Vacuum Hose End 3 27.6 -52.4 -52.4 0.0 21.4 -58.6 -58.6 0.0 Vacuum Hose End 3 27.6 -52.4 -52.4 0.0 21.4 -58.6 -58.6 0.0 Vacuum Hose End 3 27.6 -52.4 -52.8 0.0 21.1 -58.9 -58.9 0.0 Vacuum Hose End 4 27.2 -52.8 -52.8 0.0 21.1 -58.9 -58.9 0.0 Vacuum Hose End 5 26.7 -53.3 -53.3 0.0 20.9 -59.1 -59.1 0.0 Vacuum Hose End 6 26.2 -53.8 -53.8 0.0 20.6 -59.4 -59.4 0.0 Vacuum Hose End 6 26.2 -53.8 -53.8 0.0 20.6 -59.4 -59.4 0.0 Vacuum Hose End 7 25.9 -54.1 -54.1 0.0 20.3 -59.7 -59.7 0.0 Vacuum Hose End 8 25.5 -54.5 -54.5 0.0 20.0 -80.0 -80.0 -80.0 0.0 Vacuum Hose End 9 25.1 -54.9 -54.9 0.0 19.8 -60.8 -60.0 0.0 Vacuum Hose End 9 25.1 -54.9 -54.9 0.0 19.8 -60.2 -60.2 0.0 Vacuum Hose End 10 24.8 -55.2 -55.2 0.0 19.5 -60.5 -60.5 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -80.8 0.0 Vacuum Hose End 11 25.9 -54.1 -54.1 0.0 0.0 0.0 31.8 0.0 0.0 0.0 3 3 37.8 0.0 0.0 0.0 32.9 0.0 0.0 0.0 3 3 37.8 0.0 0.0 0.0 32.9 0.0 0.0 0.0 3 3 37.8 0.0 0.0 0.0 32.9 0.0 0.0 0.0 3 3 37.8 0.0 0.0 0.0 32.9 0.0 0.0 0.0 3 3 3 43.6 0.0 0.0 0.0 32.9 0.0 0.0 0.0 3 3 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9 0.0 41.4 0.0 49.2 -54.8 -54.9										
Prep Jet Wand 2 20.9										
Vacuum Hose End 1										
Vacuum Hose End 2 28.1 -51.9 -51.9 0.0 21.7 -58.3 -58.3 0.0 Vacuum Hose End 3 27.6 -52.4 -52.4 0.0 21.4 -58.6 -58.6 0.0 Vacuum Hose End 4 27.2 -52.8 -52.8 0.0 21.1 -58.9 -58.9 0.0 Vacuum Hose End 5 26.7 -53.3 -53.3 0.0 20.9 -59.1 -59.1 0.0 Vacuum Hose End 5 26.7 -53.3 -53.3 0.0 20.9 -59.1 -59.1 0.0 Vacuum Hose End 7 25.9 -54.1 -54.1 0.0 20.3 -59.7 -59.7 0.0 Vacuum Hose End 8 25.5 -54.5 -54.5 0.0 20.0 -80.0 -80.0 0.0 Vacuum Hose End 9 25.1 -54.9 -54.9 0.0 19.8 -60.2 -60.2 0.0 Vacuum Hose End 10 24.8 -55.2 -55.2 0.0 19.5 -60.5 -60.5 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -60.8 0.0 Whisper Toymheel 20.7 -53.3 -53.3 0.0 17.1 -56.9 -56.9 0.0 3 IT 59.9 -39.4 -39.4 0.0 56.4 -31.3 -11.3 0.0 11 35.1 0.0 0.0 0.0 32.5 0.0 0.0 0.0 Air Compressor 1 9.5 -62.5 -62.5 0.0 9.5 -62.5 6.2 0.0 Air Compressor 2 9.5 -62.5 -62.5 0.0 9.5 -62.5 6.2 0.0 Air Compressor 2 9.5 -62.6 -51.4 -51.4 0.0 9.4 -62.6 -62.6 0.0 Air Compressor 2 9.5 -62.5 -62.5 0.0 9.5 -62.5 6.2 0.0 Air Compressor 2 9.5 -62.5 -62.5 0.0 9.5 -62.5 6.2 0.0 Air Compressor 3 52.6 -51.4 -51.4 0.0 9.4 -62.6 62.6 0.0 Air Compressor 4 52.6 -51.4 -51.4 0.0 9.4 -62.6 62.6 0.0 Air Compressor 5 52.6 -51.4 -51.4 0.0 49.0 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -55.0 -55.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 52.6 -51.4 -51.4 0.0 49.2 -56.8 -56.0 0.0 Air Compressor 9 5	·									
Vacuum Hose End 3										
Vacuum Hose End 4 27.2	Vacuum Hose End 3									
Vacuum Hose End 5 26.7 -53.3 -53.3 -50.0 20.9 -59.1 -59.1 0.0	Vacuum Hose End 4									
Vacuum Hose End 6 26.2	Vacuum Hose End 5	26.7								
Vacuum Hose End 7 Vacuum Hose End 9 Vacuum Hose End 9 Vacuum Hose End 9 Vacuum Hose End 9 Vacuum Hose End 10 Vacuum Hose End 10 Vacuum Hose End 11 24.4 -55.6 -54.5 -5			-53.8		0.0					
Vacuum Hose End 9 25.1 -54.9 -54.9 0.0 19.8 -60.2 -60.2 0.0 Vacuum Hose End 10 24.8 -55.2 -55.2 0.0 19.5 -60.5 -60.5 0.0 Vacuum Hose End 11 24.4 -55.6 -55.6 0.0 19.2 -60.8 -60.8 0.0 Whisper Topwheel 20,7 -53.3 -53.3 0.0 17.1 -56.9 -56.9 0.0 3				-54.1	0.0	20.3	-59.7	-59.7		
Vacuum Hose End 10					0.0	20.0	-60.0	-60.0	0.0	
Vacuum Hose End 11 24.4							-60.2		0.0	
Whisper Topwheel 20.7 -53.3 -53.3 0.0 17.1 -56.8 -56.9 0.0					to discount of					
Temperature										
35.1										
37.8 0.0 0.0 0.0 32.5 0.0 0.0 0.0 0.0 3.6 32.5 0.0 0.0 0.0 0.0 33.6 0.0 0.0 0.0 32.5 0.0 0.0 0.0 0.0 33.6 0.0 0.0 0.0 33.9 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 33.9 0.0 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 33.9 0.0 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 33.9 0.0 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 34.6 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 34.6 0.0 0.0 0.0 34.6 0.0 0.0 0.0 34.6 0.0 0.0 0.0 34.6 0.0 0.0 0.0 0.0 34.6 0.0 0.0 0.0 34.6 0.0 0.0 34.6 0.0 0.0 34.6 0.0 0.0 34.6 0.0 0.0 34.6 0.0 0.0 34.6 0.0				4.1.			-43/3	-433	0.0	
3	2									
Air Compressor 1 Air Compressor 2 9.4										
Air Compressor 2 Air Co										
Aircannon 1										
Aircannon 2 Aircannon 3 Aircannon 3 Aircannon 4 Aircannon 4 Aircannon 5 Aircannon 5 Aircannon 6 Aircannon 6 Aircannon 7 Aircannon 7 Aircannon 7 Aircannon 7 Aircannon 8 Aircannon 8 Aircannon 9 Aircannon 6 Aircannon 9 Aircannon A Aircannon 9 Aircannon A Aircan										
Aircannon 3 Aircannon 4 52.7 51.3 52.8 51.2 51.2 51.2 0.0 49.2 54.8 54.8 0.0 Aircannon 5 37.7 66.3 37.7 66.3 0.0 37.5 66.5 66.5 66.5 0.0 Aircannon 6 52.8 51.2 51.2 0.0 49.2 54.8 54.8 0.0 Aircannon 7 37.2 66.8 66.8 0.0 37.1 66.9 66.9 0.0 Buff and Dry 1 5.7 68.3 68.3 0.0 5.6 68.4 68.4 0.0 Buff and Dry 2 22.9 51.1 51.1 0.0 18.7 55.3 55.3 0.0 Component Pneumatic Panel 1 32.8 60.2 60.2 0.0 Component Pneumatic Panel 2 32.9 60.1 0.0 Component Pneumatic Panel 2 32.9 0.0 Component Pneumatic Panel 2 32.9 0.0 Component Pneumatic Panel 2 010ra Scrubber 1 010ra Scrubber 1 010ra Scrubber 2 010ra Scrubber 2 010ra Scrubber 2 010ra Scrubber 2 010ra Scrubber 3 011.8 60.2 60.2 0.0 011.8 60.2 60.2 0.0 011.8 60.2 60.2 0.0 017.4 62.6 62.6 0.0 17.4 62.6 62.6 0.0 17.4 62.6 62.6 0.0 17.4 62.6 62.6 0.0 17.4 62.7 62.7 0.0 02 03 03 03 03 03 03 03 03 03 03 03 03 03	Aircannon 2								0.0	
Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 6 Aircannon 7 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 2 Buff and Dry 3 Buff and Dry 4 Buff and Dry 2 Buff and Dry 3 Buff and Dry 2 Buff and Dry 3 Buff and Dry 3 Buff and Dry 3 Buff and Dry 3 Buff and Dry 4 Buff and Dry 4 Buff and Dry 1 Buff and Dry 1 Buff and Dry 1 Buff and Dry 2 Buff and Dry 2 Buff and Dry 3 Buff and Dry 4 Buff and Dry 4 Buff and Dry 1 Buff and						492	-54 R			
Aircannon 5 Aircannon 6 Aircannon 7 Aircannon 6 Aircannon 7 Aircannon Aircannon 7 Aircannon Airc	Aircannon 3	52.7	-51.3					-54.8	0.0	
Aircannon 6 Aircannon 7 Aircannon Airc	Aircannon 3 Aircannon 4			-51.3	0.0	49.1	-54.9	-54.8 -54.9	0.0 0.0	
Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 2 Buff and Dry 2 Buff and Dry 3 Buff and Dry 3 Buff and Dry 3 Buff and Dry 3 Buff and Dry 4 Buff and Dry 5 Buff and Dry 6 Buff and Dry 6 Buff and Dry 7 Buff and Dry 8 Buff and Dry 9 Buff and Dry 10 Buff and Dry 11 Buff a		52.8	-51.2	-51.3 -51.2	0.0 0.0	49.1 49.2	-54.9 -54.8	-54.8 -54.9 -54.8	0.0 0.0 0.0	
Buff and Dry 2 Buff and Dry 2 Buff and Dry 3 Buff and Dry 55.1 Buff and Dry 55.1 Buff and Dry 55.3 Buff and Dry 55.1 Buff and Dry 55.3	Aircannon 4 Aircannon 5 Aircannon 6	52.8 37.7	-51.2 -66.3	-51.3 -51.2 -66.3	0.0 0.0 0.0	49.1 49.2 37.5	-54.9 -54.8 -66.5	-54.8 -54.9 -54.8 -66.5	0.0 0.0 0.0 0.0	
22.9 -51.1 -51.1 0.0 17.3 -56.7 -56.7 0.0 Component Pneumatic Panel 1 32.8 -60.2 -60.2 0.0 32.8 -60.2 -60.2 0.0 20.0 Component Pnuematic Panel 2 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 20.0 Component Pnuematic Panel 2 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 20.0 Component Pnuematic Panel 2 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 20.0 Component Pnuematic Panel 2 16.6 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 20.0 Component Pnuematic Panel 2 16.6 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 20.0 Component Pnuematic Panel 2 16.6 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 20.0 Component Pnuematic Panel 2 16.6 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 20.0 20.0 Component Pnuematic Panel 2 16.6 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 20.0 20.0 20.0 20.0 20.0 20.0 2	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7	52.8 37.7 52.8 37.2	-51.2 -66.3 -51.2 -66.8	-51.3 -51.2 -66.3 -51.2	0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2	-54.9 -54.8 -66.5 -54.8	-54.8 -54.9 -54.8 -66.5 -54.8	0.0 0.0 0.0 0.0 0.0	
Component Pneumatic Panel 1 32.8 -60.2 -60.2 0.0 32.8 -60.2 -60.2 0.0 32.8 -60.2 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.2 0.0 32.9 -60.1 -60.1 32.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1	52.8 37.7 52.8 37.2 5.7	-51.2 -66.3 -51.2 -66.8 -68.3	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3	0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1	-54.9 -54.8 -66.5 -54.8 -66.9	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9	0.0 0.0 0.0 0.0 0.0 0.0	
Suppose Component Pnuematic Panel 2 32.9 -60.1 -60.1 0.0 32.9 -60.1 -60.1 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2	52.8 37.7 52.8 37.2 5.7 22.9	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1	0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4	0.0 0.0 0.0 0.0 0.0 0.0	
Dura Scrubber 1 16.6 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 10.0 -55.4 -55.4 0.0 11.8 -60.2 -60.2 0.0 11.1 -62.6 -62.6 0.0 11.2 -62.6 -62.6 0.0 11.3 -62.7 -62.7 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 11.2 -64.8 -54.8 0.0 11.2 -59.4 -59.4 0.0 11.3 -69.9 -59.4 0.0 11.4 -68.9 -64.9 0.0 11.5 -68.9 -68.9 0.0 11.6 -69.1 -69.0 -68.9 0.0 11.7 -68.9 -68.9 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.8 -60.2 -60.2 0.0 11.1 -62.6 -62.6 0.0 11.1 -62.6 -62.6 0.0 11.2 -63.8 -63.8 0.0 11.2 -64.8 -64.8 0.0 11.3 -62.7 -62.7 0.0 11.4 -62.6 -62.6 0.0 11.5 -62.6 -62.6 0.0 11.1 -64.9 -64.9 0.0 11.1 -68.9 -68.9 0.0 11.1 -68.9 -68.9 0.0 11.1 -68.9 -68.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3	52.8 37.7 52.8 37.2 5.7 22.9 22.9	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Durofl	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Duroflo Pump Station 1 17.4 -62.6 -62.6 0.0 17.4 -62.6 -62.6 0.0 17.4 -62.6 -62.6 0.0 17.3 -62.7 -62.7 0.0 Eurovac 10.7 -64.3 -64.3 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 21.2 -54.8 -54.8 0.0 Eyro Wrap 1 21.2 -54.8 -54.8 0.0 Eyro Wrap 2 21.2 -54.8 -54.8 0.0 Eyro Wrap 3 21.9 -54.1 -54.1 0.0 17.0 -59.0 -59.0 0.0 Eyro Wrap 4 11.2 -64.8 -64.8 0.0 11.1 -64.9 -64.9 0.0 11.1 -68.9 -68.9 0.0 11.1 -68.9 -68.9 0.0 11.1 -68.9 -57.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Duroflo Pump Station 2 17.4	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Eurovac 10.7 -64.3 -64.3 0.0 10.6 -64.4 -64.4 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0 11.2 -54.8 -54.8 0.0 16.6 -59.4 -59.4 0.0 1	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 16.6	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -55.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -60.2	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -60.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Eurovac 11.2 -63.8 -63.8 0.0 11.2 -63.8 -63.8 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 16.6	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 11.8	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -60.2 -62.6	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -60.2 -62.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Syro Wrap 1 21.2 -54.8 -54.8 0.0 16.6 -59.4 -59.4 0.0 21.2 -54.8 -54.8 0.0 16.6 -59.4 -59.4 0.0 21.2 -54.8 -54.1 0.0 17.0 -59.0 -59.0 0.0 21.9 -54.1 -54.1 0.0 17.0 -59.0 -59.0 0.0 21.9 -64.8 -64.8 0.0 11.1 -64.9 -64.9 0.0 21.2 -64.8 -68.6 0.0 11.1 -68.9 -68.9 0.0 21.9 -52.7 -52.7 0.0 22.1 -57.9 -57.9 0.0 21.9 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.9 0.0 22.1 -57.	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 17.4 17.4	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 11.8 17.4	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -60.2 -62.6 -62.7	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -60.2 -62.6 -62.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Syro Wrap 2 21.2 -54.8 -54.8 0.0 16.6 -59.4 -59.4 0.0 Syro Wrap 3 21.9 -54.1 -54.1 0.0 17.0 -59.0 -59.0 0.0 Syro Wrap 4 11.2 -64.8 -64.8 0.0 11.1 -64.9 -64.9 0.0 Hydraulic Unit 11.4 -68.6 -68.6 0.0 11.1 -68.9 -68.9 0.0 Hydraulic Unit1 27.3 -52.7 -52.7 0.0 22.1 -57.9 -57.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 16.6 17.4 17.4	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Gyro Wrap 3 21.9 -54.1 -54.1 0.0 17.0 -59.0 -59.0 0.0 Gyro Wrap 4 11.2 -64.8 -64.8 0.0 11.1 -64.9 -64.9 0.0 Hydraulic Unit 11.4 -68.6 -68.6 0.0 11.1 -68.9 -68.9 0.0 Hydraulic Unit1 27.3 -52.7 -52.7 0.0 22.1 -57.9 -57.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 17.4 17.4 10.7	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6 11.2	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -62.6 -62.7 -64.4 -63.8	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Gyro Wrap 4 11.2 -64.8 -64.8 0.0 11.1 -64.9 -64.9 0.0 Hydraulic Unit 11.4 -68.6 -68.6 0.0 11.1 -68.9 -68.9 0.0 Hydraulic Unit1 27.3 -52.7 -52.7 0.0 22.1 -57.9 -57.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 17.4 17.4 10.7 11.2 21.2	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6 11.2 16.6	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
Hydraulic Unit 11.4 -68.6 -68.6 0.0 11.1 -68.9 -68.9 0.0 19draulic Unit1 27.3 -52.7 -52.7 0.0 22.1 -57.9 -57.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 16.6 17.4 10.7 11.2 21.2	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8 -54.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6 11.2 16.6 16.6	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
lydraulic Unit1 27.3 -52.7 -52.7 0.0 22.1 -57.9 -57.9 0.0	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Eyro Wrap 1 Gyro Wrap 3 Gyro Wrap 4	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 16.6 17.4 10.7 11.2 21.2 21.2	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8 -54.1	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8 -54.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6 11.2 16.6 16.6 17.0	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4 -59.0	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4 -59.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
1 1 11 (1 10)	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1 Gyro Wrap 2 Gyro Wrap 3 Gyro Wrap 4 Hydraulic Unit	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 17.4 17.4 10.7 11.2 21.2 21.2 21.2 21.9	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -64.3 -63.8 -54.8 -54.8 -54.8	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -55.4 -62.6 -62.6 -64.3 -54.8 -54.8 -54.8 -54.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6 11.2 16.6 17.0 11.1	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.1 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4 -59.4 -59.0 -64.9	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4 -59.0 -64.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
	Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Eurovac Gyro Wrap 1 Gyro Wrap 2 Gyro Wrap 3 Gyro Wrap 4 Hydraulic Unit	52.8 37.7 52.8 37.2 5.7 22.9 22.9 32.8 32.9 16.6 17.4 17.4 10.7 11.2 21.2 21.2 21.2 21.2 21.4 27.3	-51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -63.8 -54.8 -54.8 -54.8 -68.6	-51.3 -51.2 -66.3 -51.2 -66.8 -68.3 -51.1 -51.1 -60.2 -60.1 -55.4 -62.6 -62.6 -64.3 -54.8 -54.8 -54.8 -64.8 -68.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	49.1 49.2 37.5 49.2 37.1 5.6 18.7 17.3 32.8 32.9 11.8 17.4 17.3 10.6 11.2 16.6 16.6 17.0 11.1	-54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4 -59.0 -64.9 -68.9	-54.8 -54.9 -54.8 -66.5 -54.8 -66.9 -68.4 -55.3 -56.7 -60.2 -60.2 -60.2 -62.6 -62.7 -64.4 -63.8 -59.4 -59.4 -59.0 -64.9 -68.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	

	Level w/o NP				Level w NP			
Source name	Leq1	Leq2	Leq3	Lmax	Leq1	Leq2	Leq3	Lmax
			8(A)				B(A)	
Low Side Washer 1	19.1	-54.9	-54.9	0.0	14.5	-59.5	-59.5	0.0
Low Side Washer 2	19.3	-54.7	-54.7	0.0	14.7	-59.3	-59.3	0.0
Prep Jet Pump Station	28.2	-59.8	-59.8	0.0	28.2	-59.8	-59.8	0.0
Prep Jet Wand 1 Prep Jet Wand 2	32.4 32.5	-55.6 -55.5	-55.6 -55.5	0.0 0.0	28.1	-59.9	-59.9	0.0
Vacuum Hose End 1	28.5	-55.5 -51.5	-55.5 -51.5	0.0	28.1 21.8	-59.9	-59.9	0.0
Vacuum Hose End 2	28.0	-51.5 -52.0	-51.5 -52.0	0.0	21.6	-58.2 -58.4	-58.2 -58.4	0.0 0.0
Vacuum Hose End 3	10.8	-69.2	-69.2	0.0	10.8	-69.2	-56.4 -69.2	0.0
Vacuum Hose End 4	10.5	-69.5	-69.5	0.0	10.5	-69.5	-69.5	0.0
Vacuum Hose End 5	10.3	-69.7	-69.7	0.0	10.3	-69.7	-69.7	0.0
Vacuum Hose End 6	10.0	-70.0	-70.0	0.0	10.0	-70.0	-70.0	0.0
Vacuum Hose End 7	9.8	-70.2	-70.2	0.0	9.8	-70.2	-70.2	0.0
Vacuum Hose End 8	9.6	-70.4	-70.4	0.0	9.5	-70.5	-70.5	0.0
Vacuum Hose End 9	9.2	-70.8	-70.8	0.0	9.2	-70.8	-70.8	0.0
Vacuum Hose End 10	9.1	-70.9	-70.9	0.0	9.1	-70.9	-70.9	0.0
Vacuum Hose End 11	8.7	-71.3	-71.3	0.0	8.6	-71.4	-71.4	0.0
Whisper Topwheel	20.1	-53.9	-53.9	0.0	16.9	-57.1	-57.1	0.0
4 12 Fl -	57 ()	-41.7	-11.7	0.0	511	-44.6	-14 6	0.0
	31.8	0.0	0.0	0.0	28.8	0.0	0.0	0.0
2	36.7	0.0	0.0	0.0	31.4	0.0	0.0	0.0
3	44.1	0.0	0.0	0.0	40.1	0.0	0.0	0.0
Air Compressor 1	7.3	-64.7	-64.7	0.0	7.3	-64.7	-64.7	0.0
Air Compressor 2	7.3	-64.7	-64.7	0.0	7.3	-64.7	-64.7	0.0
Aircannon 1	50.4	-53.6	-53.6	0.0	47.3	-56.7	-56.7	0.0
Aircannon 2	50.3	-53.7	-53.7	0.0	47.3	-56.7	-56.7	0.0
Aircannon 3	50.4	-53.6	-53.6	0.0	47.4	-56.6	-56.6	0.0
Aircannon 4	50.5	-53.5	-53.5	0.0	47.5	-56.5	-56.5	0.0
Aircannon 5	39.3	-64.7	-64.7	0.0	39.3	-64.7	-64.7	0.0
Aircannon 6	38.9	-65.1	-65 .1	0.0	38.9	-65.1	-65.1	0.0
Aircannon 7	36.4	-67.6	-67.6	0.0	36.4	-67.6	-67.6	0.0
Buff and Dry 1	4.8	-69.2	-69.2	0.0	4.7	-69.3	-69.3	0.0
Buff and Dry 2	21.8	-52.2	-52.2	0.0	17.9	-56.1	- 56.1	0.0
Buff and Dry 3	21.7	-52.3	-52.3	0.0	16.4	-57.6	-57.6	0.0
Component Pneumatic Panel 1	28.1	-64.9	-64.9	0.0	28.1	-64.9	-64.9	0.0
Component Pnuematic Panel 2	28.2	-64.8	-64.8	0.0	28.2	-64.8	-64.8	0.0
Dura Scrubber 1	10.9	-61.1	-61.1	0.0	10.9	-61.1	-61.1	0.0
Dura Scrubber 2	9.9	-62.1	-62.1	0.0	9.9	-62.1	-62.1	0.0
Duroflo Pump Station 1	24.9	-55.1	-55.1	0.0	20.4	-59.6	-59.6	0.0
Duroflo Pump Station 2	24.9	-55.1	-55.1	0.0	20.5	-59.5	-59.5	0.0
Eurovac Eurovac	7.1	-67.9	-67.9	0.0	7.0	-68.0	-68.0	0.0
Gyro Wrap 1	19.8 16.1	-55.2 -59.9	-55.2 -59.9	0.0	14.4 16.1	-60.6 -50.0	-60.6	0.0
Gyro Wrap 1	16.0	-59.9 -60.0	-60.0	0.0	16.0	-59.9 -60.0	-59.9	0.0
Gyro Wrap 3				1			-60.0	0.0
Gyro Wrap 4	14.9 14.7	-61.1 -61.3	-61.1 -61.3	0.0	14.9 14.7	-61.1 -61.3	-61.1 -61.3	0.0
Hydraulic Unit	13.9	-66.1	-66.1	0.0	13.8	-66.2	-61.3 -66.2	0.0
Hydraulic Unit1	27.9	-52.1	-52.1	0.0	22.5	-57.5	-57.5	0.0
Hydraulic Unit2	25.9	-54.1	-54.1	0.0	21.2	-58.8	-58.8	0.0
Low Side Washer 1	13.9	-60.1	-60.1	0.0	13.9	-60.1	-60.1	0.0
Low Side Washer 2	14.3	-59.7	-59.7	0.0	14.3	-59.7	-59.7	0.0
Prep Jet Pump Station	24.5	-63.5	-63.5	0.0	24.5	-63.5	-63.5	0.0
Prep Jet Wand 1	24.2	-63.8	-63.8	0.0	24.2	-63.8	-63.8	0.0
Prep Jet Wand 2	24.0	-64.0	-64.0	0.0	24.0	-64.0	-64.0	0.0
Vacuum Hose End 1	27.2	-52.8	-52.8	0.0	20.9	-59.1	-59.1	0.0
Vacuum Hose End 2	8.4	-71.6	-71.6	0.0	8.3	-71.7	-71.7	0.0
Vacuum Hose End 3	8.0	-72.0	-72.0	0.0	8.0	-72.0	-72.0	0.0
Vacuum Hose End 4	7.6	-72.4	-72.4	0.0	7.6	-72.4	-72.4	0.0
Vacuum Hose End 5	7.3	-72.7	-72.7	0.0	7.3	-72.7	-72.7	0.0
Vacuum Hose End 6	6.9	-73.1	-73.1	0.0	6.9	-73.1	-73.1	0.0
Vacuum Hose End 7	6.8	-73.2	-73.2	0.0	6.8	-73.2	-73.2	0.0
Vacuum Hose End 8	6.5	-73.5	-73.5	0.0	6.5	-73.5	-73.5	0.0
Vacuum Hose End 9	6.2	-73.8	-73.8	0.0	6.2	-73.8	-73.8	0.0
Vacuum Hose End 10	6.1	-73.9	-73.9	0.0	6.1	-73.9	-73.9	0.0
Vacuum Hose End 11	7.0	-73.0	-73.0	0.0	7.0	-73.0	-73.0	0.0
•				2.2				

			w/o NP				w NP	
Source name	Leq1	Leq2	Leq3	Lmax	Leq1	Leq2	Leq3	Lmax
Military Tourisms	40.4		(A)	0.0	10.4		(A)	
Whisper Topwheel 5 F1	18.1 53 4	-55.9 -38.4	-55.9 -38.4	0.0	18.1 53.0	-55.9 -38.5	-55.9 -36.5	0.0
	44.8	da ettini			and the same of the same of	1 1 1 1 1 1 1		2 4 1 1 7 1
1 2	39.8	0.0	0.0	0.0	44.8 33.2	0.0	0.0	0.0
3	42.0	0.0	0.0	0.0	36.6	0.0	0.0	0.0
Air Compressor 1	10.5	-61.5	-61.5	0.0	10.5	-61.5	-61.5	0.0
Air Compressor 2	10.6	-61.4	-61.4	0.0	10.6	-61.4	-61.4	0.0
Aircannon 1	40.6	-63.4	-63.4	0.0	40.6	-63.4	-63.4	0.0
Aircannon 2	41.7	-62.3	-62.3	0.0	41.7	-62.3	-62.3	0.0
Aircannon 3 Aircannon 4	42.0 41.1	-62.0 -62.9	-62.0 -62.9	0.0 0.0	42.0 41.1	-62.0	-62.0	0.0
Aircannon 5	44.1	-59.9	-59.9	0.0	44.1	-62.9 -59.9	-62.9 -59.9	0.0 0.0
Aircannon 6	43.6	-60.4	-60.4	0.0	43.6	-60.4	-60.4	0.0
Aircannon 7	46.1	-57.9	-57.9	0.0	46.1	-57.9	-57.9	0.0
Buff and Dry 1	18.6	-55.4	-55.4	0.0	18.6	-55.4	-55.4	0.0
Buff and Dry 2	12.0	-62.0	-62.0	0.0	12.0	-62.0	-62.0	0.0
Buff and Dry 3	21.4	-52.6	-52.6	0.0	19.4	-54.6	-54.6	0.0
Component Pneumatic Panel 1	31.3	-61.7	-61.7	0.0	31.3	-61.7	-61.7	0.0
Component Pnuematic Panel 2 Dura Scrubber 1	31.4 9.2	-61.6 -62.8	-61.6 -62.8	0.0	31.4	-61.6	-61.6	0.0
Dura Scrubber 1	8.9	-62.6 -63.1	-62.6 -63.1	0.0 0.0	9.2 8.9	-62.8	-62.8 -63.1	0.0
Duroflo Pump Station 1	18.7	-63.1 -61.3	-63.1 -61.3	0.0	18.7	-63.1 -61.3	-63.1 -61.3	0.0 0.0
Duroflo Pump Station 2	18.8	-61.2	-61.2	0.0	18.8	-61.2	-61.2	0.0
Eurovac	22.8	-52.2	-52.2	0.0	22.8	-52.2	-52.2	0.0
Eurovac	13.3	-61.7	-61.7	0.0	13.3	-61.7	-61.7	0.0
Gyro Wrap 1	13.5	-62.5	-62.5	0.0	13.5	-62.5	-62.5	0.0
Gyro Wrap 2	13.6	-62.4	-62.4	0.0	13.6	-62.4	-62.4	0.0
Gyro Wrap 3	13.7	-62.3	-62.3	0.0	13.7	-62.3	-62.3	0.0
Gyro Wrap 4	14.0	-62.0	-62.0	0.0	14.0	-62.0	-62.0	0.0
Hydraulic Unit Hydraulic Unit1	28.3 22.8	-51.7 -57.2	-51.7 -57.2	0.0 0.0	28.3 21.2	-51.7 -58.8	-51.7 -58.8	0.0
Hydraulic Unit2	19.7	-60.3	-60.3	0.0	18.0	-30.0 -62.0	-56.6 -62.0	0.0 0.0
Low Side Washer 1	11.7	-62.3	-62.3	0.0	11.7	-62.3	-62.3	0.0
Low Side Washer 2	11.4	-62.6	-62.6	0.0	11.4	-62.6	-62.6	0.0
Prep Jet Pump Station	27.2	-60.8	-60.8	0.0	27.2	-60.8	-60.8	0.0
Prep Jet Wand 1	22.6	-65.4	-65.4	0.0	22.6	-65.4	-65.4	0.0
Prep Jet Wand 2	26.6	-61.4	-61.4	0.0	26.6	-61.4	-61.4	0.0
Vacuum Hose End 1	29.4	-50.6	-50.6	0.0	29.4	-50.6	-50.6	0.0
Vacuum Hose End 2	31.3	-48.7	-48.7	0.0	31.3	-48.7	-48.7	0.0
Vacuum Hose End 3 Vacuum Hose End 4	31.0 30.6	-49.0 -49.4	-49.0 -49.4	0.0 0.0	31.0 30.6	-49.0 -49.4	-49.0 -49.4	0.0 0.0
Vacuum Hose End 5	30.2	-49.4 -49.8	-49.4 -49.8	0.0	30.0	-49.4 -49.8	-49.4 -49.8	0.0
Vacuum Hose End 6	29.8	-50.2	-50.2	0.0	29.8	-50.2	-50.2	0.0
Vacuum Hose End 7	29.5	-50.5	-50.5	0.0	29.5	-50.5	-50.5	0.0
Vacuum Hose End 8	29.2	-50.8	-50.8	0.0	29.2	-50.8	-50.8	0.0
Vacuum Hose End 9	28.9	-51.1	-51.1	0.0	28.9	-51.1	-51.1	0.0
Vacuum Hose End 10	28.5	-51.5	-51.5	0.0	28.5	-51.5	-51.5	0.0
Vacuum Hose End 11	25.7	-54.3	-54.3	0.0	25.7	-54.3	-54.3	0.0
Whisper Topwheel	8.5	-65.5	-65.5	0.0	8.5	-65.5	-65.5	0.0
6 FI	50 7	-39.0	-39.0	0.0	50.7	-39 C		. 0.0
1	45.1	0.0	0.0	0.0	45.1	0.0	0.0	0.0
2 3	37.7 38.9	0.0 0.0	0.0 0.0	0.0	37.7 38.9	0.0 0.0	0.0 0.0	0.0 0.0
Air Compressor 1	8.6	-63.4	-63.4	0.0	8.6	-63.4	-63.4	0.0
Air Compressor 2	8.7	-63.3	-63.3	0.0	8.7	-63.3	-63.3	0.0
Aircannon 1	38.0	-66.0	-66.0	0.0	38.0	-66.0	-66.0	0.0
Aircannon 2	38.6	-65.4	-65.4	0.0	38.6	-65.4	-65.4	0.0
Aircannon 3	38.7	-65.3	- 65.3	0.0	38.7	-65.3	-65.3	0.0
Aircannon 4	38.2	-65.8	-65.8	0.0	38.2	-65.8	-65.8	0.0
Aircannon 5	39.7	-64.3	-64.3	0.0	39.7	-64.3	-64.3	0.0
Aircannon 6 Aircannon 7	39.4	-64.6	-64.6	0.0	39.4	-64.6	-64.6	0.0
	40.1	-63.9	-63.9	0.0	40.1	-63.9	-63.9	0.0
Buff and Dry 1	13.2	-60.8	-60.8	0.0	13.2	-60.8	-60.8	0.0

		Level	w/o NP			Level	w NP	
Source name	Leq1	Lag2	Leq3	Lmax	Leq1	Leq2	Leq3	_max
		dB	(A)				(A)	
Buff and Dry 2	8.2	-65.8	-65.8	0.0	8.2	-65.8	-65.8	0.0
Buff and Dry 3	19.9	-54.1	-54.1	0.0	19.9	-54.1	-54.1	0.0
Component Pneumatic Panel 1	29.6	-63.4	-63.4	0.0	29.6	-63.4	-63.4	0.0
Component Pnuematic Panel 2	29.6	-63.4	-63.4	0.0	29.6	-63.4	-63.4	0.0
Dura Scrubber 1	8.1	-63.9	-63.9	0.0	8.1	-63.9	-63.9	0.0
Dura Scrubber 2	8.3	-63.7	-63.7 -63.3	0.0	8.3	-63.7	-63.7	0.0
Duroflo Pump Station 1	16.7 16.7	-63.3 -63.3	-63.3	0.0	16.7	-63.3	-63.3 -63.3	0.0
Duroflo Pump Station 2	11.3	-63.7	-63.7	0.0 0.0	16.7	-63.3 -63.7	-63.7	0.0 0.0
Eurovac	10.8	-64.2	-64.2	0.0	11.3 10.8	-63.7 -64.2	-64.2	0.0
Eurovac Gyro Wrap 1	12.3	-63.7	-63.7	0.0	12.3	-63.7	-63.7	0.0
Gyro Wrap 2	12.3	-63.8	-63.8	0.0	12.3	-63.8	-63.8	0.0
Gyro Wrap 3	12.5	-63.5	-63.5	0.0	12.5	-63.5	-63.5	0.0
Gyro Wrap 4	12.4	-63.6	-63.6	0.0	12.4	-63.6	-63.6	0.0
Hydraulic Unit	17.5	-62.5	-62.5	0.0	17.5	-62.5	-62.5	0.0
Hydraulic Unit1	18.1	-61.9	-61.9	0.0	18.1	-61.9	-61.9	0.0
Hydraulic Unit2	17.0	-63.0	-63.0	0.0	17.0	-63.0	-63.0	0.0
Low Side Washer 1	10.3	-63.7	-63.7	0.0	10.3	-63.7	-63.7	0.0
Low Side Washer 2	10.3	-63.6	-63.6	0.0	10.3	-63.6	-63.6	0.0
Prep Jet Pump Station	24.7	-63.3	-63.3	0.0	24.7	-63.3	-63.3	0.0
Prep Jet Wand 1	24.8	-63.2	-63.2	0.0	24.8	-63.2	-63.2	0.0
Prep Jet Wand 2	30.8	-57.2	-57.2	0.0	30.8	-57.2	-57.2	0.0
Vacuum Hose End 1	30.9	-37.2 -49.1	-37.2 -49.1	0.0	30.8	-37.2 -49.1	-37.2 -49.1	0.0
Vacuum Hose End 2	30.8	-49.1 -49.2	-49.2	0.0	30.8	-49.1 -49.2	-49.1 -49.2	0.0
Vacuum Hose End 3	30.7	-49.3	-49.3	0.0	30.7	-49.3	-49.3	0.0
Vacuum Hose End 3	30.5	-49.5	-49.5	0.0	30.5	-49.5	-49.5	0.0
Vacuum Hose End 5	30.3	-49.7	-49.7	0.0	30.3	-49.7	-49.7	0.0
Vacuum Hose End 6	30.1	-49.9	-49.9	0.0	30.1	-49.9	-49.9	0.0
Vacuum Hose End 7	30.0	-50.0	-50.0	0.0	30.0	-50.0	-50.0	0.0
Vacuum Hose End 8	29.8	-50.2	-50.2	0.0	29.8	-50.2	-50.2	0.0
Vacuum Hose End 9	29.6	-50.4	-50.4	0.0	29.6	-50.4	-50.4	0.0
Vacuum Hose End 10	27.2	-52.8	-52.8	0.0	27.2	-52.8	-52.8	0.0
Vacuum Hose End 11	26.7	-53.3	-53.3	0.0	26.7	-53.3	-53.3	0.0
Whisper Topwheel	7.1	-66.9	-66.9	0.0	7.1	-66.9	-66.9	0.0
7 F1	50.8	-38.3	-38.3	0.0	50.9	-38.3	-383	
1	45.7	0.0	0.0	0.0	45.7	0.0	0.0	0.0
2	37.3	0.0	0.0	0.0	38.0	0.0		0.0
3	36.8	0.0	0.0				0.0	0.0
			0.0	0.0	37.9		0.0 0.0	0.0
			0.0 -63.1	0.0	37.9 8.9	0.0	0.0	0.0
Air Compressor 1	8.9	-63.1	-63.1	0.0	8.9	0.0 -63.1	0.0 -63.1	0.0
Air Compressor 1 Air Compressor 2	8.9 8.9	-63.1 -63.1	-63.1 -63.1	0.0 0.0	8.9 8.9	0.0 -63.1 -63.1	0.0 -63.1 -63.1	0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1	8.9 8.9 37.8	-63.1 -63.1 -66.2	-63.1 -63.1 -66.2	0.0 0.0 0.0	8.9 8.9 37.8	0.0 -63.1 -63.1 -66.2	0.0 -63.1 -63.1 -66.2	0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2	8.9 8.9 37.8 38.5	-63.1 -63.1 -66.2 -65.5	-63.1 -63.1 -66.2 -65.5	0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5	0.0 -63.1 -63.1 -66.2 -65.5	0.0 -63.1 -63.1 -66.2 -65.5	0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3	8.9 8.9 37.8 38.5 38.4	-63.1 -63.1 -66.2 -65.5 -65.6	-63.1 -63.1 -66.2 -65.5 -65.6	0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4	0.0 -63.1 -63.1 -66.2 -65.5 -65.6	0.0 -63.1 -63.1 -66.2 -65.5 -65.6	0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4	8.9 8.9 37.8 38.5 38.4 37.9	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1	0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1	0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5	8.9 8.9 37.8 38.5 38.4 37.9 39.4	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6	0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6	0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.6 12.6 7.7 11.6 29.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -61.4 -66.3 -62.4 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pneumatic Panel 2	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 12.6 7.7 11.6 29.9 29.9	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 12.6 7.7 11.6 29.9 29.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -61.4 -66.3 -62.4 -63.1 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pneumatic Panel 2 Dura Scrubber 1	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 29.9 9.2	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -63.1 -62.8	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -62.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 12.6 7.7 11.6 29.9 29.9 9.2	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -62.8	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -62.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pneumatic Panel 2 Dura Scrubber 1 Dura Scrubber 2	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.6 12.6 7.7 11.6 29.9 29.9 9.2	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -62.9	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -62.4 -63.1 -62.8 -62.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 12.6 7.7 11.6 29.9 29.9 9.2 9.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -62.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -62.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pneumatic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -63.1 -62.8 -62.9 -63.1	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -63.1 -62.8 -62.9 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -62.8 -62.9 -63.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -62.4 -63.1 -62.8 -62.9 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pneumatic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -62.4 -63.1 -62.8 -62.9 -63.1 -63.1	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -63.1 -62.8 -62.9 -63.1 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -62.8 -62.9 -63.1 -63.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -62.4 -63.1 -62.8 -62.9 -63.1 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 9.2 9.1 16.9 11.1	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -63.1 -62.8 -62.9 -63.1 -63.1 -63.1	-63.1 -63.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 9.2 9.1 16.9 11.1	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.9	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 16.9 11.1	-63.1 -63.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.1 -63.9 -64.0	-63.1 -63.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 29.9 9.1 16.9 11.1 11.0	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.9 -64.0	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -62.9 -63.1 -63.1 -63.9 -64.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 16.9 11.1 11.0 12.8	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.9 -64.0 -63.2	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.9 -64.0 -63.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 11.1 11.0 12.8	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Gyro Wrap 1 Gyro Wrap 2	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 16.9 11.1 11.0 12.8 12.7	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.9 -64.0 -63.2 -63.3	-63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.9 -64.0 -63.2 -63.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.9 -64.0 -63.2 -63.3	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.9 -64.0 -63.2 -63.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Gyro Wrap 1 Gyro Wrap 2 Gyro Wrap 3	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7 12.8	-63.1 -63.1 -66.2 -65.5 -65.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.2	-63.1 -63.1 -66.2 -65.5 -65.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.2 -63.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7 12.8	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2 -63.2	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2 -63.2 -63.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1 Gyro Wrap 2 Gyro Wrap 3 Gyro Wrap 4	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7 12.8 12.7	-63.1 -63.1 -66.2 -65.5 -65.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.3 -64.0	-63.1 -63.1 -66.2 -65.5 -65.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.3 -63.2 -63.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.2 -63.3	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2 -63.3 -63.2 -63.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Air Compressor 1 Air Compressor 2 Aircannon 1 Aircannon 2 Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Gyro Wrap 1 Gyro Wrap 2 Gyro Wrap 3	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.0 39.6 12.6 7.7 11.6 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7 12.8	-63.1 -63.1 -66.2 -65.5 -65.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.2	-63.1 -63.1 -66.2 -65.5 -65.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -63.1 -63.1 -63.1 -63.1 -63.2 -63.2 -63.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	8.9 8.9 37.8 38.5 38.4 37.9 39.4 39.6 12.6 7.7 11.6 29.9 29.9 9.2 9.1 16.9 11.1 11.0 12.8 12.7 12.8	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -61.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2 -63.2	0.0 -63.1 -63.1 -66.2 -65.5 -65.6 -66.1 -64.6 -65.0 -64.4 -66.3 -62.4 -63.1 -62.8 -63.1 -63.1 -63.9 -64.0 -63.2 -63.2 -63.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

	-	Level v	v/c NP			Level	w NP	
Source name	Leq1	Leg2	Leq3	Lmax	Leq1	Leq2	Leq3	Lmax
		dB	(A)			dB	(A)	
Hydraulic Unit2	17.2	-62.8	-62.8	0.0	17.2	-62.8	-62.8	0.0
Low Side Washer 1	10.7	-63.3	-63.3	0.0	10.7	-63.3	-63.3	0.0
Low Side Washer 2	10.9	-63.1	-63.1	0.0	10.9	-63.1	-63.1	0.0
Prep Jet Pump Station	25.7	-62.3	-62.3	0.0	25.7	-62.3	-62.3	0.0
Prep Jet Wand 1	31.0	-57.0	-57.0	0.0	31.0	-57.0	-57.0	0.0
Prep Jet Wand 2	36.1	-51.9	-51.9	0.0	36.1	-51.9	-51.9	0.0
Vacuum Hose End 1	30.9	-49.1 40.0	-49.1	0.0	30.9	-49.1	-49.1	0.0
Vacuum Hose End 2 Vacuum Hose End 3	31.0 31.0	-49.0 -49.0	-49.0 -49.0	0.0 0.0	31.0 31.0	-49.0	-49.0 40.0	0.0
Vacuum Hose End 4	31.0	-49.0 -49.0	-49.0 -49.0	0.0	31.0	-49.0 -49.0	-49.0 -49.0	0.0 0.0
Vacuum Hose End 5	31.0	-49.0	-49.0	0.0	31.0	-49.0	-49.0	0.0
Vacuum Hose End 6	31.0	-49.0	-49.0	0.0	31.0	-49.0	-49.0	0.0
Vacuum Hose End 7	31.0	-49.0	-49.0	0.0	31.0	-49.0	-49.0	0.0
Vacuum Hose End 8	30.9	-49.1	-49.1	0.0	30.9	-49.1	-49.1	0.0
Vacuum Hose End 9	30.8	-49.2	-49.2	0.0	30.8	-49.2	-49.2	0.0
Vacuum Hose End 10	28.4	-51.6	-51.6	0.0	28.4	-51.6	-51.6	0.0
Vacuum Hose End 11	28.2	-51.8	-51.8	0.0	28.2	-51.8	-51.8	0.0
Whisper Topwheel	7.6	-66.4	-66.4	0.0	7.6	-66.4	-66.4	0.0
3 F1 - • ·	50.0	-39.2	-39.2	0.0	50 1	-39.2	-39.2	0.0
1	44.7	0.0	0.0	0.0	44.7	0.0	0.0	0.0
2	34.9	0.0	0.0	0.0	35.9	0.0	0.0	0.0
3	39.6	0.0	0.0	0.0	40.1	0.0	0.0	0.0
Air Compressor 1	8.5	-63.5	-63.5	0.0	8.5	-63.5	-63.5	0.0
Air Compressor 2	8.4	-63.6	-63.6	0.0	8.4	-63.6	-63.6	0.0
Aircannon 1	36.6	-67.4	-67.4	0.0	36.6	-67.4	-67.4	0.0
Aircannon 2	37.4	-66.6	-66.6	0.0	37.4	-66.6	-66.6	0.0
Aircannon 3	37.1	-66.9	-66.9	0.0	37.1	-66.9	-66.9	0.0
Aircannon 4	36.5	-67.5	-67.5	0.0	36.5	-67.5	-67.5	0.0
Aircannon 5	38.4	-65.6	-65.6	0.0	38.4	-65.6	-65.6	0.0
Aircannon 6	37.8	-66.2	-66.2	0.0	37.8	-66.2	-66.2	0.0
Aircannon 7	38.4	-65.6	-65.6	0.0	38.4	-65.6	-65.6	0.0
Buff and Dry 1	11.6	-62.4	-62.4	0.0	11.6	-62.4	-62.4	0.0
Buff and Dry 2	6.1	-67.9	-67.9	0.0	6.1	-67.9	-67.9	0.0
Buff and Dry 3	10.4	-63.6	-63.6	0.0	10.4	-63.6	-63.6	0.0
Component Pneumatic Panel 1	29.7	-63.3	-63.3	0.0	29.7	-63.3	-63.3	0.0
Component Pnuematic Panel 2	29.6	-63.4	-63.4	0.0	29.6	-63.4	-63.4	0.0
Dura Scrubber 1	9.7	-62.3	-62.3	0.0	9.7	-62.3	-62.3	0.0
Dura Scrubber 2	7.2	-64.8	-64.8	0.0	7.2	-64.8	-64.8	0.0
Duroflo Pump Station 1	16.4	-63.6	-63.6	0.0	16.4	-63.6	-63.6	0.0
Duroflo Pump Station 2	16.3	-63.7 -64.8	-63.7 -64.8	0.0	16.3	-63.7	-63.7	0.0
Eurovac	10.2 10.3	-64.7	-64.6 -64.7	0.0	10.2	-64.8	-64.8	0.0
Eurovac Gyro Wrap 1	12.5	-64.7 -63.5	-64.7 -63.5	0.0	10.3 12.5	-64.7 -63.5	-64.7 -63.5	0.0 0.0
Gyro Wrap 1	12.3	-63.7	-63.7	0.0	12.3	-63.7	-63.7	0.0
Gyro Wrap 3	12.3	-63.9	-63.9	0.0	12.3	-63.9	-63.7 -63.9	0.0
Gyro Wrap 3	12.1	-64.0	-64.0	0.0	12.1	-64.0	-64.0	0.0
Hydraulic Unit	16.1	-63.9	-63.9	0.0	16.1	-63.9	-63.9	0.0
Hydraulic Unit1	19.8	-60.2	-60.2	0.0	19.8	-60.2	-60.2	0.0
Hydraulic Unit2	22.5	-57.5	-57.5	0.0	22.5	-57.5	-57.5	0.0
Low Side Washer 1	10.5	-63.5	-63.5	0.0	10.5	-63.5	-63.5	0.0
Low Side Washer 2	10.4	-63.6	-63.6	0.0	10.4	-63.6	-63.6	0.0
Prep Jet Pump Station	29.3	-58.7	-58.7	0.0	29.3	-58.7	-58.7	0.0
Prep Jet Wand 1	35.3	-52.7	-52.7	0.0	35.3	-52.7	-52.7	0.0
Prep Jet Wand 2	35.7	-52.3	-52.3	0.0	35.7	-52.3	-52.3	0.0
Vacuum Hose End 1	29.1	-50.9	-50.9	0.0	29.1	-50.9	-50.9	0.0
Vacuum Hose End 2	29.3	-50.7	-50.7	0.0	29.3	-50.7	-50.7	0.0
Vacuum Hose End 3	29.5	-50.5	-50.5	0.0	29.5	-50.5	-50.5	0.0
Vacuum Hose End 4	29.6	-50.4	-50.4	0.0	29.6	-50.4	-50.4	0.0
Vacuum Hose End 5	29.8	-50.2	-50.2	0.0	29.8	-50.2	-50.2	0.0
Vacuum Hose End 6	30.0	-50.0	-50.0	0.0	30.0	-50.0	-50.0	0.0
Vacuum Hose End 7	30.1	-49.9	-49.9	0.0	30.1	-49.9	-49.9	0.0
	30.2	-49.8	-49.8	0.0	30.2	-49.8	-49.8	0.0
Vacuum Hose End 8	JU.2	-40.0	-40.0	0.0	00.2	-48.0	-49.0	0.0
Vacuum Hose End 8 Vacuum Hose End 9 Vacuum Hose End 10	28.0 28.1	-52.0 -51.9	-52.0 -51.9	0.0 0.0	28.0 28.1	-52.0 -51.9	-49.6 -52.0	0.0

		Level	w/o NP			l_evel	w NP	
Source name	Leq1	Leg2	Leq3	Lmax	Leq1	Leq2	Leq3	Lmax
Vacuum Hose End 11	28.2	-51.8	-51.8	0.0	28.2	-51.8	(A) -51.8	0.0
Whisper Topwheel	7.0	-67.0	-67.0	0.0	7.0	-67.0	-67.0	0.0
9 मि	18 4	-110	-41 (0.0	18 5	-41.1	-41 1	0.0
1	42.4 29.5	0.0	0.0 0.0	0.0 0.0	42.4 31.7	0.0	0.0	0.0
2 3	39.6	0.0	0.0	0.0	40.0	0.0	0.0	0.0
Air Compressor 1	7.7	-64.3	-64.3	0.0	7.7	-64.3	-64.3	0.0
Air Compressor 2	7.6	-64.4	-64.4	0.0	7.6	-64.4	-64.4	0.0
Aircannon 1	34.8	-69.2	-69.2	0.0	34.8	-69.2	-69.2	0.0
Aircannon 2	35.8	-68.2	-68.2	0.0	35.8	-68.2	-68.2	0.0
Aircannon 3	35.5 34.7	-68.5 -69.3	-68.5 -69.3	0.0 0.0	35.5 34.7	-68.5 -69.3	-68.5 -69.3	0.0 0.0
Aircannon 4 Aircannon 5	37.0	-67.0	-67.0	0.0	37.0	-67.0	-67.0	0.0
Aircannon 6	36.3	-67.7	-67.7	0.0	36.3	-67.7	-67.7	0.0
Aircannon 7	37.0	-67.0	-67.0	0.0	37.0	-67.0	-67.0	0.0
Buff and Dry 1	10.4	-63.6	-63.6	0.0	10.4	-63.6	-63.6	0.0
Buff and Dry 2	4.3	-69.7	-69.7	0.0	4.3	-69.7	-69.7	0.0
Buff and Dry 3	9.0	-65.0	-65.0	0.0	9.0	-65.0 -63.6	-65.0 -63.6	0.0
Component Preumatic Panel 2	29.4 29.2	-63.6 -63.8	-63.6 -63.8	0.0 0.0	29.4 29.2	-63.8	-63.8	0.0
Component Pnuematic Panel 2 Dura Scrubber 1	17.1	-03.6 -54.9	-54.9	0.0	17.1	-54.9	-54.9	0.0
Dura Scrubber 2	7.9	-64.1	-64.1	0.0	7.9	-64.1	-64.1	0.0
Duroflo Pump Station 1	15.5	-64.5	-64.5	0.0	15.5	-64.5	-64.5	0.0
Duroflo Pump Station 2	15.4	-64.6	-64.6	0.0	15.4	-64.6	-64.6	0.0
Eurovac	9.0	-66.0	-66.0	0.0	9.0	-66.0	-66.0	0.0
Eurovac	9.4	-65.6	-65.6	0.0	9.4	-65.6	-65.6	0.0
Gyro Wrap 1	7.5 7.9	-68.5 -68.1	-68.5 -68.1	0.0 0.0	7.5 7.9	-68.5 -68.1	-68.5 -68.1	0.0
Gyro Wrap 2 Gyro Wrap 3	10.9	-65.1	-65.1	0.0	10.9	-65.1	-65.1	0.0
Gyro Wrap 3	10.9	-65.1	-65.1	0.0	10.9	-65.1	-65.1	0.0
Hydraulic Unit	15.0	-65.0	-65.0	0.0	15.0	-65.0	-65.0	0.0
Hydraulic Unit1	20.1	-59.9	-59.9	0.0	20.1	-59.9	-59.9	0.0
Hydraulic Unit2	22.1	-57.9	-57.9	0.0	22.1	-57.9	-57.9	0.0
Low Side Washer 1	6.9	-67.1	-67.1	0.0	6.9	-67.1	-67.1	0.0
Low Side Washer 2	4.9	-69.1	-69.1	0.0	4.9	-69.1	-69.1	0.0
Prep Jet Pump Station Prep Jet Wand 1	33.0 33.3	-55.0 -54.7	-55.0 -54.7	0.0 0.0	33.0 33.3	-55.0 -54.7	-55.0 -54.7	0.0
Prep Jet Wand 2	33.5	-54.5	-54.5	0.0	33.5	-54.5	-54.5	0.0
Vacuum Hose End 1	26.4	-53.6	-53.6	0.0	26.4	-53.6	-53.6	0.0
Vacuum Hose End 2	26.6	-53.4	-53.4	0.0	26.6	-53.4	-53.4	0.0
Vacuum Hose End 3	26.8	-53.2	-53.2	0.0	26.8	-53.2	-53.2	0.0
Vacuum Hose End 4	27.0	-53.0	-53.0	0.0	27.0	-53.0	-53.0	0.0
Vacuum Hose End 5	27.3	-52.7	-52.7	0.0	27.3	-52.7 -52.5	-52.7 -52.5	0.0
Vacuum Hose End 6 Vacuum Hose End 7	27.5 27.7	-52.5 -52.3	-52.5 -52.3	0.0 0.0	27.5 27.7	-52.3 -52.3	-52.3 -52.3	0.0
Vacuum Hose End 8	27.9	-52.1	-52.1	0.0	27.9	-52.1	-52.1	0.0
Vacuum Hose End 9	25.7	-54.3	-54.3	0.0	25.7	-54.3	-54.3	0.0
Vacuum Hose End 10	25.9	-54.1	-54.1	0.0	25.9	-54.1	-54.1	0.0
Vacuum Hose End 11	26.1	-53.9	-53.9	0.0	26.1	-53.9	-53.9	0.0
Whisper Topwheel	17.4	-56.6	-56.6	0.0	17.4	-56.6	-56.6	0.0
10 Fl	56.9	-39 €	-39 6	0.0	57.0	-39.6	-396	0.0
1	35.5	0.0	0.0	0.0	35.9	0.0	0.0	0.0
2	36.4	0.0	0.0	0.0 0.0	37.6 51.1	0.0	0.0 0.0	0.0
3 Air Compressor 1	50.9 9.0	0.0 -63.0	0.0 -63.0	0.0	9.0	0.0 -63.0	-63.0	0.0
Air Compressor 1 Air Compressor 2	9.0	-63.0	-63.0	0.0	9.0	-63.0	-63.0	0.0
Aircannon 1	47.1	-56.9	-56.9	0.0	47.1	-56.9	-56.9	0.0
Aircannon 2	47.0	-57.0	-57.0	0.0	47.0	-57.0	- 57.0	0.0
Aircannon 3	47.0	-57.0	-57.0	0.0	47.0	<i>-</i> 57.0	-57.0	0.0
Aircannon 4	47.0	-57.0	-57.0	0.0	47.0	-57.0	-57.0	0.0
Aircannon 5	46.7	-57.3	-57.3	0.0	46.7	-57.3	-57.3	0.0
Aircannon 6	46.9 46.7	-57.1 -57.3	-57.1 -57.3	0.0 0.0	46.9 46.7	-57.1 -57.3	-57.1 -57.3	0.0
Aircannon 7	1 40.7	-01.0	-31.3	0.0	1 40.7	-01.0	-01.0	0.0
				·				

		Level	w/o NP			Level	w NP	
Source name	Leq1	Leq2	Leq3	Lmax	Legi	Leq2	Leq3	Lma⊀
		dB	(A)			dE	B(A)	
Buff and Dry 1	15.0	-59.0	-59.0	0.0	15.0	-59.0	-59.0	0.0
Buff and Dry 2	15.3	-58.7	-58.7	0.0	15.3	-58.7	-58.7	0.0
Buff and Dry 3	12.6	-61.4	-61.4	0.0	12.6	-61.4	-61.4	0.0
Component Pneumatic Panel 1	29.9	-63.1	-63.1	0.0	29.9	-63.1	-63.1	0.0
Component Pnuematic Panel 2	29.9	-63.1	-63.1	0.0	29.9	-63.1	-63.1	0.0
Dura Scrubber 1	8.2	-63.8	-63.8	0.0	8.2	-63.8	-63.8	0.0
Dura Scrubber 2	8.9	-63.1	-63.1	0.0	8.9	-63.1	-63.1	0.0
Duroflo Pump Station 1	17.0	-63.0	-63.0	0.0	17.0	-63.0	-63.0	0.0
Duroflo Pump Station 2	17.0	-63.0	-63.0	0.0	17.0	-63.0	-63.0	0.0
Eurovac	10.1	-64.9	-64.9	0.0	10.1	-64.9	-64.9	0.0
Eurovac	10.2	-64.8	-64.8	0.0	10.2	-64.8	-64.8	0.0
Gyro Wrap 1 Gyro Wrap 2	13.5 13.4	-62.5	-62.5	0.0	13.5	-62.5	-62.5	0.0
Gyro Wrap 2 Gyro Wrap 3	13.4	-62.6 -62.5	-62.6	0.0	13.4	-62.6	-62.6	0.0
Gyro Wrap 3	13.5	-62.5 -62.6	-62.5 -62.6	0.0 0.0	13.5 13.4	-62.5	-62.5	0.0
Hydraulic Unit	16.8	-63.2	-63.2	0.0	16.8	-62.6 62.2	-62.6	0.0
Hydraulic Unit1	32.7	-03.2 -47.3	-03.2 -47.3	0.0	32.7	-63.2 -47.3	-63.2 -47.3	0.0
Hydraulic Unit2	35.9	-47.3 -44.1	-47.3 -44.1	0.0	35.7 35.9	-47.3 -44.1		0.0
Low Side Washer 1	11.4	- 44 .1	-62.6	0.0	11.4	-44.1 -62.6	-44.1 -62.6	0.0
Low Side Washer 2	11.5	-62.5	-62.5	0.0	11.4	-62.5	-62.5	0.0 0.0
Prep Jet Pump Station	24.4	-63.6	-63.6	0.0	24.4	-62.5 -63.6	-62.5 -63.6	0.0
Prep Jet Wand 1	35.4	-52.6	-52.6	0.0	35.4	-52.6	-52.6	0.0
Prep Jet Wand 2	35.1	-52.9	-52.9	0.0	35.4	-52.0 -52.9	-52.0 -52.9	0.0
Vacuum Hose End 1	10.8	-69.2	-69.2	0.0	10.8	-69.2	-69.2	0.0
Vacuum Hose End 2	10.9	-69.1	-69.1	0.0	10.8	-69.1	-69.1	0.0
Vacuum Hose End 3	10.9	-69.1	-69.1	0.0	10.9	-69.1	-69.1	0.0
Vacuum Hose End 4	11.0	-69.0	-69.0	0.0	11.0	-69.0	-69.0	0.0
Vacuum Hose End 5	11.1	-68.9	-68.9	0.0	11.1	-68.9	-68.9	0.0
Vacuum Hose End 6	11.2	-68.8	-68.8	0.0	11.2	-68.8	-68.8	0.0
Vacuum Hose End 7	11.3	-68.7	-68.7	0.0	11.3	-68.7	-68.7	0.0
Vacuum Hose End 8	11.8	-68.2	-68.2	0.0	11.8	-68.2	-68.2	0.0
Vacuum Hose End 9	26.5	-53.5	-53.5	0.0	26.5	-53.5	-53.5	0.0
Vacuum Hose End 10	26.5	-53.5	-53.5	0.0	26.5	-53.5	-53.5	0.0
Vacuum Hose End 11	26.5	-53.5	-53.5	0.0	26.5	-53.5	-53.5	0.0
Whisper Topwheel	17.2	-56.8	-56.8	0.0	17.2	-56.8	-56.8	0.0
11 F1	54.6	-447	-44.7	0) ()	53.8	-45.2	-45.2	0.0
1	33.3	0.0	0.0	0.0	28.9	0.0	0.0	0.0
2	38.3	0.0	0.0	0.0	31.5	0.0	0.0	0.0
3	48.3	0.0	0.0	0.0	47.5	0.0	0.0	0.0
Air Compressor 1	7.8	-64.2	-64.2	0.0	7.3	-64.7	-64.7	0.0
Air Compressor 2	7.9	-64.1	-64.1	0.0	7.4	-64.6	-64.6	0.0
Aircannon 1	44.7	-59.3	-59.3	0.0	44.1	-59.9	-59.9	0.0
At		E0.6				00.4	00.4	0.0
Aircannon 2	44.4	-59.6	-59.6	0.0	43.9	-60.1	-60.1	0.0
Aircannon 2 Aircannon 3	44.4 44.5	-59.5 -59.5	-59.6 -59.5	0.0	43.9 43.8	-60.1 -60.2	-60.1 -60.2	0.0
Aircannon 3 Aircannon 4	44.5 44.8	-59.5 -59.2	-59.5 -59.2					
Aircannon 3 Aircannon 4 Aircannon 5	44.5 44.8 43.8	-59.5 -59.2 -60.2	-59.5 -59.2 -60.2	0.0	43.8 44.0 43.3	-60.2	-60.2	0.0
Aircannon 3 Aircannon 4	44.5 44.8	-59.5 -59.2	-59.5 -59.2	0.0 0.0	43.8 44.0	-60.2 -60.0	-60.2 -60.0	0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7	44.5 44.8 43.8 44.1 46.6	-59.5 -59.2 -60.2 -59.9 -57.4	-59.5 -59.2 -60.2 -59.9 -57.4	0.0 0.0 0.0	43.8 44.0 43.3	-60.2 -60.0 -60.7	-60.2 -60.0 -60.7	0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1	44.5 44.8 43.8 44.1 46.6 16.0	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0	0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5	-60.2 -60.0 -60.7 -60.5	-60.2 -60.0 -60.7 -60.5	0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2	44.5 44.8 43.8 44.1 46.6 16.0 14.2	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8	0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5	-60.2 -60.0 -60.7 -60.5 -58.5	-60.2 -60.0 -60.7 -60.5 -58.5	0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5	0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0	0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8	0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8 8.0	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8 8.0 7.1	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.9	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.9	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8 8.0 7.1 15.9	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.9 -64.1	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.9 -64.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.9 -64.6	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.9 -64.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8 8.0 7.1 15.9	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.9 -64.1	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.9 -64.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.9 -64.6	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8 8.0 7.1 15.9 15.9 8.3	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -64.1	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -64.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4 15.4 7.8	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 28.8 8.0 7.1 15.9 8.3 9.1	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -66.7 -65.9	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -64.1 -66.7 -65.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4 7.8 8.7	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 8.0 7.1 15.9 15.9 8.3 9.1 13.1	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.9 -64.1 -66.7 -65.9 -62.9	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -64.1 -66.7 -65.9 -62.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4 15.4 7.8 8.7	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3 -62.9	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3 -62.9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1 Gyro Wrap 2	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 8.0 7.1 15.9 15.9 8.3 9.1 13.1 12.2	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.1 -66.7 -65.9 -62.9 -63.8	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -66.7 -65.9 -62.9 -63.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4 15.4 7.8 8.7 13.1 12.2	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3 -62.9 -63.8	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3 -62.9 -63.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1 Gyro Wrap 2 Gyro Wrap 3	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 8.0 7.1 15.9 15.9 8.3 9.1 13.1 12.2 12.4	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.1 -66.7 -65.9 -62.9 -63.8 -63.6	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.1 -66.7 -65.9 -62.9 -63.8 -63.6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4 15.4 7.8 8.7 13.1 12.2 12.0	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -67.2 -66.3 -62.9 -63.8 -64.0	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -67.2 -66.3 -62.9 -63.8 -64.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Aircannon 3 Aircannon 4 Aircannon 5 Aircannon 6 Aircannon 7 Buff and Dry 1 Buff and Dry 2 Buff and Dry 3 Component Pneumatic Panel 1 Component Pnuematic Panel 2 Dura Scrubber 1 Dura Scrubber 2 Duroflo Pump Station 1 Duroflo Pump Station 2 Eurovac Eurovac Gyro Wrap 1	44.5 44.8 43.8 44.1 46.6 16.0 14.2 13.5 28.8 8.0 7.1 15.9 15.9 8.3 9.1 13.1 12.2	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.0 -64.1 -66.7 -65.9 -62.9 -63.8	-59.5 -59.2 -60.2 -59.9 -57.4 -58.0 -59.8 -60.5 -64.2 -64.2 -64.0 -64.1 -66.7 -65.9 -62.9 -63.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	43.8 44.0 43.3 43.5 45.5 13.9 12.7 10.0 28.2 28.3 8.0 7.1 15.4 15.4 7.8 8.7 13.1 12.2	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3 -62.9 -63.8	-60.2 -60.0 -60.7 -60.5 -58.5 -60.1 -61.3 -64.0 -64.8 -64.7 -64.0 -64.6 -64.6 -67.2 -66.3 -62.9 -63.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

		Level:	v/o NP		Level w NP				
Source name	Leq1	Leq2	Leq3	Lmax	Leq1	Leq2	Leq3	Lmax	
		dB	(A)			dB	(A)		
Hydraulic Unit1	27.9	-52.1	-52.1	0.0	27.9	-52.1	-52.1	0.0	
Hydraulic Unit2	27.0	-53.0	-53.0	0.0	27.0	-53.0	-53.0	0.0	
Low Side Washer 1	10.1	-63.9	-63.9	0.0	10.1	-63. 9	-63.9	0.0	
Low Side Washer 2	10.3	-63.7	-63.7	0.0	10.3	-63.7	-63.7	0.0	
Prep Jet Pump Station	24.3	-63.7	-63.7	0.0	24.3	-63.7	-63.7	0.0	
Prep Jet Wand 1	23.4	-64.6	-64.6	0.0	23.4	-64.6	-64.6	0.0	
Prep Jet Wand 2	22.1	-65.9	-65.9	0.0	22.1	-65.9	-65.9	0.0	
Vacuum Hose End 1	16.9	-63.1	-63.1	0.0	8.0	-72.0	-72.0	0.0	
Vacuum Hose End 2	7.1	-72.9	-72.9	0.0	4.7	-75.3	-75.3	0.0	
Vacuum Hose End 3	9.6	-70.4	-70.4	0.0	9.2	-70.8	-70.8	0.0	
Vacuum Hose End 4	9.3	-70.7	-70.7	0.0	9.1	-70.9	-70.9	0.0	
Vacuum Hose End 5	9.1	-70.9	-70.9	0.0	8.9	-71.1	-71.1	0.0	
Vacuum Hose End 6	8.8	-71.2	-71.2	0.0	8.8	-71.2	-71.2	0.0	
Vacuum Hose End 7	8.7	-71.3	-71.3	0.0	8.7	-71.3	-71.3	0.0	
Vacuum Hose End 8	8.5	-71.5	-71.5	0.0	8.5	-71.5	-71.5	0.0	
Vacuum Hose End 9	8.4	-71.6	-71.6	0.0	8.4	-71.6	-71.6	0.0	
Vacuum Hose End 10	13.7	-66.3	-66.3	0.0	13.7	-66.3	-66.3	0.0	
Vacuum Hose End 11	11.7	-68.3	-68.3	0.0	11.7	-68.3	-68.3	0.0	
Whisper Topwheel	16.0	-58.0	-58.0	0.0	16.0	-58.0	-58.0	0.0	

Noise Emissions of Industry Sources

			Le	vel			Corrections	
Source name	Reference	Leg1	Leq2	Leq3	Lmax	Kwall	CI	СТ
		dB(A)	dB(A)	dB(A)	dB(A)	dB(A)	dB(A)	dB(A)
Prep Jet Wand 1	Unit	88.0	- (,		-	<u> </u>		ab(it)
Prep Jet Wand 2	Unit	88.0	_	_	- 1	_]	
Dura Scrubber 1	Unit	72.0		_	_	_		
Dura Scrubber 2	Unit	72.0	_	_	_		_	
Low Side Washer 1	Unit	74.0	_	_	_	_	_ [
Gyro Wrap 1	Unit	76.0	_	_		_]	
Gyro Wrap 2	Unit	76.0	_ [_	_	_1	i _	
Low Side Washer 2	Unit	74.0	_	_	_	_	_	
Whisper Topwheel	Unit	74.0	-	_ :		_ [_	
Gyro Wrap 3	Unit	76.0	_	_	_			
Gyro Wrap 4	Unit	76.0	- 1	.	_	_		
Aircannon 1	Unit	104.0	_	_	_			
Aircannon 2	Unit	104.0	_	_ {				
Aircannon 3	Unit	104.0	_	_	_ [_ [[]	
Aircannon 4	Unit	104.0	- [_	_]	_	_ [
Aircannon 5	Unit	104.0	_	_	- 1	_		
Aircannon 6	Unit	104.0	_	_	- 1	_ [
Aircannon 7	Unit	104.0	_	_	_			
Buff and Dry 1	Unit	74.0	_ }	_	_ 1	_ [
Buff and Dry 2	Unit	74.0	_	_	_	- 1		
Buff and Dry 3	Unit	74.0	_	_	_			
Prep Jet Pump Station	Unit	88.0	_	_	_		_]	
Component Pneumatic Panel 1	Unit	93.0	_	_	_ [_]		
Component Pnuematic Panel 2	Unit	93.0	_	_		[]		
Air Compressor 1	Unit	72.0	_	_	_		[]	
Air Compressor 2	Unit	72.0	_	- 1	_	_ ا	- 1	
Duroflo Pump Station 1	Unit	80.0	_	_	_	_ [[]	
Duroflo Pump Station 2	Unit	80.0	_ [_	_	_	_ [
Hydraulic Unit	Unit	80.0	_	_	- 1	_	_	
Vacuum Hose End 1	Unit	80.0	_	- 1	_ [_	_	
Vacuum Hose End 2	Unit	80.0	_	_	_	_	[]	_
Vacuum Hose End 3	Unit	80.0	-	_	- 1	_	- 1	
Vacuum Hose End 4	Unit	80.0	_	_	- 1	_	_[
Vacuum Hose End 5	Unit	80.0	_	- {	-	_ [_	_
Vacuum Hose End 6	Unit	80.0	-	-	_	_	_	_
Vacuum Hose End 7	Unit	80.0	-	-	- 1	_	-1	_
Vacuum Hose End 8	Unit	80.0	_	-	.	_}	_	_
Vacuum Hose End 9	Unit	80.0	_	_]	.		_	_
Vacuum Hose End 10	Unit	80.0	_	-	_		_}	_
Vacuum Hose End 11	Unit	80.0	_	_	_ [_	_[_
Eurovac	Unit	75.0	- 1	_	_	_	- [_
Eurovac	Unit	75.0	_	_	_ I		[]	_
Hydraulic Unit1	Unit	80.0	-	-	- 1	_	- 1	_
Hydraulic Unit2	Unit	80.0	_		_ [-

Noise Emissions of Parking Lot Traffic

Г	Name	Parking lot type	Low noise		Move per l	menis hour		Road surface	Separate method	Level	
			trolleys		Leq1	Leq2	Leq3	Lmax			dB(A)
1		Fast food restaurants (Drive-	-	11	25.00	0.000	0.000	0.000	Asphaltic lanes	no	78.2
2		Fast food restaurants (Drive-	-	7	16.00	0.000	0.000	0.000	Asphaltic lanes	no	75 .5
3		Fast food restaurants (Drive-		17	39.00	0.000	0.000	0.000	Asphaltic lanes	no	81.6

Receiver List

					Limit		L	.evel w/o	NP	L	evel 4	NP		Differ	ence			Conf	lict	
No.	Receiver name	Build	Floor	Leq1 I	Leq2 Le	eq3 Lma	Leq1	Leq2 Le	q3 Lmax	Leq1	Leq2 L	.eq3 Lma	Leq1	Leq2	Leq3	Lmax	Leg1	Leq2 L	.eq3	Lmax
		side			dB(A)		dB(A)			dB(/	4)(4)		dB	(A)			dB(/	۹)	
1	1		FI	-			53.4	-38.6 -3	8.6 0.0	50.8	-41.t	41.5 0.0	-2.6	-2.9	-2.9	0.0	-	-	-	
2	2		FI	-	-		61.2	-373	7.1 0.0	57.5	-41.8	-41.8 0.0	-3.7	-4.7	-4.7	0.0	-	-	-	
3	3		FI	-	-		59.9	-39.4 -3	9.4 0.0	56.4	-43.(-	43.0.0	-3.5	-3.9	-3.9	0.0	-		-	-
4	4		FI		-		57.0	-41.7 -4	1.7 0.0	54.1	-44.6	44.6 0.0	-2.9	-3.0	-3.0	0.0	-	-	-	-
5			FI	-	-		53.4	-38.4 -3	8.4 0.0	53.0	-38.(38.5 0.0	-0.4	-0.1	-0.1	0.0	-	-	-	
6	6		FL	-	-		50.7	-39.(-3	9.0 0.0	50.7	-39.(-39.(0.0	0.0	0.0	0.0	0.0			-	
7			FI	-	-		50.8	-38.(-3	0.0	50.9	-38.	38.0.0	0.1	0.0	0.0	0.0	-	-	-	-
8			FJ	-	-		50.0	-39.2 -39	9.2 0.0	50.1	-39.2 -	39.2 0.0	0.1	0.0	0.0	0.0	-	-	-	-
9			FI	-	-		48.4	-41.1 -4	1.1 0.0	48.5	-4 1.′ -	41. 0.0	0.1	0.0	0.0	0.0		-	-	
10			FI	-			56.9	-39.(-39	9.6 0.0	57.0	-39.6 -	-39.€ 0.0	0.1	0.0	0.0	0.0	-	-	-	
11	11		FI	-	-		54.6	-44.7 -4	4.7 0.0	53.8	-45.2 -	45.2 0.0	-0.8	-0.5	-0.5	0.0	_		-	- 7

			Level	w/o NP		Level w NP			
Source name		Leq1	Leq2	Leq3	Lmax	Leq1	Leq2	Leq3	Lmax
		dB(A)					dB	(A)	
1	Fl	52.4	-427	-42 7	64 9	449	-46 5	-46 5	60 9
1		41.8	0.0	0.0	0.0	33.9	0.0	0.0	0.0
2		45.6	0.0	0.0	0.0	37.7	0.0	0.0	0.0
3		50.6	0.0	0.0	0.0	43.0	0.0	0.0	0.0
Hydraulic Unit1		29.7	-50.3	-50.3	0.0	26.2	-53.8	-53.8	0.0
Hydraulic Unit2		27.4	-52.6	-52.6	0.0	24.2	-55.8	-55.8	0.0
Lmax Event1		35.9	-44.1	-44.1	64.9	31.9	-48.1	-48.1	60.9

Noise Emissions of Industry Sources

			Le	vel		Corrections			
Source name	Reference	Leq1	Leq2	Leq3	Lmax	Kwall	CI	CT	
		dB(A)	dB(A)	dB(A)	dB(A)	dB(A)	dB(A)	dB(A)	
Hydraulic Unit1	Unit	80.0	-	-	-	-	-	-	
Hydraulic Unit2	Unit	80.0	-	-	-	-1	' -	-	
Lmax Event1	Unit	80.0	-	_	109.0	_	-1	-	

Noise Emissions of Parking Lot Traffic

Name	Parking loî type	Low Movements noise Size per hour				Road surface	Separate method	Level			
		trolleys			Leq1	Leq2	Leq3	Lmax			dB(A)
1	Fast food restaurants (Drive-	_	11		25.00	0.000	0.000	0.000	Asphaltic lanes	по	78.2
2	Fast food restaurants (Drive-	-	7		16.00	0.000	0.000	0.000	Asphaltic lanes	no	75 .5
3	Fast food restaurants (Drive-	-	17		39.00	0.000	0.000	0.000	Asphaltic lanes	no	81.6

Receiver List

-								
				Limit	Level ₩/o NP	Level w. NP	Difference	Conflict
No	Receiver name	Build	Floor	Leg1 Leg2 Leg3 Lmax	Leq1 Leq2 Leq3 Lmax	Leq1 Leq2 Leq3 Lmax	Leq1 Leq2 Leq3 Lmax	Legi Leg2 Leg3 Lmax
		side		dB(A)	dB(Ā)	dB(A)	dB(A)	dB(A)
	1		FI	-	52.4 -42.7 -42.7 64.9	44.9 -46.! -46.! 60.9	-7.5 -3.8 -3.8 -4.0	



MEETING DATE

February 22, 2017

SITE PLAN NO.

16-140

PARCEL MAP NO.

SUBDIVISION

LOT LINE ADJUSTMENT NO.

Enclosed for your review are the comments and decisions of the Site Plan Review committee. Please review all comments since they may impact your project.

	for bu	JBMIT Major changes to your plans are required. Prior to accepting construction drawing uilding permit, your project must return to the Site Plan Review Committee for review of the plans.	-
		During site plan design/policy concerns were identified, schedule a meeting with Planning Engineering prior to resubmittal plans for Site Plan Review.	
·		Solid Waste Parks and Recreation Fire Dept.	
	REVIS	SE AND PROCEED (see below)	
	\boxtimes	A revised plan addressing the Committee comments and revisions must be submitted for C Agenda Review and approval prior to submitting for building permits or discretionary action	
		Submit plans for a building permit between the hours of 9:00 a.m. and 4:00 p.m., Mond through Friday.	ay
	X	Your plans must be reviewed by:	
		CITY COUNCIL REDEVELOPMENT	
		PLANNING COMMISSION PARK/RECREATION CUP	
		HISTORIC PRESERVATION OTHER -TCUP	
\square	ΔΟΟΙ	ITIONAL COMMENTS: OFF AGENDA FOR INTERNAL DRIVE ALSE FIDESION	

ADDITIONAL COMMENTS: OFF AGENDA FOR INTERNAL DRIVE AISLE DESION

If you have any questions or comments, please call Jason Huckleberry at (559) 713-4259.2 Site Plan Review Committee



BUILDING/DEVELOPMENT PLAN REQUIREMENTS	ITEM NO: 4 DATE	FEBRUARY 22, 2017
ENGINEERING DIVISION	SITE PLAN NO.:	16-140 RESUBMITTAL
Jason Huckleberry 713-4259	PROJECT TITLE:	CAMERON CREEK ARCO AMPM
⊠Adrian Rubalcaba 713-4271	DESCRIPTION:	NEW SERVICE STATION W/ 6000SF
-		CONVENIENCE STORE, 10 DISPENSER CANOPY
		AND AUTOMATED CARWASH. STORE TO
n ox		OPERATE 24 HOUR W/ SALES OF BEER AND
	ADDUANT	WINE
	APPLICANT:	CAMERON CREEK ARCO AMPM
	PROP OWNER: LOCATION:	CAMERON CREEK MARKETPLACE LLC
SITE PLAN REVIEW COMMENTS	APN:	126-870-037
XREQUIREMENTS (indicated by	/3 N.	120-070-007
checked boxes)		
⊠Install curb return with ramp, with 35's	radius: WEST & CAL	DWELL SEE ADDL COMMENTS
☑Install curb; ☑gutter WEST S	T	DIVELL, OLL ADDL COMMENTO
		TO CITY COMMERCIAL STDS
Sidewalk: 6' width; 10' parkway wid	th at INFCT CT	TO OTT TOOMMENCIAL STDS
		et frontage(s) of the subject site that has become
uneven, cracked or damaged and ma		
		grazaru. age(s) of the subject site that has become uneven
and has created areas where water ca		ige(s) of the subject site that has become uneven
Right-of-way dedication required. A tit		or varification of own archin
Deed required prior to issuing building		
Scity Encroachment Permit Required. I		
		on each) and workers compensation (\$1 million),
		ense must be on file with the City, and valid
		erise files be on file with the City, and valid permit. Contact Encroachment Tech, at 713-4414.
		mments required prior to issuing building permit.
Contacts: David Deel (Planning) 488-		minerus required prior to issuing building permit.
		ion required prior to approval of Final Map.
Landscape & Lighting District will me	e Owners Associat	landscaping, street lights, street trees and local
		ighting District application and filing fee a min. of
75 days before approval of Final Map.		ignarig district application and hing lee a min. of
		d for each phase. Landscape plans will need to
		ns of street trees near intersections will need to
		s. A street tree and landscape master plan for all
		ie initial phase to assist City staff in the formation
of the landscape and lighting assessm		e initial phase to assist City stail in the formation
		ed, then a master plan is required for the entire
		des and street grades. Prepared by registered
		e based on the City's benchmark network. Storm directed to the City's existing storm drainage
		 □ directed to the City's existing storm drainage □ c) ☐ directed to a temporary on-site basin is
		able to the City's storm drainage system. On-site
maintenance. CONNECT TO ONSITE		cing required, provide access ramp to bottom for
		rmed prior to issuance of the building permit.
=.020%, V-gutter = 0.25%)	.es. A.C. pavenient -	1%, Concrete pavement = 0.25%. Curb & Gutter
	one A refeiries well	will be required for grade differences greater than
0.5 feet at the property line.	ma. A retaining wall	will be reduited for Grade differences greater than
	ite and across the ne	pject frontage shall be improved to their full width,
		olicies, standards and specifications. WEST ST
- Jabjeve to avaliable light of way, III act	and an incommunity of the	more, standards and specimentons. WEST ST

☑Traffic indexes per city standards: REFER TO CITY COLLECTOR STREET STDS & SPECS
☑Install street striping as required by the City Engineer. FURTHER COORDINATE WITH TRAFFIC DEPT.
☑Install landscape curbing (typical at parking lot planters). ONSITE AS NECESSARY
Minimum paving section for parking: 2" asphalt concrete paving over 4" Class 2 Agg. Base, or 4" concrete
pavement over 2" sand.
☑Design Paving section to traffic index of 5.0 min. for solid waste truck travel path.
⊠Provide "R" value tests: 1 each at 300' INTERVALS
Written comments required from ditch company Contacts: James Silva 747-1177 for Modoc,
Persian, Watson, Oakes, Flemming, Evans Ditch and Peoples Ditch; Jerry Hill 686-3425 for Tulare Irrigation
Canal, Packwood and Cameron Creeks; Bruce George 747-5601 for Mill Creek and St. John's River.
Access required on ditch bank, 15' minimum Provide wide riparian dedication from top of bank.
Show Oak trees with drip lines and adjacent grade elevations. Protect Oak trees during construction in
accordance with City requirements.
A permit is required to remove oak trees. Contact Joel Hooyer at 713-4295 for an Oak tree evaluation or
permit to remove. A pre-construction conference is required.
⊠Relocate existing utility poles and/or facilities.
Underground all existing overhead utilities within the project limits. Existing overhead electrical lines over
50kV shall be exempt from undergrounding.
Subject to existing Reimbursement Agreement to reimburse prior developer:
Example 2 Fugitive dust will be controlled in accordance with the applicable rules of San Joaquin Valley Air District's
Regulation VIII. Copies of any required permits will be provided to the City.
If the project requires discretionary approval from the City, it may be subject to the San Joaquin Valley Air
District's Rule 9510 Indirect Source Review per the rule's applicability criteria. A copy of the approved AIA
application will be provided to the City.
☑If the project meets the one acre of disturbance criteria of the State's Storm Water Program, then coverage
under General Permit Order 2009-0009-DWQ is required and a Storm Water Pollution Prevention Plan
(SWPPP) is needed. A copy of the approved permit and the SWPPP will be provided to the City.
Comply with prior comments. Resubmit with additional information. Redesign required.
AT DOLLAR

Additional Comments:

- 1. Existing curb ramp at West & Caldwell is required to comply with current City std's. Modify or remove & replace accordingly.
- 2. Street section for West St. shall meet City collector design standards. A 10' parkway and 6' sidewalk is required. An easement for the sidewalk area shall be deeded to the City, refer to City document format and procedures available on the City website.
- 3. West St. shall be improved to Kimball Ave. Curb, gutter, parkway landscaping, street lights, sidewalk, and pavement is required. The northeast corner curb ramp return at Kimball and West shall be installed with City std. 30' radius return.
- 4. Additional street striping will be required on West St.
- 5. Proposed drive approach location on West St. is adequate.
- 6. An access drive onsite to surround the parcel and connect to existing onsite drive aisle east is required. A copy of the granted egress/ingress from adjacent parcels owners is required.
- 7. Street frontages shall be landscaped and comply with State MWELO regulations. Improvement plans shall accompany onsite building plans.
- 8. The trash enclosure location and position will allow for a direct-stab by a Solid Waste vehicle however additional pavement is required in front of the enclosure for adequate Solid Waste vehicle manueverability. Comply with City 24' enclosure standards with concrete apron and gates.

- 9. Sewer and storm drain utility connections shall be from existing onsite master design.
- 10. Refer to Traffic Safety Dept. comments for additional requirements.
- 11. Refer to Planning Dept. comments for additional requirements.
- 12. An accessible path of travel from the public sidewalk to building entrance is required.
- 13. It is typical to see an emergency escape exit for vehicles in carwash queue.
- 14. Proposed development will incur impact fees associated with the land development, fueling stations, convenience store and internal food services, and carwash. Refer to page 4 for applicable fees.
- 15. Resubmit Off-Agenda for required onsite drive aisle and connection to existing to the east.

SUMMARY OF APPLICABLE DEVELOPMENT IMPACT FEES

Site Plan No:	: 16-140 RESUBMITTAL		
Date:	2/22/2017		

Summary of applicable Development Impact Fees to be collected at the time of building permit:

(Preliminary estimate only! Final fees will be based on the development fee schedule in effect at the time of building permit issuance.)

(Fee Schedule Date:10/1/2016) (Project type for fee rates:VARIES)

Existing uses may qualify for credits on Development Impact Fees.

Line Line and a may quality for ordated on Dorotopinon impact 1 000			
FEE ITEM Groundwater Overdraft Mitigation Fee	FEE RATE \$1,226/AC X 1.6 = \$1,961.60		
☐ Transportation Impact Fee	\$13,825/1KSF X 10.9 = \$150,693 GAS STATION 20 POSITIONS = \$332,504		
Trunk Line Capacity Fee	RETAIL \$23/1KSF X 6 = \$138 CARWASH \$18,588/EACH X 1 WALK-UP \$1,278/EACH X TBD TREATMENT PLANT FEES: RETAIL \$53/1KSF X 6 = \$318 CARWASH \$20,239/EACH X 1 WALK-UP \$5,613/EACH X TBD		
Sewer Front Foot Fee	\$41/LF X 200' (CALDWELL) = \$8,200		
Storm Drain Acq/Dev Fee	\$6,554/AC X 1.6 = \$10,486.40		
Park Acq/Dev Fee			
Northeast Specific Plan Fees			
	\$4,811/AC X 1.6 = \$7,697.60		
Public Safety Impact Fee: Police	\$8,223/AC X 1.6 = \$13,156.80		
Public Safety Impact Fee: Fire	\$1,799/AC X 1.6 = \$2,878.40		
Public Facility Impact Fee	\$316/1000SF X 10.9 = \$3,444.40		

Reimbursement:

Parking In-Lieu

- 1.) No reimbursement shall be made except as provided in a written reimbursement agreement between the City and the developer entered into prior to commencement of construction of the subject facilities.
- 2.) Reimbursement is available for the development of arterial/collector streets as shown in the City's Circulation Element and funded in the City's transportation impact fee program. The developer will be reimbursed for construction costs and right of way dedications as outlined in Municipal Code Section 16.44. Reimbursement unit costs will be subject to those unit costs utilized as the basis for the transportation impact fee.
- 3.) Reimbursement is available for the construction of storm drain trunk lines and sanitary sewer trunk lines shown in the City's Storm Water Master Plan and Sanitary Sewer System Master Plan. The developer will be reimbursed for construction costs associated with the installation of these trunk lines.

drian Rubalcaba

SITE PLAN REVIEW COMMENTS

CITY OF VISALIA TRAFFIC SAFETY DIVISION February 22, 2017

ITEM NO: 4

RESUBMIL

SITE PLAN NO:

SPR16140

PROJEC! TITLE:

CAMERON CREEK ARCO AMPM

DESCRIPTION:

NEW SERVICE STATION WI 6000SF CONVENIENCE STORE, 10 DISPENSER CANOPY AND

AUTOMATED CARWASH, STORE TO OPERATE 24 HOUR W/ SALES OF BEER AND WINE (CN)

(A) (A)

APPLICANT:

CAMERON CREEK ARCO AMPM

PROPLOWNER:

CAMERON CREEK MARKETPLACE LLC

LOCATION:

SWC OF EAST CALDWELL AVE AND S COURT STREET

APN(S):

126-870-037

THE TRAFFIC DIVISION WILL PROHIBIT ON-STREET PARKING AS DEEMED NECESSARY

	No Comments
\boxtimes	See Previous Site Plan Comments
\boxtimes	Install Street Light(s) per City Standards.
	Install Street Name Blades at Locations.
X	Install Stop Signs at <i>driveway exit</i> Locations.
X	Construct parking per City Standards PK-1 through PK-4.
X	Construct drive approach per City Standards.
	Traffic Impact Analysis required.
	Provide more traffic information such as a TIA may be required.

Additional Comments:

- Show access queuing.
- Connect to main drive aisle off Caldwell

Leslie Blair

City of Visalia
Building: Site Plan
Review Comments

ITEM NO: 4

DATE: February 22, 2017

SITE PLAN NO:

SPR16140

RESUBMIT

PROJECT TITLE: DESCRIPTION:

CAMERON CREEK ARCO AMPM

NEW SERVICE STATION W/ 6000SF CONVENIENCE STORE, 10 DISPENSER CANOPY AND AUTOMATED

CARWASH. STORE TO OPERATE 24 HOUR WI SALES OF BEER AND WINE (CN) (X) (A)

APPLICANT: CAMERON CREEK ARCO AMPM

PROP OWNER:

CAMERON CREEK MARKETPLACE LLC

LOCATION:

SWC OF EAST CALDWELL AVE AND S COURT

NOTE: These are getteral comments and DO NOT cons APN(S):

126-870-037

	Please refer to the applicable California Codes & local ordi	nance for additional requirements,
	Business Tax Certification is required.	For information call (559) 713-4326
X	A building permit will be required.	For information call (559) 713-4444
X	Submit 4 sets of professionally prepared plans and 2 sets of calculations. (Small	Tenant Improvements)
	Submit 4 sets of plans prepared by an architect or engineer. Must comply with 2013 construction or submit 2 sets of engineered calculations.	3 California Building Cod Sec. 2308 for conventional light-frame
	Indicate abandoned wells, septic systems and excavations on construction plans.	
X	You are responsible to ensure compliance with the following checked items: Meet State and Federal requirements for accessibility for persons with disabilities.	
X	A path of travel, parking, common area and public right of way must comply with re	quirements for access for persons with disabilities.
	Multi family units shall be accessible or adaptable for persons with disabilities.	10
	Maintain sound transmission control between units minimum of 50 STC.	
	Maintain fire resistive requirements at property lines.	
	A demolition permit & deposit is required.	For information call (559) 713-4444
	Obtain required clearance from San Joaquin Valley Air Pollution Board, Prior to am o	demolitian work
	For information call (661) 392-5500	
N	Location of cashier must provide clear view of gas pump island	
X	Plans must be approved by the Tulare County Health Department.	For Information call (559) 624-7400
	Project is located in flood zone Hazardous materials report.	
	Arrange for an on-site inspection. (Fee for inspection \$157.00)	For information call (559) 713-4444
X	School Development rees. Commercial \$0.56 per square foot. Residential \$3.75 per	r square foot.
	Existing address must be changed to be consistent with city address.	For information call (559) 713-4320
	Acceptable as submitted	N.
	No comments	
	See previous comments dated:	END THE
	Special comments: MEET ITE MWILC	REQUEENEMENTS FOR THE
	MESCETTOR.	TRAILE CALLAS

Signature

City of Visaria Yerks and Urban Jurestry 336 N. Ben Maddox Way Viselia, CA 93292

Date: // //

Site Plan Review # 16140

SITE PLAN MEVRUW COMMENTS

-	Common count reached place	
i	w. caldwall to=	
	W	
{		
		ď
<u></u>		10
CON	MMENTS: See Below None	
	Messe plot and protect all Valley Oak Trees.	
	Landscape along parkway to be planted by developer and maintained by a maintenance district.	
	All drainage from our and gutter along streets to be connected to storm drain system.	L
	All trees planted in street right-of-way to be approved by the Public Works Superintendent of Parks.	5
	Tie-ins to extering infrastructure may require a voce. Check with the Public Works Department prior to any street cet.	
Other	Cotamer's:	
		
		-
·		
1	216 an -	
el Ho	Over	
irks an	ad Urban Forestry Supervisor	

559 713-4295

Fox 559 713-4818

Bosil: jacoyer@ci.visalis.ca.us

SITE PLAN REVIEW COMMENTS

Paul Bernal, Planning Division (559) 713-4025

Date: February 22, 2017

SITE PLAN NO:

2016-140 RESUBMITTAL

PROJECT TITLE: DESCRIPTION:

CAMERON CREEK MARKETPLACE

ARCO MINIMART, CAR WASH (CN ZONED) (X) (DISTRICT A)

APPLICANT:

Camron Creek

PROP. OWNER:

CAMERON CREEK MARKETPLACE LLC

LOCATION TITLE:

W CALDWELL AVE

APN TITLE:

126-870-037

GENERAL PLAN:

Neighborhood Commercial EXISTING ZONING: NC (Neighborhood Commercial)

Planning Division Recommendation:

Revise and Proceed - Off Agenda w/ master site plan circulation

Resubmit

Prior Entitlements

- Jack-N-Box CUP No. 2015-18 (SPR15-045)
- CUP 2005-22/Var. 2005-08/PM 2005-14
- CUP 2008-06/Var. 2008-02 (Entitlements have expired)

Project Requirements

Conditional Use Permit for Gas Station

Conditional Use Permit for Car Wash

- · Conditional Use Permit Amendment for CUP No. 2005-22, which showed this portion (126-870-037) of the shopping center as a drive-thru restaurant
- Conditional Use Permit Amendment for CUP No. 2005-22, to add the access point shown on Caldwell east of the project site. This access point was conceptually shown in SPR 2015-045, but not entitled with any of their actions.
- Initial Study (new initial study required for gas station and car wash)
- Nosie Study required for the car wash
- Light Study required for car wash and service station lights
- Traffic Impact Study (see Traffic SPR comments)
- Operational Statement for both proposed components required
- Meet Sign Program for the shopping center
- Direct Stab Trash Enclosure required, see Solid Waste comments
- ADA connection to public sidewalk
- Additional Information as Needed
- Connection of main drive-way to the east as depicted on a master site plan exhibit

PROJECT SPECIFIC INFORMATION: 02/22/2017

- 1. Modifications/revisions to the master site plan approved with CUP No. 2005-22 will require a CUP amendment.
- 2. A new initial study is required as part of the CUP entitlements.
- 3. Staff will require that street frontage improvements along Caldwell and West Streets (i.e., curb, gutter, sidewalk, park-strip landscaping) be installed to limits determined through the Site Plan Review process. Sidewalk, curb and gutter shall be extended down to Kimball Avenue.
- 4. Provide a master plan for the site integrating the proposed project. Master Plan shall show all approved access drives, limit of existing improvements, and all proposed improvements with

NOTE: All CUP required entitlements may be done under one CUP unless otherwise indicated.

this project. Connection to the existing primary drive-way along Caldwell Avenue that provides vehicular access to the Jack and the Box shall be extended to the west providing vehicular access to the ARCO service station.

- 5. The CUP site plan shall provide depiction of the car wash queue area and payment klosk.
- 6. The site plan exhibit shall call out dimensions for parking stalls and provide distance call-outs on landscape setbacks that are consistent with the setbacks approved as part of the CUP 2005-22/Variance 2005-08 approval.
- 7. Direct Stab Trash Enclosure is required.
- 8. Provide and depict the ADA connection to public sidewalk.
- 9. A Noise study shall be submitted with the CUP application.
- 10. The Photometric study shall be submitted with the CUP application.
- 11. NOTE: The residential area to the west is a light and noise sensitive land use.
- 12. Comply with all conditions for CUP No. 2005-22, Variance No. 2005-08 and Tentative Parcel Map No. 2005-14.

Staff initial finding is that the proposed site plan IS CONSISTENT with the City General Plan. Because this project requires discretionary approval by the City Council and/or Planning Commission the final determination of consistency will be made by the Planning Commission and/or City Council.

Design District: "K" [17.30.270]

The following development standards shall apply to property located in district K.

New development of property within this district shall comply with the conditions of approval of the applicable planned unit development permit. New development of property not situated within a planned unit development shall conform with development standards as determined by the site plan review committee as provided in Section 17.18.020.

Parking:

- 1. Parking shall be provided at the unified shopping center rate of one space per 225 square feet of gross floor area (see Zoning Ordinance Section 17.34.020).
- 2. 30% of the required parking stalls may be compact and shall be evenly distributed in the lot (Zoning Ordinance Section 17.34.030.I).
- 3. Provide handicapped space(s) (see Zoning Ordinance Section 17.34.030.H).
- 4. Provide bike rack(s).
- 5. Parking at the <u>Pumps</u> and under the <u>Car Wash Drying Canopy</u> is not counted towards meeting parking requirements.

Landscaping:

- 1. The City has adopted the State Water Efficient Landscape Ordinance. The ordinance applies to projects installing 2,500 square feet or more of landscaping. It requires that landscaping and irrigation plans be certified by a qualified entity (i.e., Landscape Architect) as meeting the State water conservation requirements. The City's implementation of this new State law will be accomplished by self-certification of the final landscape and irrigation plans by a California licensed landscape architect or other qualified entity with sections signed by appropriately licensed or certified persons as required by the ordinance. NOTE: Prior to a final for the project, a signed Certificate of Compliance for the MWELO standards is required indicating that the landscaping has been installed to MWELO standards.
- 2. Provide street trees at an average of 20-feet on center along street frontages. All trees to be 15-gallon minimum size (Zoning Ordinance Section 17.30.130.C).
- 3. In the P(R-M) multi-family residential zone, all multiple family developments shall have landscaping including plants, and ground cover to be consistent with surrounding landscaping in the vicinity. Landscape plans to be approved by city staff prior to installation and occupancy

- of use and such landscaping to be permanently maintained. (Zoning Ordinance Section 17.16.180)
- 4. All landscape areas to be protected with 6-inch concrete curbs (Zoning Ordinance Section 17,30.130.F).
- 5. All parking lots to be designed to provide a tree canopy to provide shade in the hot seasons and sunlight in the winter months.
- 6. Provide a detailed landscape and irrigation plan as a part of the building permit package (Zoning Ordinance Section 17.34.040).
- 7. An 80 sq. ft. minimum landscape well is required every 10 contiguous parking stalls (Zoning Ordinance Section 17.30.130.C).
- 8. Provide a detailed landscape and irrigation plan for review prior to issuance of building permits. Please review Zoning Ordinance section 17.30.130-C for current landscaping and irrigation requirements.
- 9. Provide a conceptual landscape plan for resubmittal or planning commission review.
- 10. Locate existing oak trees on site and provide protection for all oak trees greater than 2" diameter (see Oak Tree Preservation Ordinance).
- 11. Maintenance of landscaped areas. A landscaped area provided in compliance with the regulations prescribed in this title or as a condition of a use permit or variance shall be planted with materials suitable for screening or ornamenting the site, whichever is appropriate, and plant materials shall be maintained and replaced as needed, to screen or ornament the site. (Prior code § 7484)

Lighting: NOTE: Cas Island Canopy Lighting (fascia) and Illuminated Signage may be restricted or be required to be turned off based upon Light Study for the residendal areas to the west.

- 1. All lighting is to be designed and installed so as to prevent any significant direct or indirect light or glare from falling upon any adjacent residential property. This will need to be demonstrated in the building plans and prior to final on the site.
- 2. Parking lot and drive aisle lighting adjacent to residential units or designated property should consider the use of 15-foot high light poles, with the light element to be completely recessed into the can. A reduction in the height of the light pole will assist in the reduction/elimination of direct and indirect light and glare which may adversely impact adjacent residential areas.
- 3. Building and security lights need to be shielded so that the light element is not visible from the adjacent residential properties, if any new lights are added or existing lights relocated.
- 4. NOTE: Failure to meet these lighting standards in the field will result in no occupancy for the building until the standards are met.
- 5. In no case shall more than 0.5 lumens be exceeded at any property line, and in cases where the adjacent residential unit is very close to the property line, 0.5 lumens may not be acceptable.

Drive-thru Performance Standards (Section 17.32.162) CAR WASH

- A. Purpose and Intent: It is the purpose of this section to specify performance standards applicable to uses that seek to incorporate a drive-thru lane in associate with specified use. This section does not apply to carwashes and lube and oil changing stations.
- B. Performance Standards:
- 1. <u>Separation from residences</u>: The drive-thru lane shall be no less than 250 feet from the nearest residence or residentially zoned property.
- Stacking: The drive-thru lane shall contain no less than ten vehicle stacking, measured
 from the pickup window to the designated entrance to the drive-thru lane. There shall be
 no less than three vehicles spaces distance from the order menu/speaker (or like device)
 to the designated entrance to the order window.
- 3. <u>Circulation</u>: No portion of the drive-thru lane shall obstruct any drive aisles or required onsite parking. The drive thru shall not take ingress or egress from a local residential road.

- 4. Noise: no component or aspect of the drive-thru lane or its operation shall generate noise levels in excess of 60db between the hours of 7:00 p.m. and 6:00 a.m. daily.
- 5. <u>Screening</u>: The entire drive-thru lane shall be screened from adjacent street and residential view to a height of three feet. Screening devices shall be a combination of berming, hedge and landscape materials, and solid walls as approved by the City Planner.
- 6. Menu boards and signage: Shall be oriented or screened to avoid direct visibility from adjacent public streets.


The comments found on this document pertain to the site plan submitted for review on the above referenced date. Any changes made to the plan submitted must be submitted for additional review.

NOTE: Staff recommendations contained in this document are not to be considered support for a particular action or project unless otherwise stated in the comments.

Signature

Direct Stab Trash Enclosure required, see Solid Waste comments

ADA connection to public sidewalk





Site Plan Review Comments For: ITEM NO: 4

Visalia Fire Department Kurtis A. Brown, Fire Marshal 707 W Acequia Avenue Visalia, CA 93291

(559) 713-4261 office (559) 713-4808 fax

SITE PLAN NO: PROJECT TITLE: DESCRIPTION:

APPLICANT: PROP OWNER: LOCATION: APN(S);

DATE: February 22, 2017

SPR16140 RESUBMIT CAMERON CREEK ARCO AMPM

NEW SERVICE STATION W/ 6000SF CONVENIENCE STORE, 10 DISPENSER CANOPY AND AUTOMATED CARWASH, STORE TO OPERATE 24 HOUR W/ SALES OF BEER AND WINE (CN) (X) (A) CAMERON CREEK ARCO AMPM

CAMERON CREEK MARKETPLACE LLC SWC OF EAST CALDWELL AVE AND SICOURT

126-870-037


The following comments are applicable when checked:

sprinkler system, 2016 CFC 304.3.3

X	The Site Plan Review comments are issued as general overview of your project. With further details, additional requirements will be enforced at the Plan Review stage. Please refer to the 2016 California Fire Code (CFC), 2016 California Building Codes (CBC) and City of Visalia Municipal Codes.
	All fire detection, alarm, and extinguishing systems in existing buildings shall be maintained in an operative condition at all times and shall be replaced or repaired where defective. If a building has been vacant for a significant amount of time, the fire detection, alarm, and or extinguishing systems may need to be evaluated by a licensed professional. 2016 CFC 901.6.
	No fire protection items required for <u>parcel map or lot line adjustment</u> ; however, any future projects will be subject to fire & life safety requirements including fire protection.
	 Construction and demolition sites prior to and during construction shall comply with the following: Water Supply for fire protection, either temporary or permanent, shall be made available as soon as combustible materials arrive on the site. 2016 CFC 3312 An all-weather, 20 feet width Construction Access Road capable of holding a 75,000 pound fire apparatus. Fire apparatus access shall be provided within 100 feet of temporary or permanent fire department connections. 2016 CFC 3310
	More information is needed before Site Plan Review can be conducted. Please submit plans with more detailed information. Please include information on
<u>Gener</u>	<u>ral</u>
\boxtimes	Address numbers must be placed on the exterior of the building in such a position as to be clearly and plainly visible from the street. Numbers will be at least four inches (4") high and shall be of a color to contrast with their background. If multiple addresses served are by a common driveway, the range of numbers shall be posted at the roadway/driveway. 2016 CFC 505.1
×	All hardware on exit doors, illuminated exit signs and emergency lighting shall comply with the 2016 California Fire Code. This includes all locks, latches, bolt locks, panic hardware, fire exit hardware and gates.
×	Commercial dumpsters with 1.5 cubic yards or more shall not be stored in building or placed within 5 feet of combustible walls, openings, or a combustible roof eave line except when protected by a <u>fire</u>

	A <u>Knox Box</u> key lock system is required. Where access to or within a structure or area is restricted because of secured openings (doors and/or gates), a key box is to be installed in an approved location. The key box shall be ordered using an approved Knox Authorization Order Form. The forms are located at the fire department administration office located at 707 W. Acequia, Visalia, CA 93291. Please allow adequate time for shipping and installation. 2016 CFC 506.1
	If your business handles <u>hazardous material</u> in amounts that exceed the Maximum Allowable Quantities listed on <i>Table 5003.1.1(1)</i> , 5003.1.1(2), 5003.1.1(3) and 5003.1.1(4) of the 2016 California Fire Code, you are required to submit an emergency response plan to the Tulare County Health Department. Also you shall indicate the quantities on your building plans and prior to the building final inspection a copy of your emergency response plan and Safety Data Sheets shall be submitted to the Visalia Fire Department.
Water	r Supply for Residential, Commercial & Industrial
Reside	ential
	Fire hydrant spacing and location shall comply with the following requirements: The exact location and number of fire hydrants shall be at the discretion of the fire marshal, fire chief and/or their designee. Visulia Municipal Code 16.36.120(5)
	Single-family residential developments shall be provided with fire hydrants every six hundred (600) lineal feet of residential frontage. In isolated developments, no less than two (2) fire hydrants shall be provided.
	Multi-family, zero lot line clearance, mobile home park or condominium developments shall be provided with fire hydrants every four hundred (400) lineal feet of frontage. In isolated developments, no less than two (2) fire hydrants shall be provided.
	Multi-family or condominium developments with one hundred (100) percent coverage fire sprinkler systems shall be provided with fire hydrants every six (600) lineal feet of frontage. In isolated developments, no less than two (2) fire hydrants shall be provided.
Comm	rercial & Industrial
\boxtimes	Where a portion of the facility or building is more than 400 feet from a hydrant on a fire apparatus access road, on-site fire hydrant(s) shall be provided. 2016 CFC 507.5.1
	Due to insufficient building information, the number and distance between fire hydrants cannot be determined by the Site Plan Review process. The number of fire hydrants and distance between required fire hydrants shall be determined by utilizing type of construction and square footage in accordance with CFC 2016 Appendix C102 & C103 &. CFC 507.5.1
	To determine fire hydrant location(s) and distribution the following information was provided to the Site Plan Review committee: Type of construction Square footage
Emerg	gency Access
	A fire apparatus access roads shall be provided and must comply with the 2016 CFC and extend within 150 of all portions of the facility and all portions of the exterior walls of the first story of the building as measured by an approved route around the exterior of the building or facility. Fire apparatus access roads shall have an unobstructed width of not less than 20 feet. Minimum turning radius for emergency fire apparatus shall be 20 feet inside radius and 43 feet outside radius. 2016 CFC 503.1.1

- Buildings or portions of buildings or facilities with a vertical distance between the grade plan and the <u>highest roof surface that exceed 30 feet</u> shall provide an approved fire apparatus access roads capable of accommodating fire department aerial apparatus.
 - Access roads shall have a minimum unobstructed width of 26 feet, exclusive of shoulders.
 - Access routes shall be located within a minimum of 15 feet and maximum of 30 feet from the building, and shall be positioned parallel to one entire side of the building.
 - Overhead utility and power lines shall not be located over the aerial fire apparatus access road or between the aerial fire apparatus road and the building.
- Fire apparatus access roads in excess of 150 feet and dead end shall be provided with a turnaround. Fire apparatus access roads with a length of 151-500 feet shall be a minimum of 20 feet in width. Length of 501-750 feet shall be 26 feet in width. 2016 CFC Table D103.4



Approved No PARKING = FIRE LANE signs shall be provided for fire apparatus access roads to identify such roads or prohibit the obstruction thereof. Signs shall have a minimum dimension of 12 inches wide by 18 inches high and have red letters on a white reflective background. 2013 CFC 503.3/D103.6







shall be provided and have an unobstructed width of not less than the following;

- 20 feet width, exclusive of shoulders (No Parking)
- More than 26 feet width, exclusive of shoulders (No Parking one side)
- More than 32 feet wide, exclusive of shoulders (Parking permitted on both sides)

X	Marking- approved signs, other approved notices or marking that include the words "NO PARKING-FIRE LANE shall be provided for fire apparatus access roads to identify such roads or prohibit the obstruction thereof. CFC 503.3
	 Gates on access roads shall be a minimum width of 20 feet and shall comply with the following: 2016 CFC D103.5 Gates shall be of the swinging or sliding type. Gates shall allow manual operation by one person (power outages). Gates shall be maintained in an operative condition at all times. Electric gates shall be equipped with a means of opening the gate by fire department personnel for emergency access. (Note: Knox boxes shall be ordered using an approved Knox Authorization Order Form. The forms are located at the fire department administration office located at 707 W. Acequia, Visalia, CA 93291. Please allow adequate time for shipping and installation.)
	Streets shall meet the City of Visalia's Design & Improvement Standards for streets to ensure that fire apparatus can make access to all structures in the event of an emergency.
Fire I	Protection Systems
	An <u>automatic fire sprinkler</u> system will be required for this building. Also, a fire hydrant is required within 50 feet of the <u>Fire Department Connection</u> (FDC). Where an existing building is retrofitted with a sprinkler system (NFPA 13 or NFPA 13R) a fire hydrant shall be provided within 75 feet of the FDC. An additional 25 feet of distance between a fire hydrant and FDC may be granted when a fire sprinkler Density is designed with an additional 25%. 2016 CFC 912 and Visalia Municipal Code 8.20.010 subsection C103.4
	Locking fire department connection (FDC) caps are required. The caps shall be ordered using an approved Knox Authorization Order Form. The forms are located at the fire department administration office located at 707 W. Acequia, Visalia, CA 93291. 2016 CFC 912.4.1
×	Commercial cooking appliances and domestic cooking appliances used for commercial purposes that produces grease laden vapors shall be provided with a Type 1 Hood, in accordance with the California Mechanical Code, and an automatic fire extinguishing system. 2016 CFC 904.12 & 609.2
Specia	al Comments
×	Drive approach shall be a minimum of 20'

Kurtis A. Brown Fire Marshal ITEM NO: 4

DATE: February 22, 2017

SITE PLAN NO:

SPR16140

RESUBMIT

PROJECT TITLE:

CAMERON CREEK ARCO AMPM

DESCRIPTION:

NEW SERVICE STATION W/ 6000SF CONVENIENCE STORE, 10 DISPENSER CANOPY AND AUTOMATED CARWASH, STORE TO OPERATE 24 HOUR W/

SALES OF BEER AND WINE (CN) (X) (A)

APPLICANT: PROP OWNER: CAMERON CREEK ARCO AMPM

LOCATION:

CAMERON CREEK MARKETPLACE LLC SWC OF EAST CALDWELL AVE AND S COURT

APN(S):

126-870-037

Site Plan Review Comments

City of Visalia

303 S. Johnson St.

Visalia, Ca. 93292

(559) 713-4370

Police Department

	4	No Comment at this time.
/		Request opportunity to comment or make recommendations as to safety issues as plans are developed.
		Public Safety Impact fee: Ordinance No. 2001-11 Chapter 16.48 of Title 16 of the Visalia Municipal Code Effective date - August 17, 2001
		Impact fees shall be imposed by the City pursuant to this Ordinance as a condition of or in conjunction with the approval of a development project. "New Development or Development Project" means any new building, structure or improvement of any parcels of land, upon which no like building, structure of improvement previously existed. *Refer to Engineering Site Plan comments for fee estimation.
		Not enough information provided. Please provide additional information pertaining to:
		Territorial Reinforcement: Define property lines (private/public space).
		Access Controlled / Restricted etc:
		Lighting Concerns:
		Landscaping Concerns:
		Traffic Concerns:
	B	Surveillance Issues: SEUIRITY/(MMFV) SYSTEM.
		Line of Sight Issues:
S.		Other Concerns: DOMWAKZ LIGG
	Visalia l	Police Department

QUALITY ASSURANCE DIVISION SITE PLAN REVIEW COMMENTS

RESUBMIT

NEW SERVICE STATION W/ 6000SF CONVENIENCE STORE, 10 DISPENSER CANOPY AND AUTOMATED

DATE: February 22, 2017

CAMERON CREEK ARCO AMPM

SPR16140

ITEM NO: 4

SITE PLAN NO:

DESCRIPTION:

PROJECT TITLE:

	APPLICANT: PROP OWNER: LOCATION: APN(S):	SALES OF BEE CAMERON CRE CAMERON CRE	ORE TO OPERATE IR AND WINE (CN) EEK ARCO AMPM EEK MARKETPLAC CALDWELL AVE /	(X) (A) CE LLC		
ORDINANO CONNECTI ALSO REST	REQUIRED TO CO CE 13.08 RELATIV ON FEES AND M FRICTS THE DISC ARY SEWER SYS	/E TO CONN ONTHLY SI CHARGE OF	NECTION TO EWER USER	THE SEWE	R, PAYMEN THE ORDI	IT OF NANCE
YOUR PRO	JECT IS ALSO SU	BJECT TO	THE FOLLOV	VING REQU	JIREMENTS	:
	WASTEWATER	DISCHARGE	PERMIT APPI	LICATION	FAS CAN WA	∖in
\boxtimes	SAND AND GREASE INTERCEPTOR - 3 COMPARTMENT FOR CAG WASH					
	GREASE INTER	EPTOR	min. 1000 GAI	4		
	GARBAGE GRINDER - % HP. MAXIMUM					
	SUBMISSION OF A DRY PROCESS DECLARATION					
\boxtimes	NO SINGLE PASS COOLING WATER IS PERMITTED					
	OTHER					
	SITE PLAN REVI	EWED-NO(COMMENTS			
CALL THE (QUESTIONS	QUALITY ASSUR	ANCE DIVI	SION AT (559	9) 713-4529	IF YOU HA\	/E ANY
PUBLIC WO QUALITY AS 7579	OF VISALIA PRKS DEPARTMI SSURANCE DIVI AVENUE 288 LIA, CA 93277	-	AUTE	IORIZED SI DATE	GNATURE	

388	5 1	p),	40




CITY OF VISALIA NONSIGNIFICANT WASTEWATER DISCHARGE PERMIT APPLICATION

Agency Use:
Permit No:
Code No:
Data Futry By:

PLEASE PRINT OR TYPE									
APPLICANT BUSINESS NAI									
BUSINESS ADDRESS: CIT									
MAILING ADDRESS: CITY									
	NTACT PERSON: TITLE:								
NATURE OF BUSINESS: (auto repair, car wash, machine shop, painting, battery dealer, etc.)									
Does your facility have a great	ase, oil or grit trap installed befor	e discharge to sewer?	YES	NO					
Does your facility conduct autor replacement of fluids (e.g.	YES	NO							
Does your facility have any flo	YES	NO							
Does your facility have a stea	YES	NO							
Does your facility wash vehicle	YES	NO							
If generated, how do you dispose of the following:									
Grease, oil and sand intercept	tor contents			·····························					
hereby	affirm that all information furnish to the best of my knowle								

Public Works Department Quality Assurance Division 7579 Ave. 288 Visalia CA 93277 (559) 713-4487 Date

Signature



CITY OF VISALIA ORDINANCE 13.08

13.08.570 Traps required.


Grease, oil and sand traps shall be provided when, in the opinion of the City, they are necessary for the protection of the sewerage system from liquid wastes containing grease in excessive amounts, or any flammable wastes, sand and other harmful ingredients; except that such traps shall not be required for buildings used solely for residential purposes. Such traps shall be required for example, on discharges from all service stations, automotive repair garages, car washes, restaurants, eating establishments and food preparation establishments, and such other commercial or industrial establishments as the city may designate. (Prior code § 4254)


13.08.580 Construction of traps.

All traps shall be of a type and capacity approved by the city, and shall be so located as to be readily and easily accessible for cleaning and inspection. Restaurant traps shall be gas-tight, of a type approved for restaurant use by the division of building safety. Traps for all other facilities, including service stations and garages, shall be in accordance with the adopted plan of the city for such traps or shall be the approved equal thereof as determined by the director. (Prior code § 4255)

13.08.590 Maintenance of traps.

When installed, all grease, oil and sand traps shall be maintained by the owner, at owner's expense, in continuously efficient operation at all times. (Prior code § 4256)





Conditional Use Permit No. 2017-22

APN: 126-870-037





2016 Aerial Photo



Conditional Use Permit No. 2017-22

APN: 126-870-037





2016 Aerial Photo



